

2,4-Dimethoxybenzylamine

Safety Data Sheet 475610M according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/31/2017 Version: 1.0

| SECTION 1: Identification | |
|--|---|
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : 2,4-Dimethoxybenzylamine |
| CAS No | : 20781-20-8 |
| Product code | : 4756-1-0M |
| Formula | : C9H13NO2 |
| Synonyms | : (2,4-Dimethoxyphenyl)methylamine |
| Other means of identification | : MFCD00052393 |
| 1.2. Relevant identified uses of the s | substance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the saf | ety data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs 1.4. Emergency telephone number | |
| | · (844) E22 4086 (2E Company Account 10060) |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identificati | on |
| 2.1. Classification of the substance of | or mixture |
| Classification (GHS-US) | |
| Skin Corr. 1B H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirate | amage |
| Full text of H-phrases: see section 16 | |
| 2.2. Label elements | |
| GHS-US labeling | |
| Hazard pictograms (GHS-US) | GHS05 GHS07 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | : H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed |

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

2,4-Dimethoxybenzylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 20

77 No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ccording to Federal Register / Vol. 77, No. 58 / Mo | onday, March 26, 2012 | 2 / Rules and Regulations | | |
|---|----------------------------|--|--------------------------|--|
| 2.3. Other hazards | | | | |
| No additional information available | | | | |
| 2.4. Unknown acute toxicity (GHS U | JS) | | | |
| Not applicable | | | | |
| SECTION 3: Composition/inform | ation on ingre | dients | | |
| 3.1. Substance | | | | |
| Substance type | : Mono-con | stituent | | |
| Name | Pr | oduct identifier | % | Classification (GHS-US) |
| 2,4-Dimethoxybenzylamine (Main constituent) | (CA | AS No) 20781-20-8 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| lot applicable | | | | |
| SECTION 4: First aid measures | | | | |
| I.1. Description of first aid measur | es | | | |
| First-aid measures general | | accident or if you feel unwessible). Move the affected p | | e immediately (show the label e contaminated area. |
| First-aid measures after inhalation | | person to fresh air and keep n. Get immediate medical a | | ning. If not breathing, give artificial |
| First-aid measures after skin contact | | n plenty of soap and water. dvice/attention. | Remove contaminated | l clothing and shoes. Get immediate |
| First-aid measures after eye contact | | ely flush eyes thoroughly wi nd easy to do. Continue rins | | minutes. Remove contact lenses, if edical advice/attention. |
| irst-aid measures after ingestion | | nduce vomiting. Never give t with water. Get immediate | | an unconscious person. Rinse on. |
| .2. Most important symptoms and | effects, both acut | e and delayed | | |
| Symptoms/injuries | | important known symptoms or in section 11. | s and effects are descr | ibed in the labelling (see section |
| Symptoms/injuries after inhalation | | s destructive to tissue of the of breath, headache, naus | | and upper respiratory tract. Cough, |
| 1.3. Indication of any immediate m | edical attention an | d special treatment neede | ed | |
| reat symptomatically. | | | | |
| SECTION 5: Firefighting measur | es | | | |
| .1. Extinguishing media | | | | |
| Suitable extinguishing media | | esistant foam. Carbon dioxic te for surrounding fire. | le. Dry powder. Water | spray. Use extinguishing media |
| .2. Special hazards arising from the | e substance or m | ixture | | |
| ïre hazard | : Thermal c | decomposition generates: C | arbon oxides. Nitroger | n oxides. |
| xplosion hazard | : Risk of ex containers | | finement. Use water s | pray or fog for cooling exposed |
| .3. Advice for firefighters | | | | |
| irefighting instructions | : In case of | fire: Evacuate area. Fight f | ire remotely due to the | risk of explosion. |
| Protection during firefighting | | | | with self contained breathing ure controls/personal protection". |
| SECTION 6: Accidental release | neasures | | | |
| 5.1. Personal precautions, protecti | e equipment and | emergency procedures | | |
| General measures | : Evacuate vapor or s | | nsure adequate air ven | tilation. Do not breathe gas, fumes, |
| 6.1.1. For non-emergency personnel | | | | |
| Emergency procedures | : Only qual | ified personnel equipped wi | th suitable protective e | quipment may intervene. |
| | | | | - |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.2. For emergency responders | |
|---|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify auth | norities if product enters sewers or public waters. |
| 6.3. Methods and material for contain | iment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, inclu | uding any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Air sensitive. Keep contents under inert gas. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| | |

| SECTION 8: Ex | posure controls/ | personal | protection |
|---------------|------------------|----------|------------|
|---------------|------------------|----------|------------|

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical an | d chemical properties |
|---|-----------------------|
| Physical state | : Liquid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 143 °C (@ 15 mm Hg) |
| Flash point | : 113 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammability (solid, gas) | : | No data available |
|---------------------------------|---|----------------------|
| Explosion limits | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | No data available |
| Vapor pressure | : | No data available |
| Relative density | : | No data available |
| Relative vapor density at 20 °C | : | No data available |
| Specific gravity / density | : | 1.113 g/ml (@ 25 °C) |
| Molecular mass | : | 167.21 g/mol |
| Solubility | : | No data available |
| Log Pow | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | : | No data available |
| Viscosity, kinematic | : | No data available |
| Viscosity, dynamic | : | No data available |
| 0.2 Other information | | |

Other information 9.2.

Refractive index

: 1.549 (@ 20 °C)

| SECTION 10: Stability and reactivity |
|--|
| 10.1. Reactivity |
| No additional information available |
| 10.2. Chemical stability |
| The product is stable at normal handling and storage conditions. |
| 10.3. Possibility of hazardous reactions |
| No additional information available |
| 10.4. Conditions to avoid |
| Keep away from heat, sparks and flame. |
| 10.5. Incompatible materials |
| Strong oxidizing agents. |
| 10.6. Hazardous decomposition products |
| Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case fire, see Section 5. |
| SECTION 11: Toxicological information |
| 11.1. Information on toxicological effects |
| Acute toxicity : Not classified |

| Acute toxicity | |
|--|---|
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 0 | |
|---------|--------------------------------|
| SECT | ION 12: Ecological information |
| 12.1. | Toxicity |
| No addi | tional information available |
| 12.2. | Persistence and degradability |
| No addi | tional information available |
| 12.3. | Bioaccumulative potential |
| No addi | tional information available |
| 12.4. | Mobility in soil |
| No addi | tional information available |
| 12.5. | Other adverse effects |
| No addi | tional information available |

| SECTION 13: Disposal considera | ations |
|---------------------------------------|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN2735 Amines, liquid, corrosive, n.o.s., 8, III
- : UN2735
- : Amines, liquid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 203 : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the

following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

ation : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
|-------------------------------------|---|
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 2735 |
| Proper Shipping Name (IMDG) | : AMINES, LIQUID, CORROSIVE, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : III - substances presenting low danger |
| Air transport | |
| UN-No. (IATA) | : 2735 |
| Proper Shipping Name (IATA) | : Amines, liquid, corrosive, n.o.s. |
| Class (IATA) | : 8 - Corrosives |

| Packing group (IATA) | : III - Minor Danger |
|----------------------|----------------------|

SECTION 15: Regulatory information 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 2,4-Dimethoxybenzylamine | CAS No 20781-20-8 | 100% |
|--------------------------|-------------------|------|
| | | |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

| 2,4-Dimethoxybenzylamine (20781-20-8) |
|--|
| Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory) |
| Listed on the TCSI (Talwan Chemical Substance Inventory) |

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
|---------------|---|
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| NFPA health hazard | : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. |
|--------------------|--|
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. |
| HMIS III Rating | |
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.