

Safety Data Sheet 4756123 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/12/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3-Ethoxy-4-methoxyphenethylamine
CAS No	: 86456-97-5
Product code	: 4756-1-23
Formula	: C11H17NO2
Synonyms	: 2-(3-Ethoxy-4-methoxyphenyl)ethan-1-amine
Other means of identification	: MFCD00079755
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	<u>bs.com</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Full text of H-phrases: see section 16	
2.2. Label elements GHS-US labeling	
Ono-oo labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: GHS07 : Warning : H315 - Causes skin irritation
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Warning
Signal word (GHS-US)	<ul> <li>Warning</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.						
No additional information available						
2.4. Unknown acute toxicity (GHS US)						
Not applicable						
SECTIO	<b>DN 3: Composition/information</b>	on ing	gredients			
3.1.	Substance					
Substanc	Substance type : Mono-constituent					
Name			Product identifier	%	Classification (GHS-US)	
	-4-methoxyphenethylamine stituent)		(CAS No) 86456-97-5	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of	Full text of H-phrases: see section 16					-
3.2.	Mixture					
Not appli	cable					
SECTIO	ON 4: First aid measures					
4.1.	Description of first aid measures					
First-aid r	neasures general		e of accident or if you feel unwell, seek r possible). Move the affected personnel			
First-aid r	neasures after inhalation		ve person to fresh air and keep comforta ation. Get medical advice/attention.	able for breathing	g. If not breathing, give artificial	
	measures after skin contact		with plenty of soap and water. Get medi			
	,	preser	diately flush eyes thoroughly with water f nt and easy to do. Continue rinsing. Get	medical advice/a	attention.	
First-aid r	neasures after ingestion		OT induce vomiting. Never give anything out with water. Get medical advice/atter		unconscious person. Rinse	
4.2.	Most important symptoms and effect	s, both a	acute and delayed			
Symptom	s/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	d in the labelling (see section	
4.3.	4.3. Indication of any immediate medical attention and special treatment needed					
Treat symptomatically.						
fieat syn	nptomatically.					
-						
-	nptomatically. DN 5: Firefighting measures Extinguishing media					
<b>SECTIO</b> 5.1.	ON 5: Firefighting measures Extinguishing media	: Alcoh	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water spi	ray. Use extinguishing media	
<b>SECTIO</b> 5.1.	ON 5: Firefighting measures Extinguishing media	: Alcoho approj	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water spi	ray. Use extinguishing media	
<b>SECTIO</b> 5.1. Suitable e	ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the subs	: Alcoho approj	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.			
SECTIONS SUITABLE OF STREET SUIT	ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd	: Alcoho approj stance o : Therm	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. o <mark>r mixture</mark> nal decomposition generates: Carbon ox of explosion if heated under confinement.	ides. Nitrogen o	kides.	
SECTIO 5.1. Suitable of 5.2. Fire haza	ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd	: Alcoho approp stance o : Therm : Risk o	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. o <mark>r mixture</mark> nal decomposition generates: Carbon ox of explosion if heated under confinement.	ides. Nitrogen o	kides.	
SECTIONS SEC	DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd hazard Advice for firefighters	: Alcoho approj stance o : Therm : Risk o contai	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. o <mark>r mixture</mark> nal decomposition generates: Carbon ox of explosion if heated under confinement.	ides. Nitrogen o Use water spra	kides. y or fog for cooling exposed	
SECTIONS SEC	DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd hazard Advice for firefighters ng instructions	: Alcoho approp stance o : Therm : Risk c contai : In cas : Wear	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. o <mark>r mixture</mark> nal decomposition generates: Carbon ox of explosion if heated under confinement ners.	ides. Nitrogen ox Use water spra ely due to the ris n combination w	kides. y or fog for cooling exposed sk of explosion. ith self contained breathing	
SECTIONS SEC	DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd hazard Advice for firefighters ng instructions n during firefighting	: Alcoho approj stance o : Therm : Risk o contai : In cas : Wear appara	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in	ides. Nitrogen ox Use water spra ely due to the ris n combination w	kides. y or fog for cooling exposed sk of explosion. ith self contained breathing	
SECTIONS SECTIONS	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the substration         rd         hazard         Advice for firefighters         ng instructions         n during firefighting         DN 6: Accidental release meas	: Alcoha approp stance o : Therm : Risk o contai : In cas : Wear appara	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture hal decomposition generates: Carbon oxi of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect	ides. Nitrogen ox Use water spra ely due to the ris n combination w	kides. y or fog for cooling exposed sk of explosion. ith self contained breathing	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the sub- rd         hazard         Advice for firefighters         ng instructions         h during firefighting         DN 6: Accidental release measo         Personal precautions, protective equipation	: Alcoha approj stance o : Therm : Risk o contai : Near appara ures : Evacu	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture hal decomposition generates: Carbon oxi of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure	kides. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the sub- rd         hazard         Advice for firefighters         ng instructions         h during firefighting         DN 6: Accidental release measo         Personal precautions, protective equipation	: Alcoha approj stance o : Therm : Risk o contai : Near appara ures : Evacu	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect and emergency procedures nate unnecessary personnel. Ensure ade	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure	kides. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the sub- rd         hazard         Advice for firefighters         ng instructions         n during firefighting         DN 6: Accidental release meass         Personal precautions, protective equineasures         For non-emergency personnel	<ul> <li>Alcoha approj</li> <li>stance o</li> <li>Therm</li> <li>Risk o contai</li> <li>In cas</li> <li>Wear appara</li> <li>Ures</li> <li>Evacu vapor</li> </ul>	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect and emergency procedures nate unnecessary personnel. Ensure ade	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure	kides. y or fog for cooling exposed kk of explosion. ith self contained breathing e controls/personal protection".	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the sub- rd         hazard         Advice for firefighters         ng instructions         n during firefighting         DN 6: Accidental release meass         Personal precautions, protective equineasures         For non-emergency personnel	<ul> <li>Alcoha approj</li> <li>stance o</li> <li>Therm</li> <li>Risk o contai</li> <li>In cas</li> <li>Wear appara</li> <li>Ures</li> <li>Evacu vapor</li> </ul>	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. <b>or mixture</b> hal decomposition generates: Carbon oxist of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect and emergency procedures hate unnecessary personnel. Ensure ade or spray.	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure	kides. y or fog for cooling exposed kk of explosion. ith self contained breathing e controls/personal protection".	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the subsort         rd         hazard         Advice for firefighters         ng instructions         n during firefighting         DN 6: Accidental release meas         Personal precautions, protective equineasures         For non-emergency personnel         cy procedures	<ul> <li>Alcoha approp</li> <li>stance o</li> <li>Therm</li> <li>Risk c contai</li> <li>In cas</li> <li>Wear appara</li> <li>Wear</li> <li>appara</li> <li>Evacu vapor</li> <li>Conly c</li> <li>Do no</li> </ul>	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. <b>or mixture</b> hal decomposition generates: Carbon oxist of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect and emergency procedures hate unnecessary personnel. Ensure ade or spray.	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure equate air ventila e protective equip	kides. y or fog for cooling exposed k of explosion. ith self contained breathing controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene.	
SECTIONS SEC	DN 5: Firefighting measures         Extinguishing media         extinguishing media         Special hazards arising from the sub- rd         hazard         Advice for firefighters         ng instructions         n during firefighting         DN 6: Accidental release meass         Personal precautions, protective equineasures         For non-emergency personnel         cy procedures         For emergency responders         e equipment	<ul> <li>Alcoha approj</li> <li>stance o</li> <li>Therm</li> <li>Risk o contai</li> <li>In cas</li> <li>Wear appara</li> <li>Wear</li> <li>appara</li> <li>Evacu vapor</li> <li>Only c</li> <li>Do no refer t</li> </ul>	ol resistant foam. Carbon dioxide. Dry por priate for surrounding fire. <b>or mixture</b> hal decomposition generates: Carbon oxion of explosion if heated under confinement. ners. e of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing in atus. For further information refer to sect and emergency procedures hate unnecessary personnel. Ensure ade or spray. qualified personnel equipped with suitable t attempt to take action without suitable	ides. Nitrogen or Use water spra ely due to the ris n combination w ion 8: "Exposure quate air ventila e protective equipr protection".	kides. y or fog for cooling exposed k of explosion. ith self contained breathing controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene. ment. For further information	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.		
.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Air sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 119 °C (@ 1 mm Hg)		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
01/10/2017	ENI (English LIC)	SDS ID: 4756400	2/6

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	1.05 g/ml (@ 25 °C)
Molecular mass	:	195.26 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

#### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Acids. /	Acid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects	s
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION	ON 12: Ecological information
12.1.	Toxicity
	•
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped	ed with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance	with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informa	tion	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory inform	ation	
15.1. US Federal regulations		
All components of this product are listed. Substances Control Act (TSCA) inventor	or excluded from listing, on the United States Environr y except for:	mental Protection Agency Toxic
3-Ethoxy-4-methoxyphenethylamine	CAS No 86456-97-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** 

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.