

2-Amino-4-fluoro-6-methylphenol

Safety Data Sheet 4756332 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/18/2019 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2-Amino-4-fluoro-6-methylp	henol	
CAS No	: 133788-81-5		
Product code	: 4756-3-32		
Formula	: C7H8FNO		
Other means of identification	: MFCD19214250		
1.2. Relevant identified uses of the s	ubstance or mixture and uses ad	vised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and dev	elopment	
1.3. Details of the supplier of the safe	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	ny - Account 10069)	
SECTION 2: Hazard(s) identification	on		
2.1. Classification of the substance of			
Classification (GHS-US)			
Turtext of Fr privates. See Section To			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS05 GHS06	GHS07	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H301 - Toxic if swallowed H312+H332 - Harmful in co H315 - Causes skin irritation H318 - Causes serious eye H335 - May cause respirato	ו damage	
Precautionary statements (GHS-US)	 P261 - Avoid breathing dus P264 - Wash skin thorough P270 - Do not eat, drink or P271 - Use only outdoors o P280 - Wear protective glov P301+P310 - If swallowed: P302+P352 - If on skin: Wa P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy P310 - Immediately call a P 	, mist, spray y after handling smoke when using this product r in a well-ventilated area es/protective clothing/eye protection/face protecti Immediately call a poison center/doctor/ sh with plenty of soap and water nove person to fresh air and keep comfortable fo es: Rinse cautiously with water for several minute	r breathing s. Remove contact
04/18/2019	EN (English US)	SDS ID: 4756332	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel e	quipped with suitable protective e	quipment may intervene.
General measures	: Evacuate unnecessary pe	rsonnel. Ensure adequate air ven	tilation. Do not breathe dust.
6.1. Personal precautions, protective			
SECTION 6: Accidental release me	easures		
	apparatus. For further info		sure controls/personal protection".
Protection during firefighting		protective clothing in combination	n with self contained breathing
Firefighting instructions	: In case of fire: Evacuate a	rea	
5.3. Advice for firefighters			
Fire hazard		enerates: Carbon oxides. Hydroge	en fluoride. Nitrogen oxides.
5.2. Special hazards arising from the			
Suitable extinguishing media	: Alcohol resistant foam. Ca appropriate for surroundin	arbon dioxide. Dry powder. Water a fire.	spray. Use extinguishing media
5.1. Extinguishing media			
SECTION 5: Firefighting measures	S		
Treat symptomatically.			
4.3. Indication of any immediate med	lical attention and special treatr	nent needed	
Cymptonio injuneo	2.2) and/or in section 11.		loca in the labelling (See Section
4.2. Most important symptoms and ex Symptoms/injuries		n symptoms and effects are descr	ihed in the labelling (see section
4.2 Most important and the second			UII.
First-aid measures after ingestion	: Do NOT induce vomiting.	Never give anything by mouth to a immediate medical advice/attention	an unconscious person. Rinse
First-aid measures after eye contact		proughly with water for at least 15 ontinue rinsing. Get immediate me	i minutes. Remove contact lenses, i edical advice/attention.
First-aid measures after skin contact		and water. Get immediate medica	
	respiration. Get immediate	e medical advice/attention.	0 0.0
First-aid measures after inhalation	where possible). Move the	affected personnel away from the	
First-aid measures general		u feel unwell, seek medical advic	e immediately (show the label
4.1. Description of first aid measures			
SECTION 4: First aid measures			
Not applicable			
3.2. Mixture			
Full text of H-phrases: see section 16			STOT SE 3, H335
(Main constituent)			Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318
2-Amino-4-fluoro-6-methylphenol	(CAS No) 133788-81-5		Acute Tox. 3 (Oral), H301
Name	Product identifier	%	Classification (GHS-US)
Substance type	: Mono-constituent		
3.1. Substance			
SECTION 3: Composition/informa	tion on ingredients		
Not applicable	,		
2.4. Unknown acute toxicity (GHS US	5)		
2.3. Other hazards No additional information available			
	P405 - Store locked up	s/container to an approved waste	0.7
		taminated clothing and wash it be ell-ventilated place. Keep containe	
	P332+P313 - If skin irritati		
	P330 - Rinse mouth		ontion

Safety Data Sheet

6.1.2. For emergency re	sponders
Protective equipment	 Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental pro	cautions
Avoid release to the environn	nent. Notify authorities if product enters sewers or public waters.
6.3. Methods and mate	erial for containment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to othe	r sections
No additional information ava	ilable
SECTION 7: Handling	and storage
7.1. Precautions for sa	ife handling
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for sa	e storage, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

: Solid
: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 141.1429 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	acids. Strong bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

2-Amino-4-fluoro-6-methylphenol (133788-81	-5)
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	4500.000 ppmV/4h
ATE US (vapors)	11.000 mg/l/4h
ATE US (dust, mist)	1.500 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN2811 Toxic solids, organic, n.o.s., 6.1, III
- : UN2811
- : Toxic solids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- : IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
 - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 100 kg (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

: 6.1 - Toxic Substances

: III - Minor Danger

2-Amino-4-fluoro-6-methylphenol CAS No 133788-81-5 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Class (IATA)

Packing group (IATA)

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full	text	of	H-p	hrases:
------	------	----	-----	---------

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4		
Eye Dam. 1	Serious eye damage/eye irritation Category 1		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H301	Toxic if swallowed		
H312	Harmful in contact with skin		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.		
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating			
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given		
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 		
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.