

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: December 22, 2014 Date printed: December 22, 2014

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 4849-3-03

NAME: 3-(TRIFLUOROMETHYL)PHENYLISOCYANATE

SYNONYM: ALPHA, ALPHA, ALPHA-TRIFLUORO-M-TOLYL ISOCYANATE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS NUMBER: 329-01-1

MDL NUMBER: MFCD00002020 MOLECULAR FORMULA: C₈H₄F₃NO MOLECULAR WEIGHT: 187.12

SECTION 3. -------HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

TOXIC.

TOXIC IF INHALED.

HARMFUL.

HARMFUL IN CONTACT WITH SKIN AND IF SWALLOWED.

IRRITANT.

IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

MAY CAUSE SENSITIZATION BY INHALATION.

FLAMMABLE LIQUID AND VAPOR.

LACHRYMATOR.

SECTION 4. ----- FIRST-AID MEASURES-----

ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF BREATHING BECOMES DIFFICULT, CALL A PHYSICIAN.

DERMAL EXPOSURE

IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.

EYE EXPOSURE

IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

58 °C

EXTINGUISHING MEDIA

SUITABLE: CARBON DIOXIDE, DRY CHEMICAL POWDER, OR APPROPRIATE FOAM.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS. COMBUSTIBLE.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. - - - - - HANDLING AND STORAGE - - - - - -

HANDLING

USER EXPOSURE: DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAME.

STORE AT 2-8°C

SPECIAL REQUIREMENTS

MOISTURE SENSITIVE. HANDLE AND STORE UNDER INERT GAS.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. USE ONLY IN A CHEMICAL FUME HOOD. PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY: USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. HAND: COMPATIBLE CHEMICAL-RESISTANT GLOVES.

EYE: CHEMICAL SAFETY GOGGLES.

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY.

SECTION 9, ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE

CLEAR, COLORLESS LIQUID

PHYSICAL PROPERTIES

BOILING POINT: 54°C @ 11 mmHg DENSITY: 1.359 g/mL @ 20 °C

REFRACTIVE INDEX: 1.47 @ 20 °C

SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY

CONDITIONS TO AVOID: HEAT.

MATERIALS TO AVOID: WATER, ALCOHOLS, STRONG BASES, AMINES, ACIDS, STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, AND NITROGEN OXIDES, HYDROGEN CYANIDE, HYDROGEN FLUORIDE.

HAZARDOUS POLYMERIZATION

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

ROUTE OF EXPOSURE

SKIN CONTACT: CAUSES SKIN IRRITATION.

SKIN ABSORPTION: HARMFUL IF ABSORBED THROUGH SKIN.

EYE CONTACT: CAUSES EYE IRRITATION. LACHRYMATOR.

INHALATION: TOXIC IF INHALED, MATERIAL IS IRRITATING TO MUCOUS

MEMBRANES AND UPPER RESPIRATORY TRACT.

INGESTION: HARMFUL IF SWALLOWED.

SENSITIZATION

RESPIRATORY: MAY CAUSE ALLERGIC RESPIRATORY REACTION.

SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. REPEATED EXPOSURE MAY CAUSE ASTHMA. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

UN2285 - HC 6.1,3 - PG II

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION

SYMBOL OF DANGER: T, F, Xn, Xi

INDICATION OF DANGER: TOXIC. FLAMMABLE. HARMFUL. IRRITANT.

RISK STATEMENTS: 10-21/22-23-36/37/38-42

SAFETY STATEMENTS: 23-24/25-26-36/337/39-38-45

US CLASSIFICATION AND LABEL TEXT

TSCA: LISTED ON TSCA INVENTORY; FOR R&D USE ONLY

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.