

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 4854343 Issue date: 5/15/2017 Revision date: 12/16/2022 Version: 1.1

# SECTION 1: Identification

1.1. Identification	
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification <b>1.2. Recommended use and restrictions or</b>	<ul> <li>Substance</li> <li>4-Fluoro-3-nitrobenzotrifluoride</li> <li>367-86-2</li> <li>4854-3-43</li> <li>C7H3F4NO2</li> <li>1-Fluoro-2-nitro-4-(trifluoromethyl)benzene</li> <li>MFCD00007059</li> </ul>
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Supplier	
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 4	H227	Combustible liquid
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation

Full text of H statements : see section 16

2.2. GHS Label elemen	s, including preca	utionary statements
-----------------------	--------------------	---------------------

#### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US) : Warning : H227 - Combustible liquid H302 - Harmful if swallowed H315 - Causes skin irritation

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H319 - Causes serious eye irritation
	H335 - May cause respiratory irritation
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P261 - Avoid breathing fumes, mist, spray, vapors.
	P264 - Wash skin thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell
	P302+P352 - If on skin: Wash with plenty of soap and water
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

## No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
4-Fluoro-3-nitrobenzotrifluoride (Main constituent)	CAS-No.: 367-86-2		Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

## 3.2. Mixtures

#### Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.		
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.		
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
4.2. Most important symptoms and effects (acute and delayed)			
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		

# 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishin	ng media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Specific hazards arising from the chemical			
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.</li> </ul>		
5.3. Special protective equipment and pre	ecautions for fire-fighters		
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective eq	uipment and emergency procedures		
errit electral proceations, protoctite eq			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		

### No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.</li> </ul>	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible materials Storage area	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Keep away from ignition sources.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>Store in dry, cool, well-ventilated area.</li> </ul>	

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
4-Fluoro-3-nitrobenzotrifluoride (367-86-2)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
8.3. Individual protection measures/Persona	I protective equipment	
Hand protection:		
protective gloves. 29 CFR 1910.138: Hand Protection		
Eye protection:		
Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

#### Personal protective equipment symbol(s):



#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Li	iquid
Color	: N	o data available
Odor	: N	o data available
Odor threshold	: N	o data available
рН	: N	o data available
Melting point	: N	o data available
Freezing point	: N	o data available
Boiling point	: 6	5 – 66 °C (@ 5 mm Hg)
Flash point	: N	o data available
Relative evaporation rate (butyl acetate=1)	: N	o data available
Flammability (solid, gas)	: N	o data available
Vapor pressure	: N	o data available
Relative vapor density at 20 °C	: N	o data available
Relative density	: N	o data available
Density	: 1	.494 g/ml (@ 25 °C)
Molecular mass	: 2	09.1 g/mol
Solubility	: N	o data available
Partition coefficient n-octanol/water (Log Pow)	: N	o data available
Auto-ignition temperature	: N	o data available
Decomposition temperature	: N	o data available
Viscosity, kinematic	: N	o data available
Viscosity, dynamic	: N	o data available
Explosion limits	: N	o data available
Explosive properties	: N	o data available
Oxidizing properties	: N	o data available

#### 9.2. Other information

Refractive index

: 1.4604 (@ 25 °C)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability	
The product is stable at normal handling and storage conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	

Strong oxidizing agents.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Harmful if swallowed. : Not classified : Not classified	
4-Fluoro-3-nitrobenzotrifluoride (367-86-2)		
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.	

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

**12.2. Persistence and degradability** 

No additional information available

**12.3. Bioaccumulative potential** 

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

S
<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>

14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG)	: Combustible liquid, n.o.s. : Not applicable
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
14.3. Transport hazard class(es)	
DOT	
Transport hazard class(es) (DOT)	: Combustible liquid

TDG

Transport hazard class(es) (TDG)

IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG)

# : 3 : 3

: 3 : 3

: Not applicable

# ΙΑΤΑ

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3

	3
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : Not applicable : III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	<ul> <li>NA1993</li> <li>148 - Except for transportation by aircraft, when transported as a limited quantity or a consume commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
CFR 175.75) DOT Vessel Stowage Location	<ul> <li>A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.</li> </ul>
TDG No data available	
IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	<ul> <li>223, 274, 955</li> <li>5 L</li> <li>E1</li> <li>LP01, P001</li> <li>IBC03</li> <li>T4</li> <li>TP1, TP29</li> <li>F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS</li> <li>S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER</li> <li>A</li> </ul>
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: E1 : Y344

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### **15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

100%

4-Fluoro-3-nitrobenzotrifluoride

CAS-No. 367-86-2

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

4-Fluoro-3-nitrobenzotrifluoride (367-86-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

4-Fluoro-3-nitrobenzotrifluoride (367-86-2)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 12/16/2022

Full text of H-phrases	
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA)</li> </ul>
Physical	<ul> <li>0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.</li> </ul>
Cofety Data Chaot (CDC) LICA	

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.