

3-Fluoropyridine-4-carboxaldehyde Safety Data Sheet 4H153X6 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/08/2018 Version: 1.0

| SECTION 1: Identification | | |
|--|--|--|
| 1.1. Identification | | |
| Product form | : Substance | |
| Substance name | : 3-Fluoropyridine-4-carboxaldehyde | |
| CAS No | : 40273-47-0 | |
| Product code | : 4H15-3-X6 | |
| Formula | : C6H4FNO | |
| Synonyms | : 3-Fluoroisonicotinaldehyde | |
| Other means of identification | : MFCD06410686 | |
| 1.2. Relevant identified uses of the s | ubstance or mixture and uses advised against | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development | |
| 1.3. Details of the supplier of the safe | ety data sheet | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 <u>info@synquestlabs.com</u> - <u>www.synquestlabs</u> | | |
| 1.4. Emergency telephone number | | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) | |
| SECTION 2: Hazard(s) identification | on | |
| 2.1. Classification of the substance of | | |
| Classification (GHS-US) | | |
| Acute Tox. 4 (Oral) Skin Irrit. 2 Eye Irrit. 2A H302 - Harmful if swa H315 - Causes skin ir H319 - Causes seriou | rritation us eye irritation | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause res | ulowed rritation us eye irritation allergic skin reaction | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16 | ulowed rritation us eye irritation allergic skin reaction | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause resFull text of H-phrases: see section 162.2.Label elements | ulowed rritation us eye irritation allergic skin reaction | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16 | ulowed rritation us eye irritation allergic skin reaction | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause resFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling | allowed ritation us eye irritation allergic skin reaction spiratory irritation : | |
| Acute Tox. 4 (Oral)H302 - Harmful if swaSkin Irrit. 2H315 - Causes skin irEye Irrit. 2AH319 - Causes seriouSkin Sens. 1BH317 - May cause anSTOT SE 3H335 - May cause resFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US) | allowed ritation us eye irritation allergic skin reaction spiratory irritation : CHS07 | |
| Acute Tox. 4 (Oral) H302 - Harmful if swa Skin Irrit. 2 H315 - Causes skin ir Eye Irrit. 2A H319 - Causes seriou Skin Sens. 1B H317 - May cause an STOT SE 3 H335 - May cause rest Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | allergic skin reaction spiratory irritation allergic skin reaction spiratory irritation * • • • • • • • • • • • • • • • • • • • | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ° ° | | | |
|--|--|--|---|
| | lenses, if present and easy to d P312 - Call a POISON CENTEF P321 - Specific treatment (see s P330 - Rinse mouth P332+P313 - If skin irritation oc P333+P313 - If skin irritation or P337+P313 - If eye irritation pel P362+P364 - Take off contamin P363 - Wash contaminated clot | o. Continue rinsing R or doctor/physician if you supplemental first aid instru- curs: Get medical advice/a rash occurs: Get medical advice/a lated clothing and wash it b hing before reuse e dry sand, dry chemical o ntilated place. Keep cool | uctions on this label) ttention advice/attention attention before reuse r alcohol-resistant foam to extinguish ner tightly closed |
| 2.3. Other hazards | | | |
| No additional information availa | ble | | |
| 2.4. Unknown acute tox | ity (GHS US) | | |
| Not applicable | | | |
| SECTION 3: Composition | n/information on ingredients | | |
| 3.1. Substance | | | |
| Substance type | : Mono-constituent | | |
| Name | Product identifier | % | Classification (GHS-US) |
| 3-Fluoropyridine-4-carboxaldehyd (Main constituent) | (CAS No) 40273-47-0 | <= 100 | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Even Lizit. 20 |

Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H335

Full text of H-phrases: see section 16

| 3.2. Mixture | |
|---|--|
| Not applicable | |
| SECTION 4: First aid measures | |
| 4.1. Description of first aid measures | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get immediate medical advice/attention. |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. |
| 4.2. Most important symptoms and effect | cts, both acute and delayed |
| Symptoms/injuries | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

| SECT | ION 5: Firefighting measures | | | |
|----------|-------------------------------------|---|--|------------|
| 5.1. | Extinguishing media | | | |
| Suitable | e extinguishing media | : Alcohol resistant foam. Carb appropriate for surrounding | on dioxide. Dry powder. Water spray. Use extinguisł fire. | ning media |
| 5.2. | Special hazards arising from the su | bstance or mixture | | |
| Fire haz | zard | : Thermal decomposition gen | erates: Carbon oxides. Hydrogen fluoride. Nitrogen c | oxides. |
| Explosi | on hazard | : Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture. | |) exposed |
| 5.3. | Advice for firefighters | | | |
| Firefigh | ting instructions | : In case of fire: Evacuate are | a. Fight fire remotely due to the risk of explosion. | |
| 05/08/20 | 18 | EN (English US) | SDS ID: 4H153X6 | 2/7 |

3-Fluoropyridine-4-carboxaldehyde Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Protection during firefighting | : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |
|--|---|
| SECTION 6: Accidental release measu | ures |
| 6.1. Personal precautions, protective equi | ipment and emergency procedures |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify authorities | s if product enters sewers or public waters. |
| 6.3. Methods and material for containmen | t and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Handle empty containers with care because residual vapors are flammable. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| SECTION 8: Exposure controls/perso | nal protection |

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | | | |
|----------------------------------|--|--|-------------------|
| Appropriate engineering controls | | work station. Emergency eye wash fountains ar ediate vicinity of any potential exposure. | nd safety showers |
| Hand protection | : Protective gloves. 29 CFR 191 | 0.138: Hand Protection. | |
| Eye protection | : Chemical goggles or safety gla | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection | |
| Skin and body protection | : Wear suitable protective clothir | : Wear suitable protective clothing. | |
| Respiratory protection | : In case of inadequate ventilation Protection. | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. | |
| Other information | : Safety shoes. 29 CFR 1910.13 | 6: Foot Protection. | |
| 05/08/2018 | EN (English US) | SDS ID: 4H153X6 | 3/7 |

3-Fluoropyridine-4-carboxaldehyde Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 9: Physical and chemica | l properties |
|---|---|
| 9.1. Information on basic physical and | |
| Physical state | : Liquid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 70 °C (@ 25 mm Hg) |
| Flash point | : 67 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.255 g/ml |
| Molecular mass | : 125.1005 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| Refractive index | : 1.517 |
| SECTION 10: Stability and reactivity | W. |
| 10.1. Reactivity | <i>b</i> |
| No additional information available | |
| | |
| 10.2. Chemical stability The product is stable at normal handling and s | torage conditions |
| | |
| 10.3. Possibility of hazardous reactions | |
| No additional information available | |
| 10.4. Conditions to avoid | |
| Keep away from heat, sparks and flame. | |
| 10.5. Incompatible materials | |
| Oxidizing agents. | |
| 10.6. Hazardous decomposition produc | ts |
| Under normal conditions of storage and use, h fire, see Section 5. | azardous decomposition products should not be produced. Hazardous decomposition products in case of |
| SECTION 11: Toxicological information | ation |
| 11.1. Information on toxicological effec | |
| Acute toxicity | : Oral: Harmful if swallowed. |
| * | |
| 3-Fluoropyridine-4-carboxaldehyde (4027) ATE US (oral) | 500.000 mg/kg body weight |
| | 500.000 mg/kg body weight |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | - |
|--|--|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

| SECTION 12: Ecological information |
|-------------------------------------|
| 12.1. Toxicity |
| No additional information available |
| 12.2. Persistence and degradability |
| No additional information available |
| 12.3. Bioaccumulative potential |
| No additional information available |
| 12.4. Mobility in soil |
| No additional information available |
| 12.5. Other adverse effects |
| |

No additional information available

| SECTION 13: Disposal consider | ations |
|--------------------------------------|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| SECTION 14: Transport informa | tion |
| SECTION 14: Transport informa | tion |

| Department | of Transportation | |
|------------|-------------------|--|

| Department of Transportation (DOT) | |
|---|---|
| In accordance with DOT | |
| Transport document description | : UN1993 Flammable liquids, n.o.s., 3, III |
| UN-No.(DOT) | : UN1993 |
| Proper Shipping Name (DOT) | : Flammable liquids, n.o.s. |
| Transport hazard class(es) (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Hazard labels (DOT) | : 3 - Flammable liquid |
| | 3 |
| Packing group (DOT) | : III - Minor Danger |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 |
| | |

DOT Symbols

- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Special Provisions (49 CFR 172.102) | B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal |
|--|--|
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 1993 |
| Proper Shipping Name (IMDG) | : FLAMMABLE LIQUID, N.O.S. |
| Class (IMDG) | : 3 - Flammable liquids |
| Packing group (IMDG) | : III - substances presenting low danger |
| Air transport | |
| UN-No. (IATA) | : 1993 |
| Proper Shipping Name (IATA) | : Flammable liquid, n.o.s. |
| Class (IATA) | : 3 - Flammable Liquids |
| Packing group (IATA) | : III - Minor Danger |
| SECTION 15: Regulatory information | 1 |
| 15.1. US Federal regulations | |
| All components of this product are listed, or exc | luded from listing, on the United States Environmental Protection Agency Toxic |

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 3-Filotopyndine-4-carboxaldenyde CAS No 40273-47-0 100% | 3-Fluoropyridine-4-carboxaldehyde | | 100% |
|---|-----------------------------------|--|------|
|---|-----------------------------------|--|------|

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Acute toxicity (oral) Category 4 | |
|--|--|
| Serious eye damage/eye irritation Category 2A | |
| Flammable liquids Category 4 | |
| Skin corrosion/irritation Category 2 | |
| Skin sensitization Category 1B | |
| Specific target organ toxicity (single exposure) Category 3 | |
| Combustible liquid | |
| Harmful if swallowed | |
| Causes skin irritation | |
| May cause an allergic skin reaction | |
| Causes serious eye irritation | |
| May cause respiratory irritation | |
| given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. | |
| | |
| : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given | |
| 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) | |
| : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT | |
| | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.