

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: May 11, 2010 Date printed: May 11, 2010

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 4H16-7-X1

NAME: 2-(4-CHLOROPHENYL)-3-(TRIFLUOROMETHYL)PYRAZOLE-4-CARBONYL CHLORIDE SYNONYMS: 1-(4-CHLOROPHENYL)-5-(TRIFLUOROMETHYL)-1H-PYRAZOLE-4-CARBONYL CHLORIDE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 175137-19-6

MF: $C_{11}H_5Cl_2F_3N_2O = 309.07$

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

CORROSIVE.

CAUSES BURNS.

IRRITANT.

IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

SECTION 4. ----- FIRST-AID MEASURES-----

ORAL EXPOSURE

EYE EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS WITH FINGERS.

DERMAL EXPOSURE

IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

NOT ESTABLISHED

EXTINGUISHING MEDIA

SUITABLE: FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): COMBUSTIBLE LIQUID. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: CORROSIVE.

SECTION 6. ---- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

EXERCISE APPROPRIATE PRECAUTIONS TO MINIMIZE DIRECT CONTACT WITH SKIN OR EYES AND PREVENT INHALATION OF DUST.

METHODS FOR CLEANING UP

SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: AVOID INHALATION. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED.

SPECIAL REQUIREMENTS

MOISTURE SENSITIVE.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. USE ONLY IN A CHEMICAL FUME HOOD. PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. FACESHIELD (8-INCH MINIMUM).

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE SOLID PHYSICAL PROPERTIES NONE ESTABLISHED

SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY

CONDITIONS OF INSTABILITY: MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER.

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, STRONG BASES.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE GAS, HYDROGEN FLUORIDE.

SECTION 11.-----TOXICOLOGICAL INFORMATION -----

ROUTE OF EXPOSURE

MULTIPLE ROUTES: MAY BE HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING. INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNXAND BRONCHI, CHEMICAL PNEUMONITIS, AND PULMONARY EDEMA. MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT

PROPER SHIPPING NAME: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

UN#: 3261 CLASS: 8

PACKING GROUP: PACKING GROUP III

HAZARD LABEL: CORROSIVE

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION

SYMBOL OF DANGER: C

INDICATION OF DANGER: CORROSIVE.

R: 34-36/37

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO EYES AND

RESPIRATORY SYSTEM.

S: 23-26-27-36/37/39-45

SAFETY STATEMENTS: DO NOT BREATHE DUST. IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

US CLASSIFICATION AND LABEL TEXT

INDICATION OF DANGER: CORROSIVE.

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO EYES AND

RESPIRATORY SYSTEM.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE

IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE

OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. DO NOT BREATHE VAPOR.

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE

PROTECTION.

US STATEMENTS: CORROSIVE.

UNITED STATES REGULATORY INFORMATION

TSCA INVENTORY ITEM: NO

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.