

# 2-Fluoropyridine-5-carbonyl chloride Safety Data Sheet 4H167X8 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/25/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2-Fluoropyridine-5-carbonyl chloride		
CAS No	: 65352-94-5		
Product code	4H16-7-X8		
Formula	: C6H3CIFNO		
Other means of identification	: MFCD07781233		
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the safet	y data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identificatio	n		
2.1. Classification of the substance or			
Classification (GHS-US)			
Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resp			
Full text of H-phrases: see section 16			
2.2. Label elements			
	HS05 HS07		
2.2. Label elements GHS-US labeling	: GHS05 GHS07 : Danger		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	_		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>Danger</li> <li>H302 - Harmful if swallowed</li> <li>H314 - Causes severe skin burns and eye damage</li> </ul>		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

		F 301	- Dispose of contents/container to an ap		lisposal plant
2.3.	Other hazards				
	itional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not app	blicable				
SECT	ION 3: Composition/information	on in	gredients		
3.1.	Substance				
Substa	nce type :	Mono	-constituent		
Name	)		Product identifier	%	Classification (GHS-US)
	ropyridine-5-carbonyl chloride onstituent)		(CAS No) 65352-94-5	<= 100	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full tex	t of H-phrases: see section 16				·
3.2.	Mixture				
√ot app	blicable				
SECT	ION 4: First aid measures				
4.1.	Description of first aid measures				
-irst-aid	d measures general :		se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid	d measures after inhalation :	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
-irst-aid	d measures after skin contact :	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-aid	d measures after eye contact :	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid	d measures after ingestion :		OT induce vomiting. Never give anything out with water. Get immediate medical		
4.2. Most important symptoms and effects, both acute and delayed					
Sympto	ms/injuries :		nost important known symptoms and eff nd/or in section 11.	ects are describ	ed in the labelling (see section
Sympto	ms/injuries after inhalation :		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	us membranes a	and upper respiratory tract. Cough,
4.3.	.3. Indication of any immediate medical attention and special treatment needed				
Freat s	ymptomatically.				
SECT	ION 5: Firefighting measures				
5.1.	Extinguishing media				
	0 0	5			
5.2.	Special hazards arising from the subst	tance o	or mixture		
Fire ha		: Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides.			
Explosi	on hazard :	<ul> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>			
Reactiv	ity :	<ul> <li>Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.</li> </ul>			
5.3.	Advice for firefighters				
	-	In cas	se of fire: Evacuate area. Fight fire remo	tely due to the r	isk of explosion.
-	refighting instructions       : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.         otection during firefighting       : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.			
6.2. Environmental precautions				
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.			
6.3. Methods and material for containment	nt and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator			
Storage area	: Store in dry, well-ventilated area.			

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

No additional information available

8.2. Exposure controls				
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.			
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.			
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.			
Other information : Safety shoes. 29 CFR 1910.136: Foot Protection.				
SECTION 0. Developland chamical properties				
SECTION 9. Physical and c	SECTION 9: Physical and chemical properties			

9.1. Information on ba	1. Information on basic physical and chemical properties		
Physical state : Liquid			
Color	: No data available		
Odor	: No data available		
12/08/2016	EN (English US)	SDS ID: 4H167X8	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ì			
	Odor threshold	:	No data available
	рН	:	No data available
	Melting point	:	No data available
	Freezing point	:	No data available
	Boiling point	:	90 - 94 °C (@ 15 mm Hg)
	Flash point	:	No data available
	Relative evaporation rate (butyl acetate=1)	:	No data available
	Flammability (solid, gas)	:	No data available
	Explosion limits	:	No data available
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	Vapor pressure	:	No data available
	Relative density	:	No data available
	Relative vapor density at 20 °C	:	No data available
	Molecular mass	:	159.55 g/mol
	Solubility	:	No data available
	Log Pow	:	No data available
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity	:	No data available
	Viscosity, kinematic	:	No data available
	Viscosity, dynamic	:	No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

#### 10.5. Incompatible materials

Bases. Strong oxidizing agents.

#### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

## SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information
12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136

: 8 - Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	n

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Fluoropyridine-5-carbonyl chloride CAS No 65352-94-5 100%	Substances Control Act (15CA) inventory exception.		
		CAS No 65352-94-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.