

Safety Data Sheet 4H21501 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/02/2016 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: 2-Chloro-6-methylisonicotinic acid
CAS No	: 25462-85-5
Product code	: 4H21-5-01
Formula	: C7H6CINO2
Other means of identification	
	: MFCD00052830
	substance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
.3. Details of the supplier of the saf	ety data sheet
SynQuest Laboratories, Inc.	
O. Box 309 Alachua, FL 32615 - United States of Americ (386) 462-0788 - F (386) 462-7097	ca
nfo@synquestlabs.com - www.synquestlabs	<u>S.com</u>
.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	on
.1. Classification of the substance of	or mixture
Negrification (CUC UC)	
Jassification (GHS-US)	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation	
Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye in	rritation
Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye inSTOT SE 3H335 -May cause respirator	rritation
Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye in	rritation
Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye inSTOT SE 3H335 -May cause respirator	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	rritation
Skin Irrit. 2 H315 - Causes skin irritation eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	rritation
Skin Irrit. 2 H315 - Causes skin irritation eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation y irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation : i = i = i = i = i = i = i = i = i = i =
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation : i = i = i = i = i = i = i = i = i = i =
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 :.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation : $\overrightarrow{v}_{GHS07}$: Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation : i = i = i = i = i = i = i = i = i = i =
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 1.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 1.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation :
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye in TOT SE 3 H335 - May cause respirator full text of H-phrases: see section 16 .2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation :
ikin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye in TOT SE 3 H335 - May cause respirator full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US) Eignal word (GHS-US) lazard statements (GHS-US)	rritation y irritation :
ikin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye in TOT SE 3 H335 - May cause respirator full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US) Eignal word (GHS-US) lazard statements (GHS-US)	rritation y irritation :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 1.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation : : : : : : : : Warning : : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H335 - May cause respiratory irritation : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US)	rritation y irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday	v, March 26, 2012 / R			
3. Other hazards				
No additional information available 2.4. Unknown acute toxicity (GHS US)				
2.4. Unknown acute toxicity (GHS US) Not applicable				
SECTION 3: Composition/informatio	on on ingreate	ents		
3.1. Substance	· Mono-constit	uent		
Substance type : Mono-constituent				
Name 2-Chloro-6-methylisonicotinic acid		uct identifier o) 25462-85-5	% <= 100	Classification (GHS-US) Skin Irrit. 2, H315
(Main constituent)		0) 20402 00 0	~ 100	Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where possib	le). Move the affected p	ersonnel away from the	
First-aid measures after inhalation		son to fresh air and keep Set medical advice/atten		ng. If not breathing, give artificial
First-aid measures after skin contact	•	enty of soap and water.		
First-aid measures after eye contact		flush eyes thoroughly wi easy to do. Continue rins		ninutes. Remove contact lenses, if e/attention.
First-aid measures after ingestion		ce vomiting. Never give th water. Get medical ac		n unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both acute a	nd delayed		
Symptoms/injuries	: The most imp 2.2) and/or in		s and effects are descril	bed in the labelling (see section
4.3. Indication of any immediate medica	al attention and s	pecial treatment need	ed	
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		tant foam. Carbon dioxic or surrounding fire.	le. Dry powder. Water s	pray. Use extinguishing media
	appropriate for	or surrounding fire.	le. Dry powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the su	appropriate for stance or mixte	or surrounding fire. . Ire		pray. Use extinguishing media n chloride. Nitrogen oxides.
5.2. Special hazards arising from the su Fire hazard	appropriate for stance or mixte	or surrounding fire. . Ire		
5.2. Special hazards arising from the su Fire hazard	appropriate for Ibstance or mixtu : Thermal deco	or surrounding fire. . Ire		
5.2. Special hazards arising from the suFire hazard5.3. Advice for firefighters	appropriate for ibstance or mixtu : Thermal deco : In case of fire : Wear gas tigl	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective	arbon oxides. Hydroger clothing in combination	
5.2. Special hazards arising from the su Fire hazard 5.3. Advice for firefighters Firefighting instructions Firefighting instructions Firefighters	appropriate for ibstance or mixtu : Thermal deco : In case of fire : Wear gas tigl apparatus. For	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective	arbon oxides. Hydroger clothing in combination	n chloride. Nitrogen oxides. with self contained breathing
 5.2. Special hazards arising from the surface for firefighters 5.3. Advice for firefighters Firefighting instructions Protection during firefighting 	appropriate for abstance or mixtur : Thermal deco : In case of fire : Wear gas tigl apparatus. For ISURES	or surrounding fire. ure omposition generates: C e: Evacuate area. ht chemically protective or further information ref	arbon oxides. Hydroger clothing in combination	n chloride. Nitrogen oxides. with self contained breathing
 5.2. Special hazards arising from the sufficient hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 	appropriate for ibstance or mixtu : Thermal deco : In case of fire : Wear gas tigl apparatus. For ISURES quipment and em	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref mergency procedures	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu	n chloride. Nitrogen oxides. with self contained breathing
 5.2. Special hazards arising from the surfice hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective end General measures 	appropriate for ibstance or mixtu : Thermal deco : In case of fire : Wear gas tigl apparatus. For ISURES quipment and em	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref mergency procedures	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu	n chloride. Nitrogen oxides. with self contained breathing rre controls/personal protection".
 5.2. Special hazards arising from the surfice hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective experience General measures 	appropriate for abstance or mixtur : Thermal decor- : In case of fire : Wear gas tigling apparatus. For apparatus. For apparatus. For sures cuipment and em : Evacuate unit	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref ergency procedures necessary personnel. Er	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu	n chloride. Nitrogen oxides. with self contained breathing rre controls/personal protection".
5.2. Special hazards arising from the surfix Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective end General measures 6.1.1. For non-emergency personnel	appropriate for abstance or mixtur : Thermal decor- : In case of fire : Wear gas tigling apparatus. For apparatus. For apparatus. For sures cuipment and em : Evacuate unit	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref ergency procedures necessary personnel. Er	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu	a chloride. Nitrogen oxides. with self contained breathing ire controls/personal protection".
 5.2. Special hazards arising from the surfive hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective experimentations 6.1.1. For non-emergency personnel Emergency procedures 	appropriate for abstance or mixture : Thermal decomposition : In case of fire : Wear gas tigle apparatus. For apparatus. For isures : Evacuate unit : Only qualified : Do not attem	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref ergency procedures necessary personnel. Er d personnel equipped wi	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu sure adequate air vention th suitable protective equi	a chloride. Nitrogen oxides. with self contained breathing ire controls/personal protection".
 5.2. Special hazards arising from the sufficient hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meaters 6.1. Personal precautions, protective educed 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	appropriate for abstance or mixture : Thermal decomposition : In case of fire : Wear gas tigle apparatus. For apparatus. For isures : Evacuate unit : Only qualified : Do not attem	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref ergency procedures necessary personnel. Er d personnel equipped wi pt to take action without	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu sure adequate air vention th suitable protective equi	a chloride. Nitrogen oxides. with self contained breathing ire controls/personal protection". lation. Do not breathe dust. juipment may intervene.
 5.2. Special hazards arising from the sufficient hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meating 6.1. Personal precautions, protective educed 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	appropriate for abstance or mixtur : Thermal deco : In case of fire : Wear gas tigle apparatus. For ISURES puipment and em : Evacuate unit : Only qualified : Do not attemmed for the section	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref ergency procedures necessary personnel. Er d personnel equipped wi pt to take action without on 8: "Exposure controls	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu suitable protective equi /personal protection".	a chloride. Nitrogen oxides. with self contained breathing ire controls/personal protection". lation. Do not breathe dust. juipment may intervene.
 5.2. Special hazards arising from the surfive hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meating 6.1. Personal precautions, protective eace General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 6.2. Environmental precautions 	appropriate for ibstance or mixtu : Thermal deco : In case of fire : Wear gas tigli apparatus. For isures isures : Evacuate unit : Only qualified : Do not attemme refer to section ties if product enter	or surrounding fire. ure composition generates: C e: Evacuate area. ht chemically protective or further information ref rergency procedures necessary personnel. Er d personnel equipped wi pt to take action without on 8: "Exposure controls ers sewers or public wat	arbon oxides. Hydroger clothing in combination er to section 8: "Exposu suitable protective equi /personal protection".	a chloride. Nitrogen oxides. with self contained breathing ire controls/personal protection". lation. Do not breathe dust. juipment may intervene.

2-Chloro-6-methylisonicotinic acid Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 /	/ Monday, March 26, 2012 / Rules and Regulations
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and stor	age
7.1. Precautions for safe handlin	g
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

No additional information available

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
: Protective gloves. 29 CFR 1910.138: Hand Protection.
: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
: Wear suitable protective clothing.
: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties		
9.1.	Information on basic physical and chemical properties	
Physic	al state	: Solid
Color		: No data available

COIOI	. NO Uala available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 171.58 g/mol
Solubility	: No data available
Log Pow	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 /	/ Monday, March 26, 2012 / Rules and Regulations
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling	and storage conditions.
10.3. Possibility of hazardous read	ctions
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	·
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition p	roducts
Under normal conditions of storage and fire, see Section 5.	use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicological	effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Pospiratory or skip consitization	· Not classified

Conous by b damage/initiation	· Oddooo oonodo oyo midalon.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No add	itional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Chloro-6-methylisonicotinic acid	CAS No 25462-85-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.