

Safety Data Sheet 4H30324 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/18/2017 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 4-Amino-2,2-difluorobenz	radiavala	
CAS No	: 106876-54-4		
Product code	: 4H30-3-24		
Formula	: C7H5F2NO2		
Synonyms	: 2,2-Difluoro-2H-1,3-benz	odioxol-4-amine	
Other means of identification	: MFCD00792416		
1.2. Relevant identified uses of the sub		advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substanc Scientific research and d		
1.3. Details of the supplier of the safety	y data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c	<u>om</u>		
1.4. Emergency telephone number	/ /- - -		
Emergency number	: (844) 523-4086 (3E Com	pany - Account 10069)	
SECTION 2: Hazard(s) identification	n		
2.1. Classification of the substance or	mixture		
Classification (GHS-US)			
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful if iSkin Irrit. 2H315 - Causes skEye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May cause	inhaled in irritation		
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS06 GHS	77	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H301 - Toxic if swallowed H312+H332 - Harmful ir H315 - Causes skin irrita H319 - Causes serious e H335 - May cause respir	contact with skin or if inhaled ion ye irritation	
Precautionary statements (GHS-US)	P271 - Use only outdoors P280 - Wear protective g P301+P310 - If swallowe P302+P352 - If on skin: \ P304+P340 - If inhaled: I	ghly after handling or smoke when using this product or in a well-ventilated area loves/protective clothing/eye protection/face protectio d: Immediately call a poison center/doctor/ Vash with plenty of soap and water Remove person to fresh air and keep comfortable for t	
	lenses, if present and ea	eyes: Rinse cautiously with water for several minutes. sy to do. Continue rinsing ENTER or doctor/physician if you feel unwell	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. No addit 2.4. Not appl	Other hazards ional information available Unknown acute toxicity (GHS US) licable	P33 P33 P33 P36 P40 P40	 Specific treatment (see supplemental f Rinse mouth P313 - If skin irritation occurs: Get med P4913 - If eye irritation persists: Get med P4934 - Take off contaminated clothing a P233 - Store in a well-ventilated place. Store locked up Dispose of contents/container to an ap 	ical advice/atten lical advice/atte and wash it befo Keep container	tion ntion re reuse tightly closed
SECTI	ON 3: Composition/informatio	n on i	ngredients		
3.1.	Substance				
Substan	ce type	: Mon	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
4-Amino (Main cor			(CAS No) 106876-54-4	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
lot appl					
SECTI	ON 4: First aid measures				
1.1.	Description of first aid measures				
irst-aid	measures general		ase of accident or if you feel unwell, seek is re possible). Move the affected personnel		
First-aid	measures after inhalation	resp	nove person to fresh air and keep comforta iration. Get immediate medical advice/atte	ention.	
	measures after skin contact		sh with plenty of soap and water. Get imme		
	measures after eye contact	pres	ediately flush eyes thoroughly with water tent and easy to do. Continue rinsing. Get	immediate med	ical advice/attention.
First-aid	measures after ingestion		NOT induce vomiting. Never give anything th out with water. Get immediate medical		
4.2.	Most important symptoms and effe	ts, both	acute and delayed		
Sympton	ns/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
4.3.	Indication of any immediate medica	l attenti	on and special treatment needed		
Freat sy	mptomatically.				
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
Suitable	extinguishing media		hol resistant foam. Carbon dioxide. Dry po ropriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2.	Special hazards arising from the su				
Fire haza			rmal decomposition generates: Carbon ox		-
Explosio	n hazard		of explosion if heated under confinement ainers.	. Use water spra	ay or fog for cooling exposed
5.3.	Advice for firefighters				
-	ing instructions		ase of fire: Evacuate area. Fight fire remot	•	•
Protectic	on during firefighting	: Wea	ar gas tight chemically protective clothing i aratus. For further information refer to sec	n combination w	vith self contained breathing

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures	Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	s if product enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
For containment	Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information :	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	Comply with applicable regulations.
Storage conditions	Keep container closed when not in use.
Incompatible materials	Refer to Section 10 on Incompatible Materials.
Storage area	Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/persor	nal protection
8.1. Control parameters No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information :	Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemical pr	operties

			/
9.1. Information on b	asic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
04/18/2017	EN (English US)	SDS ID: 4H30324	3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 84 - 86 °C (@ 16 mm Hg)
Flash point	: 75 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 173.12 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4995 (@ 21 °C)
SECTION 10: Stability and reactivit	ay in the second s
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	;
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition produc	rts
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of

SECT	SECTION 11: Toxicological information				
11.1.	Information on toxicological effects				

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
04/18/2017	EN (English US)	SDS ID: 4H30324

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspirati	on hazard	: Not classified
SECT	ION 12: Ecological information	
12.1.	Toxicity	
No add	tional information available	
12.2.	Persistence and degradability	
No add	tional information available	
12.3.	Bioaccumulative potential	
No add	tional information available	
12.4.	Mobility in soil	
No add	tional information available	
12.5.	Other adverse effects	
No add	tional information available	

 SECTION 13: Disposal considerations

 13.1. Waste treatment methods

 Waste treatment methods
 : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.

 Waste disposal recommendations
 : Dispose of contents/container in accordance with licensed collector's sorting instructions.

 Additional information
 : Recycle the material as far as possible.

 SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

DOT Packaging Bulk (49 CFR 173.xxx)

: UN2810 Toxic, liquids, organic, n.o.s., 6.1, III

- : UN2810
- : Toxic, liquids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- 6.1 Poison



- : III Minor Danger
- : 203
 - : 241
 - : G Identifies PSN requiring a technical name
 - : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 \pm 220 L CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	 A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2810
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2810
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Amino-2,2-difluorobenzodioxole	CAS No 106876-54-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.