

1-Oxaspiro[2.5]octane-2-carbonitrile Safety Data Sheet 4H371U8 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/05/2018 Version: 1.0

SECTION 1: Identification			
.1. Identification			
Product form	: Substance		
Substance name	: 1-Oxaspiro[2.5]octane-2-carbonitril		
CAS No	: 36929-66-5		
Product code	: 4H37-1-U8		
ormula	: C8H11NO		
official			
	: MFCD00101211		
2. Relevant identified uses of the sub	stance or mixture and uses advised a	gainst	
lse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developmer	t	
.3. Details of the supplier of the safety	data sheet		
ynQuest Laboratories, Inc. .O. Box 309 Jachua, FL 32615 - United States of America			
(386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com	<u>m</u>		
.4. Emergency telephone number			
mergency number	: (844) 523-4086 (3E Company - Acc	ount 10069)	
ECTION 2: Hazard(s) identification			
1. Classification of the substance or I	nixture		
lassification (GHS-US)			
cute Tox. 3 (Oral) H301 - Toxic if swallowe kin Irrit. 2 H315 - Causes skin irrita ye Dam. 1 H318 - Causes serious e TOT SE 3 H335 - May cause respin	tion ye damage		
full text of H-phrases: see section 16			
2.2. Label elements GHS-US labeling			
Hazard pictograms (GHS-US)	CHS05 GHS06	GHS07	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H301 - Toxic if swallowed H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritat		
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, mist P264 - Wash skin thoroughly after h P270 - Do not eat, drink or smoke v P271 - Use only outdoors or in a we P280 - Wear protective gloves/prote P301+P310 - If swallowed: Immedia P302+P352 - If on skin: Wash with P304+P340 - If inhaled: Remove pe P305+P351+P338 - If in eyes: Rins lenses, if present and easy to do. C P310 - Immediately call a POISON 	spray, vapors andling then using this product sective clothing/eye protection/face protection tely call a poison center/doctor/ polenty of soap and water reson to fresh air and keep comfortable for bre e cautiously with water for several minutes. R ontinue rinsing CENTER or doctor/ physician elemental first aid instructions on this label) : Get medical advice/attention	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- wad waata dianagal plant

		ose of contents/container	r to an approved waste	e disposal plant
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)			
Not applicable				
SECTION 3: Composition/informa	tion on ingredi	ents		
3.1. Substance				
Substance type	: Mono-consti	tuent		
Name	Prod	luct identifier	%	Classification (GHS-US)
1-Oxaspiro[2.5]octane-2-carbonitrile (Main constituent)	(CAS I	No) 36929-66-5	<= 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where possi	ble). Move the affected p	personnel away from th	
First-aid measures after inhalation	respiration.	Get immediate medical a	dvice/attention.	hing. If not breathing, give artificial
First-aid measures after skin contact		lenty of soap and water.		
First-aid measures after eye contact	thoroughly v	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention.		
First-aid measures after ingestion	give anythin	: Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and e				
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
Symptoms/injuries after inhalation	nptoms/injuries after inhalation : May cause drowsiness or dizziness.			
4.3. Indication of any immediate med	ical attention and	special treatment need	ed	
No additional information available				
SECTION 5: Firefighting measures	5			
5.1. Extinguishing media				
Suitable extinguishing media		stant foam. Carbon dioxid for surrounding fire.	de. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the	substance or mixt	ure		
Fire hazard	: Thermal dec	composition generates: C	arbon oxides. Hydroge	en cyanide. Nitrogen oxides.
Explosion hazard	: Risk of explo containers.	osion if heated under cor	finement. Use water s	pray or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In case of fir	e: Evacuate area. Fight	fire remotely due to the	e risk of explosion.
Protection during firefighting				n with self contained breathing sure controls/personal protection".
SECTION 6: Accidental release m	easures			
6.1. Personal precautions, protective	equipment and er	nergency procedures		
General measures	: Evacuate ur vapor or spr	• •	nsure adequate air ven	tilation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualifie	ed personnel equipped w	ith suitable protective e	equipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.		
6.2. Environmental precautions			
Avoid release to the environment. Notify au	uthorities if product enters sewers or public waters.		
6.3. Methods and material for conta	ainment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
No additional information available			
	qe		
No additional information available SECTION 7: Handling and storag 7.1. Precautions for safe handling	ge		
SECTION 7: Handling and storage	ge : Handle empty containers with care because residual vapors are flammable.		
SECTION 7: Handling and storage 7.1. Precautions for safe handling			
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be 		
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
SECTION 7: Handling and storag 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, in	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
SECTION 7: Handling and storag 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, in Technical measures Conditions for safe storage, in	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. cluding any incompatibilities Comply with applicable regulations. 		

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties			
9.1. Information on basic pl	1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Ddor	: No data available		
Ddor threshold	: No data available		
н	: No data available		
Aelting point	: No data available		
reezing point	: No data available		
Boiling point	: 85 - 87 °C (@ 10 mm Hg)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.0275 g/ml
Molecular mass	: 137.179 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Oral: Toxic if swallowed.		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific larger organ loxicity (single exposure)	. May cause respiratory initiation
Specific target organ toxicity (repeated	: Not classified

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information			
12.1.	Toxicity		
No additional information available			
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No additional information available			
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		
No additional information available			

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

DOT Packaging Bulk (49 CFR 173.xxx)

- : UN2810 Toxic, liquids, organic, n.o.s., 6.1, III
- : UN2810
- : Toxic, liquids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2810
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2810
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

1-Oxaspiro[2.5]octane-2-carbonitrile	CAS No 36929-66-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.