

Safety Data Sheet 4H45124 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/10/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2,5-Dihydro-1-oxy-2,2,5,5-tetramethylpyrrole-3-carboxylic acid, free radical
CAS No	: 2154-67-8
Product code	: 4H45-1-24
Formula	: C9H14NO3
Synonyms	: 1-Oxy-2,2,5,5-tetramethyl-3-pyrroline-3-carboxylic acid; free radical
Other means of identification	: MFCD00041847
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlat	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Corr. 1BH314 - Causes severe skiEye Dam. 1H318 - Causes serious eySTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 16	/e damage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS05 GHS07
Signal word (GHS-US)	GHS05 GHS07 CHS05 GHS07
	: GHS05 GHS07 : Danger : H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to an approved waste disposal plant

	1 001			
3. Other hazards				
o additional information available				
4. Unknown acute toxicity (GHS US)				
ot applicable				
ECTION 3: Composition/informati	ion on in	gredients		
1. Substance				
ubstance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
2,5-Dihydro-1-oxy-2,2,5,5-tetramethylpyrrole-3-carb free radical (Main constituent)	oxylic acid,	(CAS No) 2154-67-8	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
ull text of H-phrases: see section 16				
2. Mixture				
ot applicable				
ECTION 4: First aid measures				
1. Description of first aid measures				
rst-aid measures general	where	se of accident or if you feel unwell, seek is possible). Move the affected personnel	away from the	contaminated area.
rst-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
rst-aid measures after skin contact		with plenty of soap and water. Remove cal advice/attention.	contaminated c	lothing and shoes. Get immediate
rst-aid measures after eye contact		diately flush eyes thoroughly with water the and easy to do. Continue rinsing. Get		
rst-aid measures after ingestion		OT induce vomiting. Never give anything n out with water. Get immediate medical		
2. Most important symptoms and effo	ects, both	acute and delayed		
ymptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
ymptoms/injuries after inhalation		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
3. Indication of any immediate medic	al attentio	n and special treatment needed		
reat symptomatically.				
ECTION 5: Firefighting measures				
1. Extinguishing media				
uitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
2. Special hazards arising from the s	ubstance of	or mixture		
ire hazard	: Therr	nal decomposition generates: Carbon ox	ides. Nitrogen d	oxides.
3. Advice for firefighters				
irefighting instructions	: In cas	se of fire: Evacuate area.		
rotection during firefighting	: Wear	gas tight chemically protective clothing i atus. For further information refer to sec		
ECTION 6: Accidental release me	asures			
1. Personal precautions, protective e	quipment	and emergency procedures		
eneral measures	: Evac	uate unnecessary personnel. Ensure ade	equate air ventila	ation. Do not breathe dust.
1.1. For non-emergency personnel		nualified nersonnal equipped with suitable	e protective ca	linment may intervene
mergency procedures	. Only	qualified personnel equipped with suitabl	e protective eqt	apment may illervene.

6.1.2. For emergency responder	58 / Monday, March 26, 2012 / Rules and Regulations
Protective equipment	 Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precaution	S
Avoid release to the environment. Not	ify authorities if product enters sewers or public waters.
6.3. Methods and material for	containment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other section	IS
No additional information available	
SECTION 7: Handling and st	orage
7.1. Precautions for safe hand	ling
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	je, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 210 - 211 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································		
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	184.2124 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stabilit	y and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	DN 12: Ecological information
12.1.	Toxicity
No additio	onal information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects
No addit	ional information available

SECTION 13: Disposal consideration	าร
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	· LIN2262 Corrective cellid basic organic n.e. e. 8. II
Transport document description	: UN3263 Corrosive solid, basic, organic, n.o.s., 8, II
UN-No.(DOT)	: UN3263
Proper Shipping Name (DOT)	: Corrosive solid, basic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg

Safety Data Sheet

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	50 kg
DOT Vessel Stowage Location	:	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	:	52 - Stow "separated from" acids
Other information	:	No supplementary information available.
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	:	3263
Proper Shipping Name (IMDG)	:	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.
Class (IMDG)	:	8 - Corrosive substances
Packing group (IMDG)	:	II - substances presenting medium danger
Air transport		
UN-No. (IATA)	:	3263
Proper Shipping Name (IATA)	:	Corrosive solid, basic, organic, n.o.s.
Class (IATA)	:	8 - Corrosives
Packing group (IATA)	:	II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

2,5-Dihydro-1-oxy-2,2,5,5-tetramethylpyrrole-3-carboxylic acid, free radical (2154-67-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

5-Dihydro-1-oxy-2,2,5,5-tetramethylpyrrole-3-carboxylic acid, free radical (2154-67-8)	
sted on the Canadian NDSL (Non-Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

2,5-Dihydro-1-oxy-2,2,5,5-tetramethylpyrrole-3-carboxylic acid, free radical (2154-67-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:			
Eye Dam. 1	Serious eye damage/eye irritation Category 1		
Skin Corr. 1B	Skin corrosion/irritation Category 1B		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H314	Causes severe skin burns and eye damage		
H318	Causes serious eye damage		
H335	May cause respiratory irritation		
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA fire hazard	: 0 - Materials that will not burn.		
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating			
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given		
Flammability	: 0 Minimal Hazard - Materials that will not burn		
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.