

Safety Data Sheet 4H48164 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/13/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	O chatavar
Product form	: Substance
Substance name	: 4-(2-Keto-1-benzimidazolinyl)piperidine
CAS No	: 20662-53-7
Product code	: 4H48-1-64
Formula	: C12H15N3O
Synonyms	: 1-(Piperidin-4-yl)-2,3-dihydro-1H-1,3-benzodiazol-2-one
Other means of identification	: MFCD00005714
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Acute Tox. 3 (Oral)H301 - Toxic if swallSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serio	irritation bus eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serio	irritation bus eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if swallSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16	irritation bus eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if swallSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause restrictFull text of H-phrases: see section 162.2.Label elements	irritation bus eye irritation espiratory irritation
Acute Tox. 3 (Oral) H301 - Toxic if swall Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes seric STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation pus eye irritation espiratory irritation
Acute Tox. 3 (Oral)       H301 - Toxic if swall         Skin Irrit. 2       H315 - Causes skin         Eye Irrit. 2A       H319 - Causes seric         STOT SE 3       H335 - May cause reference         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	irritation bus eye irritation espiratory irritation
Acute Tox. 3 (Oral) H301 - Toxic if swall Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes seric STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation pus eye irritation espiratory irritation</li> <li>: H301 - Toxic if swallowed</li> <li>: H301 - Toxic if swallowed</li> <li>: H301 - Toxic if swallowed</li> <li>: H301 - Causes skin irritation</li> <li>: H301 - Causes serious eye irritation</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to	Federal Register / Vol. 77, No. 58 / Monday, N	larch 26	2012 / Rules and Regulations		
		P362 P403 P405	+P313 - If eye irritation persists: Get +P364 - Take off contaminated cloth +P233 - Store in a well-ventilated pla - Store locked up - Dispose of contents/container to a	ing and wash it be ace. Keep contain	efore reuse er tightly closed
2.3.	Other hazards				
No additio	onal information available				
2.4.	Unknown acute toxicity (GHS US)				
Not applic	cable				
SECTIO	ON 3: Composition/information	on in	gredients		
3.1.	Substance				
Substanc	e type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
4-(2-Keto (Main cons	p-1-benzimidazolinyl)piperidine stituent)		(CAS No) 20662-53-7	<= 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text o	of H-phrases: see section 16				
3.2.	Mixture				
Not applic					
SECTIO	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid n	neasures general		se of accident or if you feel unwell, se e possible). Move the affected perso		<b>,</b>
First-aid r	measures after inhalation		ove person to fresh air and keep com ration. Get immediate medical advice		hing. If not breathing, give artificial
First-aid r	measures after skin contact	: Wasł	n with plenty of soap and water. Get i	immediate medica	al advice/attention.
First-aid n	measures after eye contact		ediately flush eyes thoroughly with wa ent and easy to do. Continue rinsing.		i minutes. Remove contact lenses, if edical advice/attention.
First-aid r	measures after ingestion	: Do N mout	OT induce vomiting. Never give anyt h out with water. Get immediate mee	hing by mouth to lical advice/attenti	an unconscious person. Rinse ion.
4.2.	Most important symptoms and effects	s, both	acute and delayed		
Symptom	is/injuries		nost important known symptoms and and/or in section 11.	d effects are descr	ribed in the labelling (see section
4.3.	Indication of any immediate medical a	attentio	n and special treatment needed		
Treat sym	nptomatically.				
SECTIC	ON 5: Firefighting measures				
5.1.	Extinguishing media				
Suitable e	extinguishing media		nol resistant foam. Carbon dioxide. D opriate for surrounding fire.	ry powder. Water	spray. Use extinguishing media
5.2.	Special hazards arising from the subs				
Fire haza	rd	: Theri	nal decomposition generates: Carbo	n oxides. Nitroger	n oxides.
5.3.	Advice for firefighters				
-	ng instructions n during firefighting	: Wea	se of fire: Evacuate area. gas tight chemically protective cloth ratus. For further information refer to		
SECTIC	DN 6: Accidental release measu	ures			
6.1.	Personal precautions, protective equi	pment	and emergency procedures		
General n	neasures	: Evac	uate unnecessary personnel. Ensure	e adequate air ven	tilation. Do not breathe dust.
0.4.4	-				

Safety Data Sheet

6.1.2. For emergency respon	ders
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precaut	ions
Avoid release to the environment. I	Notify authorities if product enters sewers or public waters.
6.3. Methods and material f	or containment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sec	tions
No additional information available	
SECTION 7: Handling and	storage
7.1. Precautions for safe ha	Indling
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe sto	rage, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storogo orog	· Store in dry cool well ventilated area

Storage area : Store in dry, cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

**Control parameters** 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

#### **SECTION 9: Physical and chemical properties** 0.4 Info n hasis nhusical and sh

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: 183 - 185 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 217.27 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of a Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed.
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure)	<ul> <li>Not classified</li> <li>Not classified</li> <li>May cause respiratory irritation.</li> </ul>
Specific target organ toxicity (repeated exposure) Aspiration hazard	: Not classified : Not classified

SECT	ION 12: Ecological information	on		
12.1.	Toxicity			
No addi	tional information available			
12.2.	Persistence and degradability			
No addi	tional information available			
12.3.	Bioaccumulative potential			
No add	tional information available			
10/13/20	17	EN (English US)	SDS ID: 4H48164	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Mobility in soil 12.4.

No additional information available

#### Other adverse effects 12.5.

No additional information available

SECTION 12: Disposal consideration	
SECTION 13: Disposal consideration	
13.1.Waste treatment methodsWaste treatment methodsWaste disposal recommendationsAdditional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
<b>SECTION 14: Transport information</b>	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN2811 Toxic solids, organic, n.o.s., 6.1, III
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	<ul> <li>UN2811</li> <li>Toxic solids, organic, n.o.s.</li> <li>6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132</li> <li>6.1 - Poison</li> </ul>
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-(2-Keto-1-benzimidazolinyl)piperidine CAS No 20662-53-7 100%
--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

### **National regulations**

4-(2-Keto-1-benzimidazolinyl)piperidine (20662-53-7)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

#### Full text of H-phrases:


Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### NFPA health hazard

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard NFPA reactivity : 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.