

4-Aminomorpholine Safety Data Sheet 4H561VA according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/09/2015 Version: 1.0

1.1. Identification		
Product form	: Substance	
Substance name	: 4-Aminomorpholine	
CAS No	: 4319-49-7	
Product code	: 4H56-1-VA	
Formula	: C4H10N2O	
Synonyms	: Morpholin-4-amine	
Other means of identification	: MFCD00006174	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the sa	afety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab		
1.4. Emergency telephone number	: (844) 523-4086 (3E Company - Account 10069)	
Emergency number	. (044) 523-4000 (SE COMPANY - ACCOUNT 10009)	
SECTION 2: Hazard(s) identificat	tion	
2.1. Classification of the substance		
Classification (GHS-US)		
Acute Tox. 4 (Oral)H302 - HarmfuAcute Tox. 4 (Dermal)H312 - HarmfuAcute Tox. 4 (Inhalation)H332 - Harmfu	I in contact with skin	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - Causes		
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May ca	s skin irritation s serious eye irritation	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May caFull text of H-phrases: see section 16	s skin irritation s serious eye irritation	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May caFull text of H-phrases: see section 162.2.Label elements	s skin irritation s serious eye irritation	
Skin Irrit. 2 H315 - Causes Eye Irrit. 2A H319 - Causes STOT SE 3 H335 - May ca Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s skin irritation s serious eye irritation	
Skin Irrit. 2 H315 - Causes Eye Irrit. 2A H319 - Causes STOT SE 3 H335 - May ca Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s skin irritation s serious eye irritation	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May caFull text of H-phrases: see section 16	s skin irritation s serious eye irritation ause respiratory irritation	
Skin Irrit. 2 H315 - Causes Eye Irrit. 2A H319 - Causes STOT SE 3 H335 - May ca Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	s skin irritation s serious eye irritation ause respiratory irritation	
Skin Irrit. 2 H315 - Causes Eye Irrit. 2A H319 - Causes STOT SE 3 H335 - May ca Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	 s skin irritation s serious eye irritation ause respiratory irritation : warning : H226 - Flammable liquid and vapor H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

2.3. **Other hazards**

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTIC	N 3: Composition/information on ingre	dients

Substance 3.1. Substance type

: Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
4-Aminomorpholine (Main constituent)	(CAS No) 4319-49-7	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of H-phrases: see section 16

3.2.	Mixture	
Not app	licable	
SECT	ION 4: First aid measures	
4.1.	Description of first aid measures	
First-aid	l measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid	I measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid	measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid	I measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid	I measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2.	Most important symptoms and effects	s, both acute and delayed
Sympto	ms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
4.3.		
	Indication of any immediate medical a	attention and special treatment needed
	Indication of any immediate medical a mptomatically.	attention and special treatment needed
Treat s		attention and special treatment needed
Treat s	mptomatically.	attention and special treatment needed
Treat sy SECT 5.1.	ION 5: Firefighting measures Extinguishing media	 Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
Treat sy SECT 5.1.	ION 5: Firefighting measures Extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.

Fire hazard	:	Thermal decomposition generates: Carbo	on oxides.	Nitrogen	ox

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion hazard	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 6: Accidental release measure	Ires
6.1. Personal precautions, protective equi	pment and emergency procedures
	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containmen	t and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls			
Appropriate engineering controls		work station. Emergency eye wash fountains a nediate vicinity of any potential exposure.	nd safety showers
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety g	lasses. Face shield. 29 CFR 1910.133: Eye and	Face Protection.
12/08/2016	EN (English US)	SDS ID: 4H561VA	3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

olo mont on myoroar and onormoa	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 167 - 169 °C
Flash point	: 58 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.059 g/ml (@ 25 °C)
Molecular mass	: 102.14 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4772 (@ 20 °C)

SECTION	ON 10: Stability and reactivity
10.1.	Reactivity
No additi	onal information available
10.2.	Chemical stability
The prod	uct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No additi	onal information available
10.4.	Conditions to avoid
No additi	onal information available
10.5.	Incompatible materials
Acids. Ac	sid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents.
40.0	

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

Safety Data Sheet

londov Ma

SECTION 11: Toxicological information	tion
11.1. Information on toxicological effects	\$
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	1
12.1. Toxicity	
No additional information available	

12.2. Persistence and degradability

No additional information available

Bioaccumulative potential 12.3.

No additional information available

Mobility in soil 12.4.

No additional information available

Other adverse effects 12.5.

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

Department of Transportation (DOT)

SECTION 14: Transport information

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN1993 Flammable liquids, n.o.s., 3, III
- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
	luded from listing on the United Otates Environmental Dratestics Accord. Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Aminomorpholine CAS No 4319-49-7 100%	
---	--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

4-Aminomorpholine (4319-49-7)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.