

Methyl (S)-Boc-5-pyrrolidone-2-carboxylate Safety Data Sheet 4H581SP according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	Cultateres
	Substance
	Methyl (S)-Boc-5-pyrrolidone-2-carboxylate
CAS No :	108963-96-8
	4H58-1-SP
	C11H17NO5
Synonyms :	 1-tert-Butyl 2-methyl (2S)-(-)-5-oxopyrrolidine-1,2-dicarboxylate; (2S)-(-)-1-(tert- Butoxycarbonyl)-2-(methoxycarbonyl)-5-oxopyrrolidine; Boc-L-pyroglutamic acid methyl ester; Boc-Pyr-OMe
Other means of identification :	MFCD06809720
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
Use of the substance/mixture	Exportation the substances and development
1.3. Details of the supplier of the safety da	ita sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	
	: (844) 523-4086 (3E Company - Account 10069)
Emergency number	(644) 525-4086 (SE Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	ture
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritationEye Dam. 1H318 - Causes serious eye cSkin Sens. 1H317 - May cause an allergicSTOT SE 3H335 - May cause respiratorAquatic Acute 2H401 - Toxic to aquatic lifeAquatic Chronic 2H411 - Toxic to aquatic life wFull text of H-phrases: see section 16	c skin reaction y irritation
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05 GHS07 GHS09
Signal word (GHS-US) :	Danger
Hazard statements (GHS-US)	H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H335 - May cause respiratory irritation H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS-US)	 P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact
06/26/2018	EN (English US) SDS ID: 4H581SP Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lenses, if present and easy to do. Com P310 - Immediately call a POISON CE P321 - Specific treatment (see suppler P332+P313 - If skin irritation occurs: C P333+P313 - If skin irritation or rash o P362+P364 - Take off contaminated c P363 - Wash contaminated clothing be P391 - Collect spillage P403+P233 - Store in a well-ventilated P405 - Store locked up P501 - Dispose of contents/container t	ENTER or doctor/ phys mental first aid instruc Set medical advice/atto ccurs: Get medical ad lothing and wash it be afore reuse	tions on this label) ention vice/attention fore reuse er tightly closed
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/informati	ion on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Methyl (S)-Boc-5-pyrrolidone-2-carboxylate (Main constituent)	(CAS No) 108963-96-8	<= 100	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwel where possible). Move the affected pe	rsonnel away from the	e contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep or respiration. Get medical advice/attention	on.	
First-aid measures after skin contact	: Wash with plenty of soap and water. G		
First-aid measures after eye contact	: Immediately flush eyes thoroughly with present and easy to do. Continue rinsi	ng. Get medical advic	e/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give a mouth out with water. Get medical adv	, , ,	an unconscious person. Rinse
4.2. Most important symptoms and eff	ects, both acute and delayed		
Symptoms/injuries	: The most important known symptoms 2.2) and/or in section 11.	and effects are descri	bed in the labelling (see section
4.3. Indication of any immediate media	cal attention and special treatment needed	d	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide appropriate for surrounding fire.	e. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the s	substance or mixture		
Fire hazard	: Thermal decomposition generates: Ca	rbon oxides. Nitrogen	oxides.
5.3. Advice for firefighters			
5.3. Advice for firefighters Firefighting instructions	: In case of fire: Evacuate area.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.		
6.3. Methods and material for containme	ent and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/personal protection			

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

00/20/20	10	EN (English LIC)	
Melting	point	: 68 - 72 °C	
рН		: No data available	
Odor th	reshold	: No data available	
Odor		: No data available	
Color		: No data available	
Physica	al state	: Solid	
9.1.	Information on basic pl	hysical and chemical properties	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 243.2564 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Bases. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-	
SECT	ION 12: Ecological information
12.1.	Toxicity
No add	tional information available
12.2.	Persistence and degradability
No add	tional information available
12.3.	Bioaccumulative potential
No add	tional information available
12.4.	Mobility in soil
No add	tional information available
12.5.	Other adverse effects
No add	tional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment Marine pollutant

DOT Packaging Non Bulk (49 CFR 173.xxx)
DOT Packaging Bulk (49 CFR 173.xxx)
DOT Symbols

: UN3077 Environmentally hazardous substances, solid, n.o.s., 9, III

: UN3077

- : Environmentally hazardous substances, solid, n.o.s.
- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : 9 Class 9 (Miscellaneous dangerous materials)



- : III Minor Danger
- : Yes



- : 213
- : 240
- : G Identifies PSN requiring a technical name

Methyl (S)-Boc-5-pyrrolidone-2-carboxylate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping
201 Special FIOVISIONS (49 CFK 172.102)	description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.
	146 - This description may be used for a material that poses a hazard to the environment but
	does not meet the definition for a hazardous waste or a hazardous substance, as defined in
	171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is
	designated as environmentally hazardous by the Competent Authority of the country of origin,
	transit or destination.
	335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous
	liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the
	time the material is loaded or at the time the packaging or transport unit is closed. Each
	transport unit must be leak-proof when used as bulk packaging.
	A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the
	following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each
	IBC may not exceed a maximum net quantity of 1,000 kg:
	a. Metal: 11A, 11B, 11N, 21A, 21B and 21N b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2
	c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2
	d. Fiberboard: 11G
	e. Wooden: 11C, 11D and 11F (with inner liners)
	f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be
	sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner).
	B54 - Open-top, sift-proof rail cars are also authorized. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid
	plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1,
	21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1,
	13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).
	IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and
	water-resistant liner.
	N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)
	TP33 - The portable tank instruction assigned for this substance applies for granular and
	powdered solids and for solids which are filled and discharged at temperatures above their
	melting point which are cooled and transported as a solid mass. Solid substances transported
	or offered for transport above their melting point are authorized for transportation in portable
	tanks conforming to the provisions of portable tank instruction T4 for solid substances of
	packing group III or T7 for solid substances of packing group II, unless a tank with more
	stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank
	instruction and special provisions shall apply. Filling limits must be in accordance with portable
	tank special provision TP3. Solids meeting the definition of an elevated temperature material
	must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail	: No limit
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: No limit
CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
-	passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
	: 3077
UN-No. (IMDG)	
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous compounds
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3077
Proper Shipping Name (IATA)	: Environmentally hazardous substance, solid, n.o.s.
Class (IATA)	 9 - Miscellaneous Dangerous Goods
	-
Packing group (IATA)	: III - Minor Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Methyl (S)-Boc-5-pyrrolidone-2-carboxylate CAS No 1089	963-96-8 100%	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Hazardous to the aquatic environment - Acute Hazard Category 2
Hazardous to the aquatic environment - Chronic Hazard Category 2
Serious eye damage/eye irritation Category 1
Skin corrosion/irritation Category 2
Skin sensitization Category 1
Specific target organ toxicity (single exposure) Category 3
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye damage
May cause respiratory irritation
Toxic to aquatic life
Toxic to aquatic life with long lasting effects

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.