

Safety Data Sheet 51611X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/26/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Sodium methanethiolate
CAS No	: 5188-07-8
Product code	: 5161-1-X1
Formula	: CH3NaS
Synonyms	: Sodium thiomethoxide; Methanethiol, sodium salt
Other means of identification	: MFCD00174316
I.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
I.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309	
Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097	
nfo@synquestlabs.com - www.synquestlabs I.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	ion
.1. Classification of the substance	or mixture
Flam. Sol. 1 H228 - Flammable so	
Skin Corr. 1BH314 - Causes severEye Dam. 1H318 - Causes seriorSTOT SE 3H335 - May cause re	re skin burns and eye damage lus eye damage
Skin Corr. 1BH314 - Causes severEye Dam. 1H318 - Causes seriorSTOT SE 3H335 - May cause re	re skin burns and eye damage lus eye damage
Skin Corr. 1BH314 - Causes severEye Dam. 1H318 - Causes seriorEye Dam. 1H318 - Causes seriorSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	re skin burns and eye damage lus eye damage
Skin Corr. 1B H314 - Causes sever Eye Dam. 1 H318 - Causes seriol STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements	re skin burns and eye damage lus eye damage
Skin Corr. 1B H314 - Causes sever Eye Dam. 1 H318 - Causes serior STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	re skin burns and eye damage bus eye damage espiratory irritation
Skin Corr. 1B H314 - Causes sever Eye Dam. 1 H318 - Causes serior STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	The skin burns and eye damage bus eye damage espiratory irritation : (HS02) $(HS05)$ $(HS06)$ $(HS06)$ $(HS07)$
Skin Corr. 1BH314 - Causes severEye Dam. 1H318 - Causes seriorSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	re skin burns and eye damage bus eye damage espiratory irritation
Skin Corr. 1B H314 - Causes sever Eye Dam. 1 H318 - Causes sever STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	 re skin burns and eye damage bus eye damage bus eye damage baspiratory irritation : vertical control of the second se

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguis P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
Other haz	Other hazards zards not contributing to the	: Cor	tact with acids liberates toxic gas. Stench		
classificat					
Not applic	Unknown acute toxicity (GHS US) cable				
	ON 3: Composition/informatio	n on i	ngredients		
	Substance				
Substance		: Moi	no-constituent		
Name		-	Product identifier	%	Classification (GHS-US)
	nethanethiolate stituent)		(CAS No) 5188-07-8	<= 100	Flam. Sol. 1, H228 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
-ull text o	of H-phrases: see section 16				
.2.	Mixture				
lot applic	cable				
SECTIC	ON 4: First aid measures				
.1.	Description of first aid measures				
irst-aid n	neasures general		ase of accident or if you feel unwell, seek re possible). Move the affected personne		
irst-aid n	neasures after inhalation	res	nove person to fresh air and keep comfort piration. Get immediate medical advice/att	ention.	
	neasures after skin contact	me	sh with plenty of soap and water. Remove lical advice/attention.		
	neasures after eye contact	pre	nediately flush eyes thoroughly with water sent and easy to do. Continue rinsing. Get	immediate me	edical advice/attention.
First-aid n	neasures after ingestion		NOT induce vomiting. Never give anything th out with water. Get immediate medical		
	Most important symptoms and effec				
•	s/injuries	2.2)	most important known symptoms and eff and/or in section 11.		
Symptom	s/injuries after inhalation		erial is destructive to tissue of the mucuou rtness of breath, headache, nausea.	ls membranes	and upper respiratory tract. Cough,
4.3.	Indication of any immediate medical	attent	on and special treatment needed		
reat sym	nptomatically.				
SECTIO	ON 5: Firefighting measures				
	Extinguishing media				
Suitable e	extinguishing media		ohol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.	owder. Water	spray. Use extinguishing media
.2.	Special hazards arising from the sub	ostance	or mixture		
	rd		rmal decomposition generates: Carbon or en mixed with air and exposed to an ignition		
	hazard		lode if confined.		
Fire hazaı Explosion 5.3.	Advice for firefighters				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".		
SECTION 6: Accidental release mo	easures		
6.1. Personal precautions, protective	equipment and emergency procedures		
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify auth	orities if product enters sewers or public waters.		
6.3. Methods and material for contain	iment and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
	uding any incompatibilities		
7.2. Conditions for safe storage, inclu			
	: Comply with applicable regulations.		
Technical measures	 Comply with applicable regulations. Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Moisture sensitive. Keep contents under inert gas. 		
Technical measures Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive.		
7.2. Conditions for safe storage, inclu Technical measures Storage conditions Incompatible materials Prohibitions on mixed storage	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Moisture sensitive. Keep contents under inert gas.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Mond	lay, March 26, 2012 / Rules and Regulations		
SECTION 9: Physical and chemica	al properties		
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Color	: No data available		
Odor	: Stench.		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Molecular mass	: 70.09 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivi	ty		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4.Conditions to avoidKeep away from heat, sparks and flame.

10.5. Incompatible materials

Acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information					
11.1. Information on toxicological effects					
Acute toxicity	: Oral: Toxic if swallowed.				
Sodium methanethiolate (5188	-07-8)				
ATE US (oral)	100.000 mg/kg body weight				
Skin corrosion/irritation	: Causes severe skin burns and eye damage.				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information				
12.1. Toxicity				
No additional information available				
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
No additional information available				
12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects				
No additional information available				

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN2921 Corrosive solids, flammable, n.o.s., 8, II
- : UN2921
- : Corrosive solids, flammable, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive
- 4.1 Flammable solid



- : II Medium Danger
- : 212
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted wi a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" of passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 12 - Keep as cool as reasonably practicable, 25 - Shade from radiant heat
Other information	No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2921
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, FLAMMABLE, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 2921
	: Corrosive solid, flammable, n.o.s.
Proper Shipping Name (IATA)	
	: 8 - Corrosive solid, hanmable, n.o.s. : 8 - Corrosives : II - Medium Danger

15.1. US Federal regulations

Sodium methanethiolate (5188-07-8) Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations				
CANADA				
Sodium methanethiolate (5188	-07-8)			
Listed on the Canadian NDSL (Non-Domestic Substances List)				
10/00/0010			0/7	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

Sodium methanethiolate (5188-07-8) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Fuiltex	or n-phrases.			
	Acute Tox. 3 (Oral)		Acute toxicity (oral) Category 3	
	Eye Dam. 1		Serious eye damage/eye irritation Category 1	
	Flam. Sol. 1		Flammable solids Category 1	
	Skin Corr. 1B		Skin corrosion/irritation Category 1B	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H228		Flammable solid	
	H301		Toxic if swallowed	
	H314		Causes severe skin burns and eye damage	
	H318		Causes serious eye damage	
	H335		May cause respiratory irritation	
NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions. NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.		n prompt medical attention was can be ignited under almost all n become unstable at elevated es or may react with water with		
HMIS II	I Rating			
Health : 3 Serious Hazard - Major injury likely unless prompt action i given		r injury likely unless prompt action is taken and medical treatment is		
Flammability : 3 Serious Hazard - Materials capable of ignition under almost all normal temperatu conditions. Includes flammable liquids with flash points below 73 F and boiling point 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)		mable liquids with flash points below 73 F and boiling points above		
Physical : 1 Slight Hazard - Materials that are normally stable but can b		Is that are normally stable but can become unstable (self-react) at high sures. Materials may react non-violently with water or undergo in the absence of inhibitors.		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.