

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 5181508 Issue date: 7/22/2022 Version: 1.0

SECTION 1: Identification				
1.1. Identification				
Product form Substance name CAS-No. Product code Formula Other means of identification	<ul> <li>Substance</li> <li>n-Octyltrichlorosilane</li> <li>5283-66-9</li> <li>5181-5-08</li> <li>C8H17Cl3Si</li> <li>MFCD00000488</li> </ul>			
1.2. Recommended use and restrictions or	use			
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and develo	pment		
1.3. Supplier				
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com				
1.4. Emergency telephone number				
Emergency number	: (844) 523-4086 (3E Company	- Account 10069)		
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mixture				
GHS US classification				
Corrosive to metals Category 1 Acute toxicity (inhalation:vapor) Category 3 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cat Respiratory tract irritation Full text of H statements : see section 16	H290 H331 H314 H318 egory 3, H335	May be corrosive to metals Toxic if inhaled Causes severe skin burns and eye damage Causes serious eye damage May cause respiratory irritation		

2.2. GHS Label elements, including precautionary statements

### GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

- : Danger
- : H290 May be corrosive to metals
  - H314 Causes severe skin burns and eye damage
  - H318 Causes serious eye damage
- H331 Toxic if inhaled
- H335 May cause respiratory irritation

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	<ul> <li>P234 - Keep only in original container.</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER or doctor/ physician</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P390 - Absorb spillage to prevent material-damage.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P406 - Store in corrosive resistant container with a resistant inner liner</li> </ul>
	P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards which do not result in cla	assification

Other hazards which do not result in classification

: Reacts violently with water.

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
n-Octyltrichlorosilane (Main constituent)	CAS-No.: 5283-66-9		Met. Corr. 1, H290 Acute Tox. 3 (Inhalation:vapour), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

## 3.2. Mixtures

Not applicable

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effects (a	cute and delayed)
Symptoms/effects :	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

4.3. Immediate medical attention and special treatment, if necessary

#### Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguis	hing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Dry powder. Use extinguishing media appropriate for surrounding fire.</li><li>Do not use extinguishing media containing water.</li></ul>		
5.2. Specific hazards arising from the cl	hemical		
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Silicon oxides.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>		
5.3. Special protective equipment and p	recautions for fire-fighters		
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>		

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground	

rgency procedures	:	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground
		level.

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up				
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible materials Storage area Packaging materials	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>Store in dry, cool, well-ventilated area.</li> <li>Do not use metal containers.</li> </ul>	

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
n-Octyltrichlorosilane (5283-66-9)	
No additional information available	
8.2. Appropriate engineering controls	

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state Color Odor	: Liquid : No data available : No data available
Odor threshold	: No data available
	: No data available
pH Malting point	
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 224 – 226 °C
Flash point	: 96 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.074 g/ml (@ 20 °C)
Molecular mass	: 247.665 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
<b>.</b>	
9.2. Other information	

#### 9.2. Other Information

Refractive index

: 1.449 (@ 20 °C)

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **10.2. Chemical stability**

The product is stable at normal handling and storage conditions.

10.3. Possibilit	y of hazardous reactions
10.0.1 00000000	

No additional information available

**10.4. Conditions to avoid** 

Keep away from heat, sparks and flame.

**10.5. Incompatible materials** 

Bases. Strong oxidizing agents. Water.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effe	cts
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Toxic if inhaled.</li> </ul>
n-Octyltrichlorosilane (5283-66-9)	
LC50 Inhalation - Rat	6.92 mg/l/4h
ATE US (vapors)	6.92 mg/l/4h
ATE US (dust, mist)	6.92 mg/l/4h
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Symptoms/effects	<ul> <li>Causes severe skin burns.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>May cause respiratory irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>The most important known symptoms and effects are described in the labelling (see section 2.2)</li> </ul>
Symptoms/effects after inhalation	<ul> <li>and/or in section 11.</li> <li>Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.</li> </ul>

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
No additional information available		

SECTION 13: D	isposal cons	siderations
---------------	--------------	-------------

## 13.1. Disposal methods

Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

## **SECTION 14: Transport information**

14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN1801 : Not applicable : 1801 : 1801
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Octyltrichlorosilane</li> <li>Not applicable</li> <li>OCTYLTRICHLOROSILANE</li> <li>Octyltrichlorosilane</li> </ul>

## 14.3. Transport hazard class(es)

### DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)



**TDG** Transport hazard class(es) (TDG)

: Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG	: 8
Transport hazard class(es) (IMDG)	: 8
Hazard labels (IMDG)	
IATA	: 8
Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	
14.4. Packing group	
Packing group (DOT)	: II
Packing group (TDG)	: Not applicable
Packing group (IMDG)	: II
Packing group (IATA)	: II
14.5. Environmental hazards	
Other information	: No supplementary information available.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 14.6. Special precautions for user

DOT	
UN-No.(DOT)	: UN1801
DOT Special Provisions (49 CFR 172.102)	: A7 - Steel packaging must be corrosion-resistant or have protection against corrosion. B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are
	not authorized.
	B6 - Packaging shall be made of steel.
	N34 - Aluminum construction materials are not authorized for any part of a packaging which is
	normally in contact with the hazardous material.
	T10 - 4 6 mm Prohibited 178.275(g)(3).
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the
	temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical
	expansion of the liquid between the mean temperature of the liquid during filling (tf) and the
	maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For
	liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59
	F) and 50 C (122 F), respectively.
	TP7 - The vapor space must be purged of air by nitrogen or other means.
	TP13 - Self-contained breathing apparatus must be provided when this hazardous material is
	transported by sea.
DOT Packaging Exceptions (49 CFR 173.xxx)	: None
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	: 206 : 242
DOT Quantity Limitations Passenger aircraft/rail (49	
CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 30 L
CFR 175.75)	
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG	: 156
Emergency Response Guide (ERG) Number	. 150
IMDG	
Limited quantities (IMDG) Excepted quantities (IMDG)	: 0 : E0
Packing instructions (IMDG)	: P010
Tank instructions (IMDG)	: T10
Tank special provisions (IMDG)	: TP2, TP7, TP13
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: C . Calauriana liauid uith a surrant adaus Daasta vislanth uith ustar, such ins hudeana, shlarida
Properties and observations (IMDG)	: Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic
	gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous

membranes.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 876
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A1
ERG code (IATA)	: 8L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information			
15.1. US Federal regulations			
All components of this product are present and listed a (TSCA) inventory, except for:	as Active on the United States E	invironmental Protection A	Agency Toxic Substances Control Act
n-Octyltrichlorosilane	CAS-No. 5283-66-9	100%	
15.2. International regulations			
CANADA			

n-Octyltrichlorosilane (5283-66-9)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

n-Octyltrichlorosilane (5283-66-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

n-Octyltrichlorosil	ane (5283-66-9)
---------------------	-----------------

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)

### 15.3. US State regulations

n-Octyltrichlorosilane (5283-66-9)	
State or local regulations	U.S New Jersey - Right to Know Hazardous Substance List

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 16: Other information**

#### according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases			
H290	May be corrosive to metals		
H314	Causes severe skin burns and eye damage		
H318	Causes serious eye damage		
H331	Toxic if inhaled	Toxic if inhaled	
H335	May cause respiratory irritation		
NFPA health haz NFPA fire hazard NFPA reactivity	I :	<ul> <li>3 - Materials that, under emergency conditions, can cause serious or permanent injury.</li> <li>1 - Materials that must be preheated before ignition can occur.</li> <li>1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.</li> </ul>	
Hazard Rating Health	:	3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	:	1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,	
Physical	:	solids and semi solids having a flash point above 200 F. (Class IIIB) 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.	

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.