

Safety Data Sheet 5H63200 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/08/2019 Version: 1.0

SECTION 4. Identification		
SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: Perfluorosulfolane	
CAS No	: 42060-64-0	
Product code	: 5H63-2-00	
Formula	: C4F8O2S	
Synonyms	: Octafluorotetrahydrothiophene 1,1-dioxide	
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safety da	ata sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com		
1.4. Emergency telephone number		222)
Emergency number	: (844) 523-4086 (3E Company - Account 100	069)
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mix	dure	
Classification (GHS-US)Acute Tox. 3 (Oral)H301 - Toxic if swalloAcute Tox. 4 (Dermal)H312 - Harmful in corAcute Tox. 3 (Inhalation)H315 - Causes skin inSkin Irrit. 2H315 - Causes skin inEye Irrit. 2AH319 - Causes seriouSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16	ntact with skin d ritation is eye irritation	
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	GHS06 GHS07	
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	: H301+H331 - Toxic if swallowed or if inhale H312 - Harmful in contact with skin H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	ed
Precautionary statements (GHS-US)	lenses, if present and easy to do. Continue P311 - Call a POISON CENTER or doctor/p P312 - Call a POISON CENTER or doctor/p	ated area othing/eye protection/face protection a poison center/doctor/ f soap and water fresh air and keep comfortable for breathing usly with water for several minutes. Remove contact rinsing hysician ohysician if you feel unwell
08/08/2019	EN (English US)	SDS ID: 5H63200 Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P330 P332 P337 P362 P403 P403 P405	 P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant 			
3. Other hazards					
her hazards not contributing to the ssification	: Stenc	h.			
4. Unknown acute toxicity (GHS U	S)				
ot applicable					
ECTION 3: Composition/informa	ation on in	gredients			
I. Substance	. Maraa				
bstance type	: Mono	-constituent			
		Product identifier	%	Classification (GHS-US)	
Yerfluorosulfolane Main constituent)		(CAS No) 42060-64-0	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Il text of H-phrases: see section 16					
2. Mixture					
ot applicable					
ECTION 4: First aid measures					
I. Description of first aid measures st-aid measures general		e of accident or if you feel unwell, seek	modical advica i	mmodiately (chaw the lobal	
st-aid measures general		possible). Move the affected personnel			
st-aid measures after inhalation		: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
st-aid measures after skin contact		: Wash with plenty of soap and water. Get immediate medical advice/attention.			
st-aid measures after eye contact	prese	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
st-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
2. Most important symptoms and e	effects, both a	acute and delayed			
mptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section	
3. Indication of any immediate me	dical attentio	n and special treatment needed			
eat symptomatically.					
ECTION 5: Firefighting measure	S				
I. Extinguishing media					
itable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
2. Special hazards arising from the	e substance o	or mixture			
e hazard	: Thern	nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Sulfur oxides.	
3. Advice for firefighters					
efighting instructions		e of fire: Evacuate area.			
otection during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec			
ECTION 6: Accidental release m					
I. Personal precautions, protective					
eneral measures	: Evacu	ate unnecessary personnel. Ensure ade	equate air ventila	ation. Do not breathe dust.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations For non-emergency personnel 6.1.1. : Only qualified personnel equipped with suitable protective equipment may intervene. Emergency procedures 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection". 6.2. **Environmental precautions** Avoid release to the environment. Notify authorities if product enters sewers or public waters. Methods and material for containment and cleaning up 6.3. For containment : Stop leak if safe to do so. Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". Other information **Reference to other sections** 6.4.

No additional information available

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including any incompatibilities				
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2	2. Exposure controls	
Ap	ppropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Ha	and protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Ey	ve protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Sk	kin and body protection	: Wear suitable protective clothing.
Re	espiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Ot	her information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physic	al state	: Solid	
Color		: No data available	
Odor		: Stench.	
Odor th	nreshold	: No data available	
pН		: No data available	
Melting	g point	: 42 °C	
Freezir	ng point	: No data available	
Boiling	point	: No data available	
Flash p	point	: No data available	
Relativ	e evaporation rate (butyl acetate=1)	: No data available	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 264.094 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity					
10.1. Reactivity					
No additional information available					
10.2. Chemical stability					
The product is stable at normal handling and storage conditions.					
10.3. Possibility of hazardous reactions					
No additional information available					
10.4. Conditions to avoid					
Keep away from heat, sparks and flame.					
10.5. Incompatible materials					
Strong oxidizing agents.					
10.6. Hazardous decomposition products					
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.					

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Toxic if inhaled.
Perfluorosulfolane (42060-64-0)	
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspirati	on hazard	: Not classified
SECT	ION 12: Ecological information	
12.1.	Toxicity	
No addi	tional information available	
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Other adverse effects	
No addi	tional information available	

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	

: UN2811 Toxic solids, organic, n.o.s., 6.1, III

: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

: Toxic solids, organic, n.o.s.

: UN2811

: 6.1 - Poison

Department of Transportation	(DOT)

In accordance with DOT	
Transport document description	

Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

	6
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

: 153

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
DOT Quantity Limitations Passenger aircraft/rail : 100 kg

(49 CFR 173.27)	aii : 100 kg
DOT Quantity Limitations Cargo aircraft only (4 CFR 175.75)	19 : 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

TDG

No additional information available

Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
Air transport	

UN-No. (IATA): 2811Proper Shipping Name (IATA): Toxic solid, organic, n.o.s.Class (IATA): 6.1 - Toxic SubstancesPacking group (IATA): III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Perfluorosulfolane	CAS No 42060-64-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Perfluorosulfolane (42060-64-0)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:	
	Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H301	Toxic if swallowed
	H312	Harmful in contact with skin
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H331	Toxic if inhaled
	H335	May cause respiratory irritation
NFPA f	nealth hazard iire hazard reactivity	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 0 - Materials that will not burn. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS I	II Rating	
Health		 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given * - Chronic (long-term) health effects may result from repeated overexposure
Flamm	ability	: 0 Minimal Hazard - Materials that will not burn
Physica	a	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.