

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 6162204 Issue date: 05.11.2015 Revision date: 18.12.2023 Version: 1.1

SECTION 1: Identification

a a transformer of the	
1.1. Identification	
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	 Substance Nonafluorobutanesulfonyl fluoride 375-72-4 6162-2-04 C4F10O2S Nonaflyl fluoride; Perfluorobutanesulfonyl fluoride MFCD00007422
1.2. Recommended use and restrictions on	i use
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Supplier	
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture		
GHS US classification		
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs (nervous system)
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs (bone, eyes, endocrine system, gastrointestinal tract, heart, hematopoietic system, immune system, kidneys, liver, muscle, nervous system, respiratory system, teeth, urinary system) through prolonged or repeated exposure

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (GHS US)	 H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (nervous system) H373 - May cause damage to organs (bone, eyes, endocrine system, gastrointestinal tract, heart, hematopoietic system, immune system, kidneys, liver, muscle, nervous system, respiratory system, teeth, urinary system) through prolonged or repeated exposure
Precautionary statements (GHS US)	 P260 - Do not breathe vapors, spray, mist, fumes. P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307+P311 - If exposed: Call a poison center/doctor. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
Nonafluorobutanesulfonyl fluoride (Main constituent)	CAS-No.: 375-72-4		Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact First-aid measures after eye contact	 Wash with plenty of soap and water. Remove contaminated clothing and shoes. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into the affected area for 1.5 hours or until further medical care is available. Get immediate medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effect	ts (acute and delayed)
Potential Adverse human health effects and symptoms Symptoms/effects	 Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys). The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Depression of the central nervous system headaches, dizziness, drowsiness, loss of coordination.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2. Specific hazards arising from the chem	ical
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Sulfur oxides. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.
5.3. Special protective equipment and preca	autions for fire-fighters
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Notify authorities if product enters sewers or public waters. Contain any spills with dikes or absorbents to prevent migration and entry into drains, sewers, waterways, or soil. Do not use where release to drains (sewer) and/or surface water cannot be prevented.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containr	nent and cleaning up
For containment	: Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration and entry into drains, sewers, waterways, or soil. Do not use where release to drains (sewer) and/or surface water cannot be prevented.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

```
Storage area
```

: Store in dry, cool, well-ventilated area. Store ONLY in areas where release to drains (sewer) and/or surface water can be prevented. This material is considered to be a "Forever chemical". Any possible release to the environment must be prevented. Notify authorities if product enters sewers or public waters.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Nonafluorobut	tanesulfonyl fluoride (375-72-4)	
No additional info	ormation available	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

and protection:
rotective gloves. 29 CFR 1910.138: Hand Protection
ye protection:
hemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection
kin and body protection:
/ear suitable protective clothing
espiratory protection:
a case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: -110 °C
Freezing point	: No data available
Boiling point	: 65 – 66 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,75 g/ml (@ 20 °C)
Molecular mass	: 302,09 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1,281 (@ 25 °C)
	. 1,201 (@ 20 0)

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Amines. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Nonafluorobutanesulfonyl fluoride (375-72	-4)
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 62 mg/l
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified Not classified Causes damage to organs (nervous system). May cause damage to organs (bone, eyes, endocrine system, gastrointestinal tract, heart, hematopoietic system, immune system, kidneys, liver, muscle, nervous system, respiratory system, teeth, urinary system) through prolonged or repeated exposure.
Aspiration hazard Viscosity, kinematic Potential Adverse human health effects and symptoms Symptoms/effects Symptoms/effects after inhalation	 Not classified No data available Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys). The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. Danger of serious damage to health by prolonged exposure through inhalation. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability	
Nonafluorobutanesulfonyl fluoride (375-72-4)	
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential	
Nonafluorobutanesulfonyl fluoride (37	75-72-4)
Bioaccumulative potential	Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerati	ons
13.1. Disposal methods	
Waste treatment methods	: Prevent runoff from entering drains, sewers or waterways. See the EPA's Interim Guidance on PFAS Destruction and Disposal.

Sewage disposal recommendations	: See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Product/Packaging disposal recommendations	: See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Additional information	: EPA's Interim Guidance on PFAS Destruction and Disposal (Dec. 18, 2020
	https://downloads.regulations.gov/EPA-HQ-OLEM-2020-0527-0002/content.pdf). The National
	Defense Authorization Act for Fiscal Year 2020, Public Law No: 116-92 (hereafter, "FY 2020
	NDAA"), was signed into law on December 19, 2019. Section 7361 of the FY 2020 NDAA directs
	the U.S. Environmental Protection Agency (EPA) to publish interim guidance on the destruction
	and disposal of perfluoroalkyl and polyfluoroalkyl substances (PFAS) and materials containing
	PFAS. This interim guidance fulfills that direction. EPA will review the interim guidance at least
	every 3 years and revise it, if appropriate based on the availability of new information or other
	factors.
Ecology - waste materials	: This material is considered to be a "Forever chemical". Prevent any possible release to the
	environment. Do not discharge into drains. Take all necessary measures to prevent accidental
	discharge of products into drains and waterways due to the rupture of containers or transfer
	systems, or emergency response.

SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
TDG Transport hazard class(es) (TDG)	: Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT No data available	
TDG No data available	
IMDG No data available	
IATA No data available	
14.7. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory	
15.2. International regulations	
CANADA	

Nonafluorobutanesulfonyl fluoride (375-72-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Nonafluorobutanesulfonyl fluoride (375-72-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

Nonafluorobutanesulfonyl fluoride (375-72-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-phrases H315 Causes skin irritation H319 Causes serious eye irritation H370 Causes damage to organs H373 May cause damage to organs through prolonged or repeated exposure

NFPA health hazard	
NFPA fire hazard	 O - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA