

2-(Fluorosulfonyl)difluoroacetic acid Safety Data Sheet 6162321 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/03/2015 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2-(Fluorosulfonyl)difluoroace	tic acid	
CAS No	: 1717-59-5		
Product code	: 6162-3-21		
Formula	: C2HF3O4S		
Synonyms	: 2,2-Difluoro-2-(fluorosulfonyl)acetic acid	
Other means of identification	: MFCD01320807		
	substance or mixture and uses adv	ised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and deve	lopment	
1.3. Details of the supplier of the saf	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company	y - Account 10069)	
SECTION 2: Hazard(s) identificati	on		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Full text of H-phrases: see section 16 2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS05 GHS06		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H300+H310 - Fatal if swallo H314 - Causes severe skin b		
Precautionary statements (GHS-US)	 P260 - Do not breathe dust/f P262 - Do not get in eyes, or P264 - Wash skin thoroughly P270 - Do not eat, drink or s P280 - Wear protective glove P301+P310 - If swallowed: II P301+P330+P331 - If swallo P303+P361+P353 - If on ski skin with water/shower P304+P340 - If inhaled: Rem P305+P351+P338 - If in eye lenses, if present and easy tr P310 - Immediately call a PC 	ume/gas/mist/vapors/spray h skin, or on clothing v after handling moke when using this product es/protective clothing/eye protection/face prote mmediately call a poison center/doctor/ wed: rinse mouth. Do NOT induce vomiting n (or hair): Take off immediately all contamina hove person to fresh air and keep comfortable s: Rinse cautiously with water for several minu- to do. Continue rinsing DISON CENTER or doctor/ physician be supplemental first aid instructions on this la	ted clothing. Rinse for breathing utes. Remove contact
		SDS ID: 6162321	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P363 Wash contaminated clothing before reuse P405 Store locked up

			 Store locked up Dispose of contents/container to an ap 	proved waste di	sposal plant
2.3.	Other hazards				
No addit	tional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not app	licable				
SECTI	ON 3: Composition/information	on in	gredients		
3.1.	Substance				
Substan	ce type :	Monc	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
	rosulfonyl)difluoroacetic acid nstituent)		(CAS No) 1717-59-5	<= 100	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Skin Corr. 1A, H314 Eye Dam. 1, H318
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not app	licable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
⁻irst-aid	measures general :		se of accident or if you feel unwell, seek r e possible). Move the affected personnel		
First-aid	measures after inhalation :		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid	irst-aid measures after skin contact : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			othing and shoes. Get immediate	
First-aid	measures after eye contact :	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid	st-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.				
4.2.	Most important symptoms and effects	, both	acute and delayed		
Symptor		The r	nost important known symptoms and effe and/or in section 11.	cts are describe	ed in the labelling (see section
Symptor	ns/injuries after inhalation :		rial is destructive to tissue of the mucuous ness of breath, headache, nausea.	s membranes ar	nd upper respiratory tract. Cough,
4.3.	Indication of any immediate medical a	ttentio	n and special treatment needed		
	mptomatically.				
•	ON 5: Firefighting measures				
5.1.	Extinguishing media				
		Alcoh	ol resistant foam. Carbon dioxide. Dry po	wder. Water so	ray. Use extinguishing media
		appro	priate for surrounding fire.		
5.2.	Special hazards arising from the subs				
-ire haz			nal decomposition generates: Carbon ox		
zxplosic	in hazard :		of explosion if heated under confinement. iners.	Use water spra	ay or tog for cooling exposed
5.3.	Advice for firefighters				
Firefight	ing instructions :	In ca	se of fire: Evacuate area. Fight fire remot	ely due to the ris	sk of explosion.
Protectio	on during firefighting :		gas tight chemically protective clothing in ratus. For further information refer to sect		

SECTI	SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective equ	lipment and emergency procedures	
General	measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for conta	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage	e		

SECTION 7. Hamuning and Storage	;
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

CECTION OF EV	nacura contralal	norconol	protoction
SECTION O. EX	posure controls/	Dersonal	
<u> </u>			P : C U C U C U C U C U C U C U C U C U C U C U C U U U U U U U U U U

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and c	chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 88 - 90 °C (@ 45 mm Hg)		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: 110 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.7234 g/ml (@ 20 °C)
Molecular mass	: 178.08 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.3602 (@ 20 °C)

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	tional information available
10.4.	Conditions to avoid
Keep av	way from heat, sparks and flame. Moisture.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5.
SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects

: Oral: Fatal if swallowed. Dermal: Fatal in contact with skin.
: Causes severe skin burns and eye damage.
: Causes serious eye damage.
: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information				
12.1.	Toxicity			
No additional information available				
12.2.	Persistence and degradability			
No additional information available				
12.3.	Bioaccumulative potential			
No additional information available				
12.4.	Mobility in soil			
No additional information available				
12.5.	Other adverse effects			
No additional information available				

SECTION 13: Disposal considerations						
13.1. Waste treatment methods						
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. 					
SECTION 14: Transport information						

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2927 Toxic liquids, corrosive, organic, n.o.s., 6.1, II
- : UN2927
- : Toxic liquids, corrosive, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison
 - 8 Corrosive



- : II Medium Danger
- : 202
- : 243
- : G Identifies PSN requiring a technical name

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 30 L B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. 40 - Stow "clear of living quarters" No supplementary information available.
 passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. 40 - Stow "clear of living quarters"
51
: No supplementary information available.
: 2927
: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
: 6.1 - Toxic substances
: II - substances presenting medium danger
: 2927
: Toxic liquid, corrosive, organic, n.o.s.
: 6.1 - Toxic Substances
: II - Medium Danger

2-(Fluorosulfonyl)difluoroacetic acid	CAS No 1717-59-5	100%		

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:						
Acute To:	x. 1 (Dermal)	Acute toxicity (dermal) Category 1				
Acute To:	x. 2 (Oral)	Acute toxicity (oral) Category 2				
Eye Dam	ı. 1	Serious eye damage/eye irritation Category 1				
Skin Corr	r. 1A	Skin corrosion/irritation Category 1A				
H300		Fatal if swallowed				
H310		Fatal in contact with skin				
H314		Causes severe skin burns and eye damage				
H318		Causes serious eye damage				
NFPA health haza NFPA fire hazard NFPA reactivity	residual injury even thou given. : 1 - Must be preheated b	n under fire exposure conditions,				
HMIS III Rating						
Health		: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures				
Flammability		 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 				
Physical		terials that are normally stable, even under fire conditions, and will NOT erize, decompose, condense, or self-react. Non-Explosives.				

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.