

# Trifluoromethanesulfonylmethane

Safety Data Sheet 6163306 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/14/2016 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Trifluoromethanesulfonylmethane
CAS No	: 421-82-9
Product code	: 6163-3-06
Formula	: C2H3F3O2S
Synonyms	: Methyl perfluoromethyl sulfone; Methyl triflone; Methyl trifluoromethyl sulfone; Trifluoromethyl methyl sulfone
Other means of identification	: MFCD18916802
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye	damage
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	damage
Eye Dam. 1       H318 - Causes serious eye of STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements	damage
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	damage
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	damage ry irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage ry irritation : i i i banger
Skin Irrit. 2       H315 - Causes skin irritation         Eye Dam. 1       H318 - Causes serious eye of         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	damage ry irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage ry irritation : $i = i = i = i = i = i = i = i = i = i $

# Trifluoromethanesulfonylmethane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
Not applicable					
	ion on in	gradianta			
SECTION 3: Composition/informati	ion on in	gredients			
3.1. Substance	. Mono	acastituant			
Substance type	: Mond	-constituent			_
Name		Product identifier	%	Classification (GHS-US)	
Trifluoromethanesulfonylmethane (Main constituent)		(CAS No) 421-82-9	<= 100	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	
Full text of H-phrases: see section 16					
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel			
First-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial	
First-aid measures after skin contact	: Wash	with plenty of soap and water. Get med	ical advice/atter	ition.	
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get			if
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse	
4.2. Most important symptoms and eff	ects, both	acute and delayed			
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section	
4.3. Indication of any immediate media	al attentio				
4.3. Indication of any immediate medic Treat symptomatically.	cal attentio				
Treat symptomatically.	cal attentio				
	cal attentio				
Treat symptomatically. SECTION 5: Firefighting measures	: Alcor		owder. Water sp	ray. Use extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	: Alcoh appro	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Alcoh appro	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.			
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the statements	: Alcoh appro substance : Therr : Risk	n and special treatment needed ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	ides. Hydrogen	fluoride. Sulfur oxides.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the second	: Alcoh appro substance : Therr : Risk	n and special treatment needed ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride. Sulfur oxides.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard	: Alcoh appro substance : Therr : Risk conta	n and special treatment needed ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen . Use water spra	fluoride. Sulfur oxides. ay or fog for cooling exposed	
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the second	: Alcoh appro substance : Therr : Risk conta : In cas : Wear	n and special treatment needed ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen . Use water spra iely due to the ri n combination v	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me	: Alcoh appro ubstance ( : Therr : Risk conta : In cas : Wear appa asures	n and special treatment needed ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in ratus. For further information refer to sec	ides. Hydrogen . Use water spra iely due to the ri n combination v	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Alcoh appro ubstance : Therr : Risk conta : In ca : Wear appa asures equipment	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. Se of fire: Evacuate area. Fight fire remov gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures	ides. Hydrogen . Use water spra tely due to the ri- n combination v tion 8: "Exposur	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me	: Alcoh appro ubstance : Therr : Risk conta : In cas : Wear appa asures equipment : Evac	n and special treatment needed ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in ratus. For further information refer to sec	ides. Hydrogen . Use water spra tely due to the ri- n combination v tion 8: "Exposur	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	5,
Treat symptomatically.         SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         5.2. Special hazards arising from the series         Fire hazard         Explosion hazard         5.3. Advice for firefighters         Firefighting instructions         Protection during firefighting         SECTION 6: Accidental release mee         6.1. Personal precautions, protective of	: Alcoh appro ubstance : Therr : Risk conta : In cas : Wear appa asures equipment : Evac	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remov gas tight chemically protective clothing i ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	ides. Hydrogen . Use water spra tely due to the ri- n combination v tion 8: "Exposur	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	5,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures	: Alcoh appro ubstance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remov gas tight chemically protective clothing i ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	ides. Hydrogen . Use water spra tely due to the ri n combination v tion 8: "Exposur	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	ς,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mee 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel	: Alcoh appro ubstance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor	n and special treatment needed tol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray.	ides. Hydrogen . Use water spra tely due to the ri n combination v tion 8: "Exposur	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	÷,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel Emergency procedures	: Alcoh appro substance o : Therr : Risk i conta : In cas : Wear appa asures equipment : Evac vapol : Only : Do no	n and special treatment needed tol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray.	ides. Hydrogen . Use water spra tely due to the ri- n combination w tion 8: "Exposur equate air ventila le protective equip	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes	5,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mee 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro ubstance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor : Only : Do no refer	n and special treatment needed tol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement iners. Se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing is ratus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/personal vapor heavier than air. May accumulate i	ides. Hydrogen . Use water spra tely due to the ri- n combination v tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. Sulfur oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes upment may intervene.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for conta	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
<b>SECTION 7: Handling and stora</b>	ge		
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

# SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 130 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
12/08/2016	EN (English US)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.5141 g/ml (@ 20 °C)
Molecular mass	: 148.10 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.3486 (@ 20 °C)

# SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. 10.2. Chemical stability The product is stable at normal handling and storage conditions. 10.3. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information			
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No addi	tional information available		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerat	ions	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with	an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with li	censed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information	on	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
<b>SECTION 15: Regulatory informat</b>	ion	
15.1. US Federal regulations		
All components of this product are listed, or Substances Control Act (TSCA) inventory e	excluded from listing, on the United States Environmental ccept for:	Protection Agency Toxic
Trifluoromethanesulfonylmethane	CAS No 421-82-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** 

No additional information available

#### **National regulations**

No additional information available

# 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

# SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.