

_

Mercury(II) trifluoromethanesulfonate Safety Data Sheet 6164280 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification 1.1. Identification Product form Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the supplication 1.3. Details of the supplier of the sup	rica <u>lbs.com</u>		
Product form Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.4. Emergency telephone number	 Mercury(II) trifluoromethanesulfonate 49540-00-3 6164-2-80 C2F6HgO6S2 Mercuric triflate MFCD00144746 e substance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development 		
Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.4. Emergency telephone number	 Mercury(II) trifluoromethanesulfonate 49540-00-3 6164-2-80 C2F6HgO6S2 Mercuric triflate MFCD00144746 e substance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development 		
CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the sus SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla 1.4. Emergency telephone number	: 49540-0-3 : 6164-2-80 : C2F6HgO6S2 : Mercuric triflate : MFCD00144746 e substance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet prica		
Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.3. Details of the supplier of the supplier of the substance/mixture 1.3. Details of the supplier of the supplication of the supplier of the supplication of the s	 : 6164-2-80 : C2F6HgO6S2 : Mercuric triflate : MFCD00144746 e substance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet strica		
Formula Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.4. Emergency telephone number	 C2F6HgO6S2 Mercuric triflate MFCD00144746 Substance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet arica		
Synonyms Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.4. Emergency telephone number	 Mercuric triflate MFCD00144746 substance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development 		
Other means of identification 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the sup	: MFCD00144746 e substance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet prica		
 1.2. Relevant identified uses of the Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture 1.4. Emergency telephone number 	e substance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet rrica tbs.com		
 Use of the substance/mixture 1.3. Details of the supplier of the substance/mixture SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla 1.4. Emergency telephone number 	: Laboratory chemicals Manufacture of substances Scientific research and development afety data sheet rrica		
 1.3. Details of the supplier of the set SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla 1.4. Emergency telephone number 	Manufacture of substances Scientific research and development afety data sheet vrica <u>ubs.com</u>		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla 1.4. Emergency telephone number	rica . <u>bs.com</u>		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla 1.4. Emergency telephone number	rica . <u>bs.com</u>		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
0			
SECTION 2: Hazard(s) identifica	tion		
2.1. Classification of the substance	e or mixture		
Classification (GHS-US)			
Acute Tox. 2 (Oral)H300 - Fatal if swallowedAcute Tox. 1 (Dermal)H310 - Fatal in contact with skinAcute Tox. 2 (Inhalation)H330 - Fatal if inhaledAcute Tox. 2 (Inhalation)H330 - Fatal if inhaledSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritationSTOT SE 3H335 - May cause respiratory irritationSTOT RE 2H373 - May cause damage to organs through prolonged or repeated exposureAquatic Acute 1H400 - Very toxic to aquatic lifeAquatic Chronic 1H410 - Very toxic to aquatic life with long lasting effectsFull text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS06 GHS07 GHS08 GHS09		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	 H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H373 - May cause damage to organs through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects 		
Precautionary statements (GHS-US)	 P260 - Do not breathe dust/fume/gas/mist/vapors/spray P262 - Do not get in eyes, on skin, or on clothing P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection 		
10/24/2017	EN (English US) SDS ID: 6164280 Page 1		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P284 - In case of inadequate ventilation wear respiratory protection P301+P310 - If swallowed: Immediately call a poison center/doctor/ P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P314 - Get medical advice/attention if you feel unwell P320 - Specific treatment is urgent (see supplemental first aid instructions on this label) P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P361 - Take off immediately all contaminated clothing P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
2.4. Unknown acute toxicity (GHS US) Not applicable	

SECTION 3: Composition/information on ingredients

3.1.	Substance

Substance type

: Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
Mercury(II) trifluoromethanesulfonate (Main constituent)	(CAS No) 49540-00-3	<= 100	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

3.2.	Mixture
Not app	licable

4.1.	Description of first aid measures	
First-aid	measures general :	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid	measures after inhalation :	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid	measures after skin contact :	Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid	measures after eye contact :	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid	measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2.	Most important symptoms and effects	both acute and delayed
Symptor	ns/injuries :	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
4.3.	Indication of any immediate medical attention and special treatment needed	
Treat sy	mptomatically.	

SECTION 5: Firefighting measures 5.1. **Extinguishing media** : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media Suitable extinguishing media appropriate for surrounding fire.

Mercury(II) trifluoromethanesulfonate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Sulfur oxides.	
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	
SECTION 6: Accidental release meas	ures	
6.1. Personal precautions, protective equ	lipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.	
6.3. Methods and material for containment	nt and cleaning up	
For containment	: Stop leak if safe to do so.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includin	g any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
SECTION 8: Exposure controls/perso	onal protection	
8.1. Control parameters		
No additional information available		
8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers	

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Physical state	: Solid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: > 350 °C	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Molecular mass	: 498.73 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivi	ty	
10.1. Reactivity		

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Acids. Alkali metals. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECT	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity

: Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if inhaled.

Mercury(II) trifluoromethanesulfonate (49540-00-3)	
ATE US (oral)	5.000 mg/kg body weight
ATE US (dermal)	5.000 mg/kg body weight

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mercury(II) trifluoromethanesulfonate (49540-00-3)		
ATE US (gases)	100.000 ppmV/4h	
ATE US (vapors)	0.500 mg/l/4h	
ATE US (dust, mist)	0.050 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information			
12.1.	Toxicity		
No addit	No additional information available		
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No additional information available			
12.4.	Mobility in soil		
No additional information available			
12.5.	Other adverse effects		
No additional information available			

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport information			

Department of Transportation	(DOT)

In accordance with DOT	
Transport document description	: UN2025 Mercury compounds, solid, n.o.s., 6.1, II
UN-No.(DOT)	: UN2025
Proper Shipping Name (DOT)	: Mercury compounds, solid, n.o.s.
Transport hazard class(es) (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Hazard labels (DOT)	: 6.1 - Poison
	6
	H. Madium Danama

Packing group (DOT) Dangerous for the environment

- : II Medium Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant	: Yes
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG No additional information available	
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 2025 MERCURY COMPOUND, SOLID, N.O.S. 6.1 - Toxic substances II - substances presenting medium danger
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 2025 Mercury compound, solid, n.o.s. 6.1 - Toxic Substances II - Medium Danger
SECTION 15: Regulatory information 15.1. US Federal regulations	

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Mercury(II) trifluoromethanesulfonate CAS No 49540-00-3 100%	Mercury(II) trifluoromethanesulfonate		100%
--------------------------------------------------------------	---------------------------------------	--	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 2 (Inhalation) Acute toxicity (inhalation) Category 2 Acute Tox. 2 (Oral) Acute toxicity (rehalation) Category 2 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Eye Irrit. 2A Serious eye damage/eye irritation Category 2 Stin Irrit. 2 Specific target organ toxicity (repeated exposure) Category 2 STOT RE 2 Specific target organ toxicity (single exposure) Category 3 H300 Fatal if swallowed H310 Fatal if swallowed H330 Fatal if incontact with skin H330 Fatal if inhaled H330 Very toxic to aquatic life H400 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very short exposure conditions, and are not reactive with water. NFPA health hazard : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures		Acute Tox. 1 (Dermal)		Acute toxicity (dermal) Category 1	
Acute Tox. 2 (Oral) Acute toxicity (oral) Category 2 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Acute 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Skin Irrit. 2 Specific target organ toxicity (repeated exposure) Category 2 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 3 H300 Fatal in contact with skin H310 Fatal in contact with skin H330 Fatal in contact with skin H330 Fatal if swallowed H330 Fatal if swallowed H330 Fatal if swallowed H330 Fatal if swallowed H330 Fatal if wallowed H330 Fatal if wallowed H330 Fatal if wallowed H430 Very toxic to aquatic life H400 Very toxic to aquatic life H410 Very toxic to aquatic life NFPA fire hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Normally stable, even under fire exposure conditions, and are not reactive with wat					
Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Eye Irit: 2A Serious eye damage/eye irritation Category 2A Skin Irrit. 2 Skin corrosion/irritation Category 2 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 2 H300 Fatal if swallowed H310 Fatal if swallowed H315 Causes skin irritation H330 Fatal if nontact with skin H331 Causes serious eye irritation H330 Fatal if nohaled H330 Fatal if nohaled H330 Fatal if cause canage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures		,			
Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Eye Irit. 2A Serious eye damage/eye irritation Category 2A Skin Irit. 2 Skin corrosion/irritation Category 2 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 3 H300 Fatal if swallowed H310 Fatal if swallowed H315 Causes skin irritation H330 Fatal if invalued H330 Fatal if invalued H330 Fatal if invalued H330 Fatal if invalued H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures '- Chronic (long-term) health effects may result from repeated overexposures '- Chronic (long-term) health effects may result from repeated					
Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Skin Irrit. 2 Skin Corrosion/irritation Category 2 STOT RE 2 Specific target organ toxicity (sepeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H300 Fatal if swallowed H310 Fatal if swallowed H316 Causes skin irritation H330 Fatal if inhaled H333 Fatal if inhaled H336 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause damage to organs through prolonged or repeated over exposure					
Skin Irrit. 2 Skin corrosion/irritation Category 2 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 2 H300 Fatal if swallowed H310 Fatal if swallowed H315 Causes skin irritation H316 Causes skin irritation H330 Fatal if inhaled H330 Fatal if way cause respiratory irritation H335 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single orepea					
STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H300 Fatal if swallowed H310 Fatal if swallowed H310 Fatal in contact with skin H315 Causes skin irritation H330 Fatal if inhaled H330 Fatal if inhaled H330 Fatal if inhaled H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may resu					
STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H300 Fatal if swallowed H310 Fatal in contact with skin H310 Fatal in contact with skin H315 Causes skin irritation H330 Fatal if inhaled H335 May cause respiratory irritation H335 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects that will not burn				3,	
H300 Fatal if swallowed H310 Fatal if swallowed H310 Fatal in contact with skin H315 Causes skin irritation H319 Causes serious eye irritation H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may result from topmage or repeated overexposure					
H310 Fatal in contact with skin H310 Fatal in contact with skin H315 Causes skin irritation H319 Causes serious eye irritation H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure * - Chronic (long-term) health effects may result from to burn Flammability : 0 Minimal Hazard - Materials that will not burn					
H315 Causes skin irritation H319 Causes serious eye irritation H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H319 Causes serious eye irritation H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H330 Fatal if inhaled H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H400 Very toxic to aquatic life H410 Very toxic to aquatic life NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn		H373			
H410 Very toxic to aquatic life with long lasting effects NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
NFPA health hazard : 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given. NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn					
NFPA fire hazard : 0 - Materials that will not burn. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn		H410		Very toxic to aquatic life with long lasting effects	
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn	NFPA health hazard		residual injury even thoug	th prompt medical attention was	
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating	NFPA fire hazard		: 0 - Materials that will not I	burn.	
Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn			: 0 - Normally stable, even under fire exposure conditions,		
repeated overexposures * - Chronic (long-term) health effects may result from repeated overexposure Flammability : 0 Minimal Hazard - Materials that will not burn	HMIS I	II Rating			
Flammability : 0 Minimal Hazard - Materials that will not burn	Health				
			* - Chronic (long-term) health effects may result from repeated overexposure		
- Develop	Flammability		: 0 Minimal Hazard - Materials that will not burn		
react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	Physical			: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.