

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 6164329 Issue date: 11.01.2018 Revision date: 18.12.2023 Version: 1.1

1.1. Identification		
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	 Substance 1H,1H,5H-Octafluoropentyl trif 17352-10-2 6164-3-29 C6H3F11O3S 2,2,3,3,4,4,5,5-Octafluoropent MFCD02093341 	
1.2. Recommended use and restrictions on the second s	use	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and develo	pment
1.3. Supplier		
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com		
1.4. Emergency telephone number		
Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixtu	: (844) 523-4086 (3E Company	- Account 10069)
GHS US classification		
Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 4 Acute toxicity (inhalation) Category 4 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cate Respiratory tract irritation Full text of H statements : see section 16	H302 H312 H332 H314 H318 gory 3, H335	Harmful if swallowed Harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage Causes serious eye damage May cause respiratory irritation
2.2. GHS Label elements, including precauti	onary statements	
GHS US labeling		

Hazard pictograms (GHS US)

Signal word (GHS US)

: Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (GHS US)	 H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS US)	 P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth. P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant
	·

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
1H,1H,5H-Octafluoropentyl trifluoromethanesulfonate (Main constituent)	CAS-No.: 17352-10-2		Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effects	(acute and delayed)
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ning media
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2. Specific hazards arising from the ch	nemical
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Sulfur oxides. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.
5.3. Special protective equipment and p	recautions for fire-fighters
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	nent and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containmen	t and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures Storage conditions Incompatible materials Storage area	 Comply with applicable regulations. Keep container closed when not in use. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1H,1H,5H-Octafluoropentyl trifluoromethar	nesulfonate (17352-10-2)
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
8.3. Individual protection measures/Person	al protective equipment
Hand protection:	
protective gloves. 29 CFR 1910.138: Hand Protecti	on
Eye protection:	
Chemical goggles or safety glasses. Face shield. 29	9 CFR 1910.133: Eye and Face Protection
Skin and body protection:	
Wear suitable protective clothing	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 146 – 148 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Molecular mass	: 364,134 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Refractive index

: 1,319 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological informati	ion
11.1. Information on toxicological effects	5
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Symptoms/effects	 Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes severe skin burns. Causes serious eye damage. Not classified The most important known symptoms and effects are described in the labelling (see section 2. and/or in section 11.

sulfonate (17352-10-2)
Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic.
sulfonate (17352-10-2)
Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

13.1. Disposal methods	
Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information Ecology - waste materials	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. See the EPA's Interim Guidance on PFAS Destruction and Disposal. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidenta discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.
SECTION 14: Transport information	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN3265 : Not applicable : 3265 : 3265
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Corrosive liquid, acidic, organic, n.o.s. Not applicable CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. Corrosive liquid, acidic, organic, n.o.s.
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSIVE
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 8 : 8
IATA Transport hazard class(es) (IATA)	: 8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (IATA)	: 8
	8
14.4. Packing group	•
Packing group (DOT)	: III
Packing group (TDG)	: Not applicable
Packing group (IMDG) Packing group (IATA)	: III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT	
UN-No.(DOT)	: UN3265
DOT Special Provisions (49 CFR 172.102)	: 386 - Notwithstanding the provisions of §177.834(I) of this subchapter, cargo heaters may be
	used when weather conditions are such that the freezing of a wetted explosive material is likely
	Shipments must be made by private, leased or contract carrier vehicles under exclusive use of
	the offeror. Cargo heaters must be reverse refrigeration (heat pump) units. Shipments made in
	accordance with this Special provision are excepted from the requirements of §173.60(b)(4) of
	this subchapter.
	IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid
	with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 5
	C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table
	2 for UN2672).
	T7 - 4 178.274(d)(2) Normal 178.275(d)(3)
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the
	following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature
	during transport, and tf is the temperature in degrees celsius of the liquid during filling.
	TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used
	provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous
	material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the
	MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Quantity Limitations Passenger aircraft/rail (49	: 5L
CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 60 L
CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT Vessel Stowage Other	passenger vessel. : 40 - Stow "clear of living quarters"
-	
TDG No data available	
IMDG	
Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
18 12 2023 (Revision date)	EN (English US) 8/

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 T7 TP1, TP28 F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES A
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	: E1 : Y841 : 1L : 852 : 5L : 856 : 60L : A3, A803 : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed a (TSCA) inventory, except for:	All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
1H,1H,5H-Octafluoropentyl trifluoromethanesulfonate	CAS-No. 17352-10-2	100%	

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-phrases		
H302	Harmful if swallowed	
H312	Harmful in contact with skin	
H314 Causes severe skin burns and eye damage		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases		
H318	Causes serious eye damage	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
NFPA health hazar	d	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard		 : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating		
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Safety Data Sheet	(SDS), USA	