

4-(Triethoxysilyl)butanoic acid Safety Data Sheet 6183169 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/29/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-(Triethoxysilyl)butanoic acid
CAS No	: 68896-01-5
Product code	: 6183-1-69
Formula	: C10H22O5Si
Synonyms	: 4-(Triethoxysilyl)butyric acid
Other means of identification	: MFCD06203211
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097	ica
info@synquestlabs.com - www.synquestlab	<u>)s.com</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Classification (GHS-US)	
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P332+P313 - If skin irritation occurs: Get medical advice/attention P332+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.2 Other baranda				
2.3. Other hazards				
No additional information available 2.4. Unknown acute toxicity (GHS US)				
Not applicable)			
		dianta		
SECTION 3: Composition/informa	tion on ingre	alents		
3.1. Substance	. Mana aar	atituant		
Substance type	: Mono-cor			
Name		oduct identifier	%	Classification (GHS-US)
4-(Triethoxysilyl)butanoic acid (Main constituent)	(C)	ις Νο) 68896-01-5	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where pos	accident or if you feel unwell, seek sible). Move the affected personnel	away from the o	contaminated area.
First-aid measures after inhalation		person to fresh air and keep comfortan. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contact		n plenty of soap and water. Get med		
First-aid measures after eye contact		ely flush eyes thoroughly with water and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		nduce vomiting. Never give anything with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and e	ffects, both acu	e and delayed		
Symptoms/injuries		important known symptoms and effer	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate med	ical attention ar	d special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures	S			
5.1. Extinguishing media				
Suitable extinguishing media		sistant foam. Carbon dioxide. Dry po te for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the	substance or m	ixture		
Fire hazard	: Thermal of	lecomposition generates: Carbon ox	ides. Silicon oxi	des.
Explosion hazard		plosion if heated under confinement	Lise water spra	
	container	3.		ay or fog for cooling exposed
5.3. Advice for firefighters	container	S.		ay or fog for cooling exposed
5.3.Advice for firefightersFirefighting instructions		s. fire: Evacuate area. Fight fire remot		
U	: In case of : Wear gas		ely due to the ri	sk of explosion. vith self contained breathing
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me	: In case of : Wear gas apparatus easures	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec	ely due to the ri	sk of explosion. vith self contained breathing
Firefighting instructions Protection during firefighting	: In case of : Wear gas apparatus easures equipment and	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures	ely due to the rin n combination v tion 8: "Exposur	sk of explosion. vith self contained breathing e controls/personal protection".
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me	: In case of : Wear gas apparatus easures equipment and	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure ade	ely due to the rin n combination v tion 8: "Exposur	sk of explosion. vith self contained breathing e controls/personal protection".
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective	: In case of : Wear gas apparatus easures equipment and : Evacuate	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure ade	ely due to the rin n combination v tion 8: "Exposur	sk of explosion. vith self contained breathing e controls/personal protection".
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective General measures	: In case of : Wear gas apparatus easures equipment and : Evacuate vapor or s	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure ade	ely due to the ri n combination w tion 8: "Exposur equate air ventila	sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel	: In case of : Wear gas apparatus easures equipment and : Evacuate vapor or s	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure ade pray.	ely due to the ri n combination w tion 8: "Exposur equate air ventila	sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	 : In case of : Wear gas apparatus easures equipment and : Evacuate vapor or s : Only qual : Do not att 	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure ade pray.	ely due to the rin n combination w tion 8: "Exposur equate air ventila le protective equip	sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.
Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	 In case of Wear gas apparatus easures equipment and Evacuate vapor or s Only qual Do not attr refer to se 	fire: Evacuate area. Fight fire remot tight chemically protective clothing i . For further information refer to sec emergency procedures unnecessary personnel. Ensure add pray. fied personnel equipped with suitable empt to take action without suitable	ely due to the rin n combination w tion 8: "Exposur equate air ventila le protective equip protective equip I protection".	sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene. ment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 <i>i</i>			
6.2. Environmental precautions			
Avoid release to the environment. Notify author	orities if product enters sewers or public waters.		
6.3. Methods and material for contain	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

: No data available		
: No data available		
: Liquid		
d chemical properties		
	 Liquid No data available 	 Liquid No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 250.36 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information No additional information available

0505			
SECT	ON 10: Stability and reactivity		
10.1.	Reactivity		
No additional information available			
10.2.	Chemical stability		
The product is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions		
No additional information available			
10.4.	Conditions to avoid		
Keep away from heat, sparks and flame.			
10.5.	Incompatible materials		
Strong oxidizing agents.			
10.6.	Hazardous decomposition products		
	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.		

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped w Dispose of contents/container in accordance with Recycle the material as far as possible. 	-
SECTION 14: Transport informa	tion	
Department of Transportation (DOT) In accordance with DOT Not regulated for transport		
TDG No additional information available		
Transport by sea No additional information available		
Air transport No additional information available		
SECTION 15: Regulatory inform	ation	
15.1. US Federal regulations		
, and the second s	or excluded from listing, on the United States Environment	tal Protection Agency Toxic
4-(Triethoxysilyl)butanoic acid	CAS No 68896-01-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary
	incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.