

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 6183304 Issue date: 01.12.2015 Revision date: 18.12.2023 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form Substance name CAS-No. Product code Formula Other means of identification	<ul> <li>Substance</li> <li>3-(Heptafluoroisopropoxy)propyltriethoxysilane</li> <li>149838-19-7</li> <li>6183-3-04</li> <li>C12H21F7O4Si</li> <li>MFCD00054745</li> </ul>
1.2. Recommended use and restrictions on	use
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Supplier	
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixed	ture
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity – Single exposure, Cat Respiratory tract irritation Full text of H statements : see section 16	H315 Causes skin irritation H319 Causes serious eye irritation tegory 3, H335 May cause respiratory irritation
2.2. GHS Label elements, including precau	tionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	<ul> <li>Warning</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS US)	<ul> <li>P261 - Avoid breathing fumes, mist, spray, vapors.</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> </ul>

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - If on skin: Wash with plenty of soap and water
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell
P321 - Specific treatment (see supplemental first aid instructions on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards which do not result in classification

#### No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
3-(Heptafluoroisopropoxy)propyltriethoxysilane (Main constituent)	CAS-No.: 149838-19- 7		Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

#### 3.2. Mixtures

Not applicable

SECTION 4: First-aid measures					
4.1. Description of first aid measures					
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.				
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.				
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.				
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.				
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.				
4.2. Most important symptoms and effects	(acute and delayed)				
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.				

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures					
5.1. Suitable (and unsuitable) extinguishin	g media				
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.				
5.2. Specific hazards arising from the cher	nical				
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Silicon oxides.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>				
5.3. Special protective equipment and pred	cautions for fire-fighters				
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>				

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective	equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.			

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		

No additional information available

6.2. Environmental precautions

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage 7.1. Precautions for safe handling					
7.2. Conditions for safe storage, including a	iny incompatibilities				
Technical measures Storage conditions Incompatible materials Storage area	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>Store in dry, cool, well-ventilated area.</li> </ul>				

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

-(Heptafluoroisopropoxy)propyltriethoxysilane (149838-19-7)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate angineering controls	Ensure good ventilation of the work station. Emergency ave wash fountains and safety showers

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

#### Personal protective equipment symbol(s):



#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties			
0.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Ddor threshold	: No data available		
bH	: No data available		
Melting point	: No data available		
reezing point	: No data available		
Boiling point	: 66 °C (@ 0.3 mm Hg)		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
lammability (solid, gas)	: No data available		
apor pressure	: No data available		
elative vapor density at 20 °C	: No data available		
elative density	: No data available		
lolecular mass	: 390,37 g/mol		
olubility	: No data available		
artition coefficient n-octanol/water (Log Pow)	: No data available		
uto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
iscosity, kinematic	: No data available		
'iscosity, dynamic	: No data available		
xplosion limits	: No data available		
xplosive properties	: No data available		
oxidizing properties	: No data available		
0.2. Other information			
Refractive index	: 1,358 (@ 20 °C)		

# **SECTION 10: Stability and reactivity**

1	0	1	١.	R	ea	IC	fi	vi	tν	1
	~	-						•••	• •	

No additional information available

**10.2. Chemical stability** 

The product is stable at normal handling and storage conditions.

**10.3. Possibility of hazardous reactions** 

No additional information available

**10.4. Conditions to avoid** 

Keep away from heat, sparks and flame. Moisture.

**10.5. Incompatible materials** 

Strong oxidizing agents.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

11.1. Information on toxicological	effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2 and/or in section 11.

# SECTION 12: Ecological information 12.1. Toxicity No additional information available 12.2. Persistence and degradability 3-(Heptafluoroisopropoxy)propyltrietboxysilape (149838-19-7)

Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment. PBT -			
	Persistent, Bioaccumulative and Toxic.			

## **12.3. Bioaccumulative potential**

3-(Heptafluoroisopropoxy)propyltriethoxysilane (149838-19-7)		
Bioaccumulative potential	Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.	
12.4. Mobility in soil		

No additional information available

12.5. Other adve	rse effects			
------------------	-------------	--	--	--

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>See the EPA's Interim Guidance on PFAS Destruction and Disposal.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (TDG)       : No         Proper Shipping Name (IMDG)       : No         Proper Shipping Name (IATA)       : No         14.3. Transport hazard class(es)       DOT         Transport hazard class(es) (DOT)       : No         TDG       : No         Transport hazard class(es) (TDG)       : No         IMDG       : ransport hazard class(es) (IMDG)       : No	vironment. Do not discharge into drains. Take all necessary measures to prevent accidental charge of products into drains and waterways due to the rupture of containers or transfer stems, or emergency response.
Not regulated for transport         14.2. UN proper shipping name         Proper Shipping Name (DOT)       : No         Proper Shipping Name (TDG)       : No         Proper Shipping Name (IMDG)       : No         Proper Shipping Name (IATA)       : No         14.3. Transport hazard class(es)       DOT         Transport hazard class(es) (DOT)       : No         1DG       :: No         Transport hazard class(es) (TDG)       : No         IMDG       :: No         IATA       : No	
14.2. UN proper shipping name         Proper Shipping Name (DOT)       : No         Proper Shipping Name (TDG)       : No         Proper Shipping Name (IMDG)       : No         Proper Shipping Name (IATA)       : No         14.3. Transport hazard class(es)       DOT         Transport hazard class(es) (DOT)       : No         17DG       : No         Transport hazard class(es) (TDG)       : No         IMDG       : No         IATA       : No	
Proper Shipping Name (DOT)       ::       No         Proper Shipping Name (TDG)       ::       No         Proper Shipping Name (IMDG)       ::       No         Proper Shipping Name (IATA)       ::       No <b>14.3. Transport hazard class(es)</b> DOT       ::         Transport hazard class(es) (DOT)       ::       No <b>TDG</b> ::       No <b>TDG</b> ::       No <b>IMDG</b> ::       No         IMDG       ::       No         IATA       ::       No	
Proper Shipping Name (TDG)       : No         Proper Shipping Name (IMDG)       : No         Proper Shipping Name (IATA)       : No         14.3. Transport hazard class(es)       DOT         Transport hazard class(es) (DOT)       : No         TDG       : No         Transport hazard class(es) (TDG)       : No         IMDG       : No         IATA       : No	
DOT Transport hazard class(es) (DOT) : No TDG Transport hazard class(es) (TDG) : No IMDG Transport hazard class(es) (IMDG) : No IATA	t applicable t applicable t applicable t applicable
Transport hazard class(es) (DOT)       : No         TDG       : No         Transport hazard class(es) (TDG)       : No         IMDG       : No         Transport hazard class(es) (IMDG)       : No         IATA       : No	
Transport hazard class(es) (TDG)       : No         IMDG       Transport hazard class(es) (IMDG)       : No         IATA       : No	t applicable
Transport hazard class(es) (IMDG) : No	t applicable
	t applicable
	t applicable
14.4. Packing group	
Packing group (TDG): NoPacking group (IMDG): No	t applicable t applicable t applicable t applicable
14.5. Environmental hazards	
Other information : No	supplementary information available.
14.6. Special precautions for user	
DOT No data available	
TDG No data available	
IMDG No data available	
IATA No data available	

Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information				
15.1. US Federal regulations				
All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:				
3-(Heptafluoroisopropoxy)propyltriethoxysilane	CAS-No. 149838-19-7	100%		
15.2. International regulations				
CANADA				
No additional information available				
EU-Regulations				
No additional information available				
National regulations				

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-phra	ases		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
NFPA health hazard NFPA fire hazard NFPA reactivity		<ul> <li>3 - Materials that, under emergency conditions, can cause serious or permanent injury.</li> <li>1 - Materials that must be preheated before ignition can occur.</li> <li>1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.</li> </ul>	
Hazard Rating Health Flammability Physical		<ul> <li>2 Moderate Hazard - Temporary or minor injury may occur</li> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> <li>1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.</li> </ul>	
Safety Data Sheet	(SDS), USA		