

Safety Data Sheet 6662722 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/17/2015 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: 2-(Trifluoromethoxy)benzenesulfonyl chloride	
CAS No	: 103008-51-1	
Product code	: 6662-7-22	
Formula	: C7H4CIF3O3S	
Other means of identification	: MFCD00052316	
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safe	ty data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identificatio	bn	
2.1. Classification of the substance of		
Classification (GHS-US)		
Full text of H-phrases: see section 16 2.2. Label elements		
GHS-US labeling		
.		
•	GHS05 GHS07	
Hazard pictograms (GHS-US)	: GHS05 GHS07 : Danger	
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26	2012 / Rules and Regulations		
2.3. Other hazards				
o additional information available				
4. Unknown acute toxicity (GHS US)				
ot applicable				
ECTION 3: Composition/informat	ion on in	gredients		
1. Substance				
ubstance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2-(Trifluoromethoxy)benzenesulfonyl chloride (Main constituent)		(CAS No) 103008-51-1	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
ull text of H-phrases: see section 16			•	
2. Mixture				
ot applicable				
ECTION 4: First aid measures				
1. Description of first aid measures				
rst-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
irst-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get immediate medical advice/att		ng. If not breathing, give artificial
irst-aid measures after skin contact	medi	n with plenty of soap and water. Remove cal advice/attention.		-
ïrst-aid measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	t immediate med	lical advice/attention.
irst-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		
.2. Most important symptoms and eff	ects, both	acute and delayed		
ymptoms/injuries		The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		
Symptoms/injuries after inhalation		Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.		
.3. Indication of any immediate media	cal attentio	n and special treatment needed		
reat symptomatically.				
ECTION 5: Firefighting measures				
.1. Extinguishing media				
uitable extinguishing media		nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	oowder. Water sp	oray. Use extinguishing media
.2. Special hazards arising from the s	substance	or mixture		
re hazard		nal decomposition generates: Carbon or r oxides.	xides. Hydrogen	chloride. Hydrogen fluoride.
xplosion hazard		of explosion if heated under confinemen iners. May form flammable/explosive va		ay or fog for cooling exposed
Reactivity		ts with water, generates gases or heat. I se highly explosive/flammable hydrogen		sure to water with some metals to
.3. Advice for firefighters				
refighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	otely due to the r	isk of explosion.
rotection during firefighting		gas tight chemically protective clothing ratus. For further information refer to sec		
ECTION 6: Accidental release me	asures_			
.1. Personal precautions, protective		and emergency procedures		
eneral measures	: Evac	uate unnecessary personnel. Ensure ad r or spray.	equate air ventil	ation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
mergency procedures	: Only	qualified personnel equipped with suitab	ole protective eq	uipment may intervene.
2/08/2016	EN (En	glish US)	SDS ID: 6662722	2 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2.	For emergency responders	
Protective	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	cy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions	
Avoid rele	ease to the environment. Notify autho	rities if product enters sewers or public waters.
6.3.	Methods and material for containing	nent and cleaning up
For conta	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other info	ormation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No additi	onal information available	
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene ı	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, inclue	ding any incompatibilities
Technica	l measures	: Comply with applicable regulations.
Storage of	conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Incompat	tible materials	: Refer to Section 10 on Incompatible Materials.
	area	: Store in dry, cool, well-ventilated area.

SECTION 8: E>	posure controls/	personal	protection
---------------	------------------	----------	------------

8.1. **Control parameters**

0.0

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Ph	vsical and cl	hemical pro	perties

9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 75 - 77 °C (@ 1 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 260.62 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.4825 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 203 : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

n : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2 (Trifluoromothowy) honzonogy (fonyl phlorido CAS No 102009 51 1 1000/		
2-(Thildoromethoxy)benzenesulionyi chionde CAS No 103006-51-1 100%		100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 	1
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.