

Isopropyl p-toluenesulfonate Safety Data Sheet 6764132 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/28/2017 Version: 1.0

1. Identification	
oduct form	: Substance
ubstance name	: Isopropyl p-toluenesulfonate
AS No	: 2307-69-9
oduct code	: 6764-1-32
ormula	: C10H14O3S
nonyms	: Isopropyl p-tosylate; Isopropyl 4-methylbenzenesulfonate; Prop-2-yl 4-methylbenzenesulfonate
ther means of identification	: MFCD00968877
	ubstance or mixture and uses advised against
se of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
3. Details of the supplier of the safe	ety data sheet
ynQuest Laboratories, Inc.	
O. Box 309	
achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synguestlabs.com - www.synguestlabs.	
4. Emergency telephone number	
nergency number	: (844) 523-4086 (3E Company - Account 10069)
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irr TOT SE 3 H335 - May cause respiratory	
/e Irrit. 2A H319 - Causes serious eye irr	
ye Irrit. 2A H319 - Causes serious eye irr TOT SE 3 H335 - May cause respiratory Ill text of H-phrases: see section 16	
ye Irrit. 2A H319 - Causes serious eye irri TOT SE 3 H335 - May cause respiratory ull text of H-phrases: see section 16 2. Label elements	r irritation
ye Irrit. 2A H319 - Causes serious eye irr FOT SE 3 H335 - May cause respiratory ull text of H-phrases: see section 16 2. Label elements HS-US labeling azard pictograms (GHS-US)	r irritation : time function : time fu
ye Irrit. 2A H319 - Causes serious eye irri TOT SE 3 H335 - May cause respiratory ull text of H-phrases: see section 16 2. Label elements HS-US labeling	r irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-	al Register / Vol. 77, No. 58 / Monday, Mar	511 20,			
	r hazards				
	formation available				
	own acute toxicity (GHS US)				
Not applicable					
	Composition/information o	on in	gredients		
3.1. Subs					
Substance type	:	Mono	-constituent		
Name Product identifier % Classification (GHS-US)					Classification (GHS-US)
Isopropyl p-toluenesulfonate (CAS No) 2307-69-9 <= 100					Eye Irrit. 2A, H319
Full text of H-ph	rases: see section 16				
3.2. Mixtu	ire				
Not applicable					
SECTION 4:	First aid measures				
4.1. Desci	ription of first aid measures				
First-aid measu			e of accident or if you feel unwell, seek r possible). Move the affected personnel		,
First-aid measu			ve person to fresh air and keep comforta ation. Get medical advice/attention.	ble for breathin	g. If not breathing, give artificial
First-aid measu	res after skin contact :	Wash	with plenty of soap and water. Get medi	cal advice/atten	tion.
First-aid measu			diately flush eyes thoroughly with water f nt and easy to do. Continue rinsing. Get		· · · · · · · · · · · · · · · · · · ·
First-aid measu			OT induce vomiting. Never give anything out with water. Get medical advice/atter		unconscious person. Rinse
4.2. Most	important symptoms and effects,	both a	acute and delayed		
Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.					
4.3. Indication of any immediate medical attention and special treatment needed					
Treat symptoma	atically.				
SECTION 5:	Firefighting measures				
5.1. Exting	guishing media				
Suitable extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.					
5.2. Speci	ial hazards arising from the substa	ance c	or mixture		
Fire hazard	:	Thern	nal decomposition generates: Carbon oxi	des. Sulfur oxid	les.
5.3. Advid	e for firefighters				
-irefighting instr		In cas	e of fire: Evacuate area.		
Protection durin			gas tight chemically protective clothing in atus. For further information refer to sect		-
	Accidental release measur				
	onal precautions, protective equip				
eneral measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray.					
6.1.1. For non-emergency personnel					
Emergency proc	cedures :	Only	qualified personnel equipped with suitabl	e protective equ	lipment may intervene.
	mergency responders	_			
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".					
6.2. Envir	onmental precautions				
Avoid release to	the environment. Notify authorities i	if prod	uct enters sewers or public waters.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for containing	nent	and cleaning up	
			Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up		:	Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information		:	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections			
No addit	No additional information available			

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Appearance	: Low melting solid.
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 20 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Isopropyl p-toluenesulfonate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.142 g/ml (@ 25 °C)
Molecular mass	: 214.28 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.503 (@ 20 °C)

SECTIC	ON 10: Stability and reactivity
10.1.	Reactivity
No additio	onal information available
10.2.	Chemical stability
The produ	uct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No additio	onal information available
10.4.	Conditions to avoid
Keep awa	ay from heat, sparks and flame.
10.5.	Incompatible materials
Strong ox	xidizing agents.
10.6.	Hazardous decomposition products
Under noi fire, see S	rmal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.
SECTIC	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information				
12.1.	Toxicity			
No addit	ional information available			
12.2.	Persistence and degradability			
No additional information available				
12.3.	Bioaccumulative potential			
No additional information available				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considera	ations		
I3.1. Waste treatment methods			
Vaste treatment methods	: Remove to an a	uthorized incinerator equipped	with an afterburner and a flue gas scrubber.
Vaste disposal recommendations	: Dispose of cont	ents/container in accordance wi	th licensed collector's sorting instructions.
Additional information	: Recycle the ma	terial as far as possible.	
SECTION 14: Transport informat	ion		
Department of Transportation (DOT)			
n accordance with DOT			
Not regulated for transport			
TDG			
No additional information available			
Fransport by sea			
lo additional information available			
Air transport			
No additional information available			
SECTION 15: Regulatory information	ation		
5.1. US Federal regulations			
All components of this product are listed, c Substances Control Act (TSCA) inventory		on the United States Environme	ntal Protection Agency Toxic
Isopropyl p-toluenesulfonate		CAS No 2307-69-9	100%
		•	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

- Isopropyl p-toluenesulfonate (2307-69-9) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
- Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA	health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard : 1 - Must be preheated befo		: 1 - Must be preheated before ignition can occur.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		: 0 - Normally stable, even under fire exposure conditions,
HMIS I	II Rating	
Health	-	: 2 Moderate Hazard - Temporary or minor injury may occur
Flamm	Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physica	Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US	G(GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.