

Benzo[b]thiophene-2-sulfonyl chloride

Safety Data Sheet 6H625Z6

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/30/2018 Revision date: 07/26/2018 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Benzo[b]thiophene-2-sulfonyl chloride
CAS No	: 90001-64-2
Product code	: 6H62-5-Z6
Formula	: C8H5ClO2S2
Synonyms	: 1-Benzothiophene-2-sulfonyl chloride; 2-(Chlorosulfonyl)-1-benzothiophene
Other means of identification	: MFCD03659701
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety	/ data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>om</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	
Classification (GHS-US)	
Skin Corr. 1CH314 - Causes severe skin butEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratory	amage
Full text of H-phrases: see section 16	
2.2 Lobel elemente	
2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	
•	: GHS05 GHS07
•	: GHS05 CHS07 : Danger
Hazard pictograms (GHS-US)	

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Mono	ay, March 26	, 2012 / Rules and Regulations		
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US				
Not applicable				
SECTION 3: Composition/information	ion on ir	ngredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
Benzo[b]thiophene-2-sulfonyl chloride (Main constituent)		(CAS No) 90001-64-2	<= 100	Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16		·		·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek is possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact		h with plenty of soap and water. Remove ical advice/attention.	contaminated c	lothing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly with water the end of th		
First-aid measures after ingestion		IOT induce vomiting. Never give anything the out with water. Get immediate medical		
I.2. Most important symptoms and ef	fects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou tness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate med	cal attentio	on and special treatment needed		
Freat symptomatically.		i i i i i i i i i i i i i i i i i i i		
SECTION 5: Firefighting measures	•			
.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
.2. Special hazards arising from the	substance	or mixture		
Fire hazard		mal decomposition generates: Carbon ox	ides. Hydrogen	chloride. Sulfur oxides.
explosion hazard	: Whe	n mixed with air and exposed to an ignitic ode if confined.		
Reactivity	: Read	cts with water, generates gases or heat. R use highly explosive/flammable hydrogen		ure to water with some metals to
.3. Advice for firefighters				
irefighting instructions	; In ca	se of fire: Evacuate area. Fight fire remot	elv due to the ri	sk of explosion.
Protection during firefighting	: Wea	r gas tight chemically protective clothing i ratus. For further information refer to sec	n combination v	vith self contained breathing
SECTION 6: Accidental release me	asures			
6.1. Personal precautions, protective	equipment	and emergency procedures		
General measures	: Evad	cuate unnecessary personnel. Ensure ade	equate air ventila	ation. Do not breathe dust.
6.1.1. For non-emergency personnel				
Emorgonov propodurog	· 0~!	qualified personnel equipped with quitable	a protoctiva co:	inment may intervene

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene.

Safety Data Sheet

6.1.2.	For emergency responders	
Protect	ive equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid r	elease to the environment. Notify auth	norities if product enters sewers or public waters.
5.3.	Methods and material for contain	nment and cleaning up
For cor	ntainment	: Stop leak if safe to do so.
Method	ls for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other in	nformation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No add	itional information available	
SECT	ION 7: Handling and storage	9
7.1.	Precautions for safe handling	
Precau	tions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygien	e measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, incl	uding any incompatibilities
Technic	cal measures	: Comply with applicable regulations.
Storage	e conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
	atible materials	: Refer to Section 10 on Incompatible Materials.
Incomp		
•	e temperature	: 2 - 8 °C Use explosion proof refrigerator

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties 0.1 Information on basic physical and chamical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 74 - 76 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 232.707 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		
	avioity.	· Not classified	

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information 12.1. Toxicity

No additional information available

SECTION 13: Disposal considerations

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects
No addit	ional information available

Use Waste treatment methods Waste treatment methods Image: Comparison of the second	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Vaste disposal recommendations Additional information	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3261
Proper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	8
Packing group (DOT)	: III - Minor Danger
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
OOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
07/30/2018	EN (English US) SDS ID: 6H625Z6 5/

Safety Data Sheet

Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.

III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

: 8 - Corrosives

Benzo[b]thiophene-2-sulfonyl chloride

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 90001-64-2

15.2. International regulations

CANADA

Class (IATA)

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Revision date

: 07/26/2018

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	

100%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.