

Safety Data Sheet 8169218

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/16/2015 Revision date: 08/25/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Vanadium(III) bis(trifluoromethanesulfonyl)imide
CAS No	: 207861-54-9
Product code	: 8169-2-18
Formula	: C6F18N3O12S6V
Synonyms	: Vanadium tri[bis(trifluoromethanesulfonyl)imide]
Other means of identification	: MFCD23380177
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safet	ly data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Horord(a) identificatio	
SECTION 2: Hazard(s) identificatio	
2.1. Classification of the substance or	mixture
Classification (GHS-US)Skin Corr. 1AH314 - Causes severe skin bEye Dam. 1H318 - Causes serious eye oSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 16	damage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
lo additional information available				
.4. Unknown acute toxicity (GHS US)				
lot applicable				
SECTION 3: Composition/information	on on ir	ngredients		
3.1. Substance				
Substance type	: Mone	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
Vanadium(III) bis(trifluoromethanesulfonyl)imide (Main constituent)		(CAS No) 207861-54-9	<= 100	Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
irst-aid measures general		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta iration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact	medi	ove contaminated clothing and shoes. Wa ical advice/attention.		
First-aid measures after eye contact	pres	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	immediate med	ical advice/attention.
First-aid measures after ingestion		IOT induce vomiting. Never give anything th out with water. Get immediate medical		
4.2. Most important symptoms and effe				
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate medic	al attentio	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Alcol	hol resistant foam. Carbon dioxide. Dry po	owder. Water sp	ray.
5.2. Special hazards arising from the su	ubstance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides. Sulfur
5.3. Advice for firefighters				
Protection during firefighting		ot attempt to take action without suitable to section 8: "Exposure controls/persona		ment. For further information
SECTION 6: Accidental release mea	sures			
6.1. Personal precautions, protective e	quipment	and emergency procedures		
General measures		uate unnecessary personnel. Ensure ade the dust.	equate air ventila	ation. Avoid raising dust. Do not
6.1.1. For non-emergency personnel				
6.1.1. For non-emergency personnel Emergency procedures	: Only	qualified personnel equipped with suitable	le protective equ	lipment may intervene.

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for contain	ment and cleaning up
Methods for cleaning up Other information		 Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. No add	Reference to other sections itional information available	
	ION 7: Handling and storage	
7.1.	Precautions for safe handling	

Precautions for safe handling	: Ensure good ventilation of the work station. Do not breathe dust. Avoid raising dust. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep container tightly closed. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves.
Eye protection	: Chemical goggles or safety glasses. Face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties		
Physical state	: Solid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Molecular mass	: 891.38 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
12/08/2016	EN (English US)	SDS ID: 8169218	3/6

Vanadium(III) bis(trifluoromethanesulfonyl)imide Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday	, March 20, 2012 / Rules and Regulations
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and sto	prage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong bases. Strong oxidizing agents. Water.	
10.6. Hazardous decomposition products	3
No additional information available	
SECTION 11: Toxicological informat	lion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	: Not classified
Reproductive toxicity	: Not classified
Operating terms to see the fate of a second se	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	May cause respiratory irritation.Not classified
Specific target organ toxicity (repeated	
Specific target organ toxicity (repeated exposure) Aspiration hazard	: Not classified
Specific target organ toxicity (repeated exposure) Aspiration hazard SECTION 12: Ecological information	: Not classified
Specific target organ toxicity (repeated exposure) Aspiration hazard	: Not classified
Specific target organ toxicity (repeated exposure) Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity No additional information available	: Not classified
Specific target organ toxicity (repeated exposure) Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity	: Not classified

12.3. **Bioaccumulative potential** No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3261
Proper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal

..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. . 151

DOT Packaging Exceptions (49 CFR 173.XXX)	-	154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	100 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Other information

TDG

No additional information available

DOT Dockoging Exponsions (40 CEP 172 yvv)

Transport by sea

UN-No. (IMDG)	3261
Proper Shipping Name (IMDG)	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	8 - Corrosive substances
Packing group (IMDG)	III - substances presenting low danger

: No supplementary information available.

Air transport

UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information					
5.1. US Federal regulations					
Vanadium(III) bis(trifluoromethanesulfonyl)imide (2078	61-54-9)				
Not listed on the United States TSCA (Toxic Substances Control Act) inventory					
All components of this product are listed, or excluded from Substances Control Act (TSCA) inventory except for:	listing, on the United States Environmen	tal Protection Agency Toxic			
Vanadium(III) bis(trifluoromethanesulfonyl)imide	CAS No 207861-54-9	100%			

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information	SE(CTI	ON	16:	Other	info	ormation
-------------------------------	-----	-----	----	-----	-------	------	----------

Revision date

: 08/25/2015

Full text of H-phrases:

Full lex	a or n-phrases.			
	Eye Dam. 1	Serious eye damage/eye irritation Category 1		
	Skin Corr. 1A	Skin corrosion/irritation Category 1A		
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
	H314	Causes severe skin burns and eye damage		
	H318	Causes serious eye damage		
	H335	May cause respiratory irritation		
NFPA	health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA	fire hazard	: 0 - Materials that will not burn.		
NFPA	reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS I	III Rating			
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given		
Flamm	ability	: 0 Minimal Hazard - Materials that will not burn		
Physic	sical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will react with water, polymerize, decompose, condense, or self-react. Non-Explosives.			

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.