

Safety Data Sheet 8169306

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/26/2016 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: N,N-Bis(trifluoromethanesulfonyl)imide	
CAS No	: 82113-65-3	
Product code	: 8169-3-06	
Formula	: C2HF6NO4S2	
Synonyms	: N,N-Bis(trifluoromethanesulfonyl)imide acid	
Other means of identification	: MFCD00214154	
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safety	data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>n</u>	
1.4. Emergency telephone number	(244) 500 4000 (25 0 4 40000)	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or n	nixture	
Classification (GHS-US)		
Classification (GHS-US)         Skin Corr. 1B       H314 - Causes severe skin burns and eye damage         Eye Dam. 1       H318 - Causes serious eye damage         STOT SE 3       H335 - May cause respiratory irritation		
Full text of H-phrases: see section 16		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	CHS05 CHS07	
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation	
Precautionary statements (GHS-US)	<ul> <li>P260 - Do not breathe dust, mist, spray</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> </ul>	

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. **Other hazards**

Other hazards not contributing to the : Reacts violently with water.

# classification

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/information on ingredients**

3.1. Substance

		constituent		
Substance type : Mono-constituent				
Name		Product identifier	%	Classification (GHS-US)
N,N-Bis(trifluoromethanesulfonyl)imide (Main constituent)		(CAS No) 82113-65-3	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
B.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures				
irst-aid measures general	where	e of accident or if you feel unwell, seek is possible). Move the affected personnel	away from the	contaminated area.
First-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Remove cal advice/attention.	contaminated c	lothing and shoes. Get immediate
irst-aid measures after eye contact		diately flush eyes thoroughly with water the and easy to do. Continue rinsing. Get		
irst-aid measures after ingestion		OT induce vomiting. Never give anything n out with water. Get immediate medical		
I.2. Most important symptoms and effect	ts, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
I.3. Indication of any immediate medical	attentio	n and special treatment needed		
Freat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Drv p	owder. Use extinguishing media appropr	iate for surround	ding fire.
5.2. Special hazards arising from the sub				
Fire hazard		nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides. Sulfur
5.3. Advice for firefighters				
Firefighting instructions		e of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec		
SECTION 6: Accidental release meas				
5.1. Personal precautions, protective equ				
General measures	: Evacu	uate unnecessary personnel. Ensure ade	equate air ventila	ation. Do not breathe dust.
6.1.1. For non-emergency personnel				
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.			uipment may intervene.	
6.1.2. For emergency responders				
5.1.2. For emergency responders Protective equipment		t attempt to take action without suitable	protective equir	ment. For further information
		to section 8: "Exposure controls/persona		

12/08/2016

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containmer		
For containment	: Stop leak if safe to do so.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	g any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Hygroscopic. Moisture sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: 46 - 57 °C
Freezing point	: No data available
Boiling point	: 90 - 91 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	:	1.36
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	281.15 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Molecular mass Solubility Log Pow Auto-ignition temperature Decomposition temperature Viscosity Viscosity, kinematic	: : : : : : : : : : : : : : : : : : : :	281.15 g/mol No data available No data available No data available No data available No data available No data available

# 9.2. Other information

No additional information available

No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and storage conditions.			
10.3. Possibility of hazardous reactions			
Reacts violently with water.			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame. Moisture.			
10.5. Incompatible materials			
Bases. Strong oxidizing agents. Water.			

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1.	Information on toxicological effects			

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTI	SECTION 12: Ecological information		
12.1.	Toxicity		
No additi	onal information available		
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No additi	onal information available		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Mobility in soil 12.4.

No additional information available

#### 12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, I
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	<ul> <li>: UN3261</li> <li>: Corrosive solid, acidic, organic, n.o.s.</li> <li>: 8 - Class 8 - Corrosive material 49 CFR 173.136</li> <li>: 8 - Corrosive</li> </ul>
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102)	<ul> <li>I - Great Danger</li> <li>211</li> <li>242</li> <li>G - Identifies PSN requiring a technical name</li> <li>IB7 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Wooden (11C, 11D and 11F). Additional Requirement: Liners of wooden IBCs must be sift- proof.</li> <li>IP1 - IBCs must be packed in closed freight containers or a closed transport vehicle.</li> <li>T6 - 4 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail	: None
(49 CFR 173.27)	ů – Elektrik Alektrik – Elektrik –
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 25 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" of passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.

Safety Data Sheet

and the second second

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## TDG

No additional information available

Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: I - substances presenting high danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: I - Great Danger

## SECTION 15: Regulatory information

15.1. US Federal regulations

## N,N-Bis(trifluoromethanesulfonyl)imide (82113-65-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### CANADA

N,N-Bis(trifluoromethanesulfonyl)imide (82113-65-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### **EU-Regulations**

N,N-Bis(trifluoromethanesulfonyl)imide (82113-65-3)

Listed on ELINCS (European List of Notified Chemical Substances)

### National regulations

## N,N-Bis(trifluoromethanesulfonyl)imide (82113-65-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

given         Flammability       : 0 Minimal Hazard - Materials that will not burn         Physical       : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react)		
NFPA reactivity       : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.         HMIS III Rating       : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatm given         Flammability       : 0 Minimal Hazard - Materials that will not burn         Physical       : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) temperatures and pressures. Materials may react non-violently with water or unstable	NFPA health hazard	residual injury even though prompt medical attention was
NFPA reactivity       : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.         HMIS III Rating	NFPA fire hazard	: 0 - Materials that will not burn.
Health       : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatrigiven         Flammability       : 0 Minimal Hazard - Materials that will not burn         Physical       : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) temperatures and pressures. Materials may react non-violently with water or unstable	NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with
given         Flammability       : 0 Minimal Hazard - Materials that will not burn         Physical       : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) temperatures and pressures. Materials may react non-violently with water or unstable	HMIS III Rating	
Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) temperatures and pressures. Materials may react non-violently with water or un	Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
temperatures and pressures. Materials may react non-violently with water or un	Flammability	: 0 Minimal Hazard - Materials that will not burn
	Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.