

Safety Data Sheet 8169352 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification	
Product form	: Mixture
Product name	 Mixture N,N-Diethylammonium trifluoromethanesulfonate, 60% solution
Product name Product code	: 8169-3-52
Other means of identification	: MFCD01940771
	he substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances
	Scientific research and development
1.3. Details of the supplier of the	·
SynQuest Laboratories, Inc.	ourory with onoti
P.O. Box 309	
Alachua, FL 32615 - United States of An	nerica
T (386) 462-0788 - F (386) 462-7097	
1 (300) 402-0700 - 1 (300) 402-7037	
info@synquestlabs.com - www.synquest	tlabs.com
info@synquestlabs.com www.synquest 1.4. Emergency telephone numb	
info@synquestlabs.com - www.synquest	
info@synquestlabs.com - www.synquest 1.4. Emergency telephone numb Emergency number	er : (844) 523-4086 (3E Company - Account 10069)
info@synquestlabs.com - www.synquest 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified	er : (844) 523-4086 (3E Company - Account 10069) cation
info@synquestlabs.com - www.synquest 1.4. Emergency telephone numb Emergency number	er : (844) 523-4086 (3E Company - Account 10069) cation
info@synquestlabs.com - www.synquest 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified	er : (844) 523-4086 (3E Company - Account 10069) cation
info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified 2.1. Classification of the substar	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture
info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture tion eye irritation
info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H336 - May cause drows	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture ttion eye irritation siness or dizziness
info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H336 - May cause drows STOT SE 3 H335 - May cause respired	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture ttion eye irritation siness or dizziness
info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H336 - May cause drows	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture ttion eye irritation siness or dizziness
info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H336 - May cause drows STOT SE 3 H335 - May cause respired	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture ttion eye irritation siness or dizziness
info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone numb Emergency number SECTION 2: Hazard(s) identified SECTION 2: Hazard(s) identified 2.1. Classification of the substar Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irrita Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H336 - May cause drows STOT SE 3 H335 - May cause respir Full text of H-phrases: see section 16	er : (844) 523-4086 (3E Company - Account 10069) cation nce or mixture ttion eye irritation siness or dizziness

	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H315 - Causes skin irritatior H319 - Causes serious eye H335 - May cause respirato H336 - May cause drowsine	irritation ry irritation	
Precautionary statements (GHS-US)	P302+P352 - If on skin: Wa P304+P340 - If inhaled: Rer P305+P351+P338 - If in eye lenses, if present and easy f P312 - Call a POISON CEN P321 - Specific treatment (s P332+P313 - If skin irritation P337+P313 - If skin irritation P362+P364 - Take off conta P403+P233 - Store in a well P405 - Store locked up	y after handling in a well-ventilated area es/protective clothing/eye protection/face protection sh with plenty of soap and water nove person to fresh air and keep comfortable for bi ss: Rinse cautiously with water for several minutes.	reathing
12/08/2016	EN (English US)	SDS ID: 8169352	Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

- Not applicable
- 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
N,N-Diethylammonium trifluoromethanesulfonate	(CAS No) 60933-18-8	60	Not classified
Water	(CAS No) 7732-18-5	20	Not classified
2-(2-Ethoxyethoxy)ethanol	(CAS No) 111-90-0	14 - 15	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Ethylene glycol	(CAS No) 107-21-1	5 - 6	Acute Tox. 4 (Oral), H302

Full text of H-phrases: see section 16

·	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
4.3. Indication of any immediate medical	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides. Sulfur oxides.
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,

6.1.1. For non-emergency personnel

: Only qualified personnel equipped with suitable protective equipment may intervene.

Emergency procedures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
ncompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
compatible materials	: Refer to Section 10 on Incompatible Materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol (107-21-1)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
ACGIH	ACGIH Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
ACGIH	Remark (ACGIH)	URT & eye irr

8.2. Exposure controls				
Appropriate engineering controls	: Ensure good ventilation of the work stat should be available in the immediate vio	ion. Emergency eye wash fountains and safety showe inity of any potential exposure.		
Hand protection	: Protective gloves. 29 CFR 1910.138: Ha	and Protection.		
Eye protection	: Chemical goggles or safety glasses. Fa	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear re Protection.	espiratory protection. 29 CFR 1910.134: Respiratory		
Other information	: Safety shoes. 29 CFR 1910.136: Foot F	Protection.		
SECTION 9: Physical and chemical p	roperties			
9.1. Information on basic physical and ch	emical properties			
Physical state	: Liquid			
Color	r . Mixture contains one or more component(s) which have the following colour(s): Colorless Clear			
Odor : There may be no odour warning properties, odour is subjective and inadequate to warn or overexposure. Mixture contains one or more component(s) which have the following odour(s): mild pleasant fruity				
12/08/2016	EN (English US)	SDS ID: 8169352 3/		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	:	No data available
рН	:	≈ 6
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	98 °C
Flash point	:	> 110 °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	15.3 mm Hg (@ 20 °C, calc.)
Relative density	:	≈ 1.2
Relative vapor density at 20 °C	:	No data available
Relative density of saturated gas/air mixture	:	*
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1.	Reactivity	
No addi	itional information available	
10.2.	Chemical stability	
The pro	oduct is stable at normal handling and storage conditions.	

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

2-(2-Ethoxyethoxy)ethanol (111-90-0)	
LD50 oral rat	1920 mg/kg
LC50 inhalation rat (mg/l)	> 5240 mg/m ³ (Exposure time: 4 h)
ATE US (oral)	1920.000 mg/kg body weight
Ethylene glycol (107-21-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rat	10600 mg/kg
ATE US (oral)	500.000 mg/kg body weight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene glycol (107-21-1)		
ATE US (dermal)	10600.000 mg/kg body weight	
Water (7732-18-5)		
LD50 oral rat	> 90 ml/kg	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: ≈ 6	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: ≈ 6	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness. May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.	

SECTION 12: Ecological information

12.1. Toxicity

2-(2-Ethoxyethoxy)ethanol (111-90-0)	
LC50 fish 1 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1	3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
Ethylene glycol (107-21-1)	
LC50 fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

2-(2-Ethoxyethoxy)ethanol (111-90-0)	
Log Pow	-0.8
Ethylene glycol (107-21-1)	
Log Pow	-1.93

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known ecological damage caused by this product.

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory informatic	n
15.1. US Federal regulations	
2-(2-Ethoxyethoxy)ethanol (111-90-0)	
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
Ethylene glycol (107-21-1)	
Listed on the United States TSCA (Toxic Subsolution Subject to reporting requirements of United States Stat	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
SARA Section 313 - Emission Reporting	1.0 %
N,N-Diethylammonium trifluoromethanesu	Ifonate (60933-18-8)
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory

15.2. International regulations

CANADA

2-(2-Ethoxyethoxy)ethanol (111-90-0)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Ethylene glycol (107-21-1)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
N,N-Diethylammonium trifluoromethanesulfor	nate (60933-18-8)	
Listed on the Canadian NDSL (Non-Domestic Su	bstances List)	
Water (7732-18-5)		
Listed on the Canadian DSL (Domestic Sustance	s List)	
WHMIS Classification Uncontrolled product according to WHMIS classification criteria		

EU-Regulations

No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-(2-Etho	oxyethoxy)ethanol (111-90-0)
Listed on Listed on Listed on Listed on Listed on Listed on Listed on	the AICS (Australian Inventory of Chemical Substances) IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) the Japanese ENCS (Existing & New Chemical Substances) inventory the Korean ECL (Existing Chemicals List) NZIOC (New Zealand Inventory of Chemicals) PICCS (Philippines Inventory of Chemicals and Chemical Substances) the Canadian IDL (Ingredient Disclosure List) INSQ (Mexican national Inventory of Chemical Substances) Turkish inventory of chemical
Ethylene	glycol (107-21-1)
Listed on Listed on Listed on Listed on Listed on Listed on Listed on	the AICS (Australian Inventory of Chemical Substances) IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) the Japanese ENCS (Existing & New Chemical Substances) inventory the Korean ECL (Existing Chemicals List) NZIOC (New Zealand Inventory of Chemicals) PICCS (Philippines Inventory of Chemicals and Chemical Substances) the Canadian IDL (Ingredient Disclosure List) INSQ (Mexican national Inventory of Chemical Substances) Turkish inventory of chemical
N,N-Dieth	hylammonium trifluoromethanesulfonate (60933-18-8)
Listed on	the AICS (Australian Inventory of Chemical Substances) IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) NZIoC (New Zealand Inventory of Chemicals)
Water (77	732-18-5)
Listed on Listed on Listed on Listed on	the AICS (Australian Inventory of Chemical Substances) IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) the Korean ECL (Existing Chemicals List) NZIOC (New Zealand Inventory of Chemicals) PICCS (Philippines Inventory of Chemicals and Chemical Substances) INSQ (Mexican national Inventory of Chemical Substances)

15.3. US State regulations

Ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

Ethylene glycol (107-21-1)

U.S. - Massachusetts - Right To Know List

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.