

Safety Data Sheet 9132105 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/11/2021 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: Tributylphosphine		
CAS No	: 998-40-3		
Product code	: 9132-1-05		
Formula	: C12H27P		
Synonyms	: Phosphine, tributyl- / Tri-n-butylphosphine / Tributylphosphane / Tris(butyl)phosphine		
Other means of identification	: MFCD00009462		
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the safety d	ata sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	xture		
Classification (GHS-US)			
Flam. Liq. 3H226 - Flammable liquid and vapourPyr. Liq. 1H250 - Catches fire spontaneously if exposed to airAcute Tox. 4 (Oral)H302 - Harmful if swallowedAcute Tox. 4 (Dermal)H312 - Harmful in contact with skinSkin Corr. 1BH314 - Causes severe skin burns and eye damageSkin Irrit. 2H315 - Causes skin irritationEye Dam. 1H318 - Causes serious eye damageEye Irrit. 2AH319 - Causes serious eye irritationSTOT SE 3H335 - May cause respiratory irritation			
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			

	GHS02	GHS05	GHS07
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	H302+H312 - H	fire spontaneou larmful if swallov severe skin burr skin irritation serious eye irrita	sly if exposed to air wed or in contact with skin as and eye damage ation
Precautionary statements (GHS-US)	P222 - Do not a P233 - Keep co P240 - Ground/t	llow contact with ntainer tightly clo bond container a losion-proof elec	osed and receiving equipment trical/ventilating/lighting equipment
06/11/2021	EN (English US)		SDS ID: 9132105

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P243 - Take precautionary measures against static discharge P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P301+P330+P331 - If swallowed: inse mouth. Do NOT induce vomiting P302+P334 - If on skin: Immerse in cool water/wrap with wet bandages P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P330+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep cool P403+P233 - Store in a well-ventilated place. Keep cool P405 - Store locked up P422 - Store contents under P501 - Dispose of contents/container to an approved waste disposal plant
	Pout - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
Other hazards not contributing to the classification	: Lachrymator.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. **Substance**

: Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
ributylphosphine Main constituent)	(CAS No) 998-40-3	<= 100	Flam. Liq. 3, H226 Pyr. Liq. 1, H250 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Oral), H312 Skin Corr. 1B, H314 Skin Irrit. 2, H315 Eye Dam. 1, H318 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of H-phrases: see section 16

3.2. **Mixture** Not applicable SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial First-aid measures after inhalation respiration. Get immediate medical advice/attention. First-aid measures after skin contact : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact present and easy to do. Continue rinsing. Get immediate medical advice/attention. First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/injuries :	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/injuries after inhalation :	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.
4.3. Indication of any immediate medical a	ttention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
	Alcohol resistant foam. Carbon dioxide. Dry powder. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media :	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard :	Thermal decomposition generates: Carbon oxides. Phosphorus oxides.
Explosion hazard :	Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions :	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting :	Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	
	Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
	Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	if product enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
For containment :	Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up :	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information :	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	Handle empty containers with care because residual vapors are flammable.
	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, includi	ng any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Moisture sensitive. Keep contents under inert gas.
Incompa	atible materials	: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
: Protective gloves. 29 CFR 1910.138: Hand Protection.
: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
: Wear suitable protective clothing.
: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: -60 °C
Freezing point	: No data available
Boiling point	: 240 - 242 °C
Flash point	: 37 - 40 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.8118 g/ml
Molecular mass	: 202.3165 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 0.4634 (@ 20 °C)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
No additional information available			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
No additional information available			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
No additional information available			
SECTION 44. Taxiaalariaal information			

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.
Tributylphosphine (998-40-3)	
LD50 oral rat	750 mg/kg
ATE US (oral)	750.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage. Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage. Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTI	SECTION 12: Ecological information			
12.1.	Toxicity			
No additional information available				
12.2.	Persistence and degradability			
No additional information available				
12.3.	Bioaccumulative potential			
No additional information available				
12.4.	Mobility in soil			
No addit	ional information available			
12.5.	Other adverse effects			
No addit	ional information available			

SECTI	ON 13: Disposal consid	erations
13.1.	Waste treatment methods	
Waste tr	eatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste disposal i	recommendations
------------------	-----------------

Additional information

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

- : Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Special Provisions (49 CFR 172.102)

- : UN3254 : Tributylphosphane
- : 4.2 Class 4.2 Spontaneously combustible material 49 CFR 173.124
- : 4.2 Spontaneously combustible

: UN3254 Tributylphosphane, 4.2, I



i	:/	C)	1.
		\checkmark	
	\sim	root	Do

- : I Great Danger
- : 211
- : 242
- : T21 10 10 mm Normal..... Prohibited
 - TP7 The vapor space must be purged of air by nitrogen or other means. TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure. pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

: No supplementary information available.

- DOT Packaging Exceptions (49 CFR 173.xxx) : None DOT Quantity Limitations Passenger aircraft/rail : Forbidden (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : Forbidden CFR 175.75) : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel DOT Vessel Stowage Location
 - Emergency Response Guide (ERG) Number

Other information

- TDG
- No additional information available

Transport by sea

UN-No. (IMDG)	: 3254
Proper Shipping Name (IMDG)	: TRIBUTYLPHOSPHANE
Class (IMDG)	: 4.2 - Substances liable to spontaneous combustion
Packing group (IMDG)	: I - substances presenting high danger

135

Air transport

UN-No. (IATA)	:	3254
Proper Shipping Name (IATA)	:	Tributylphosphane
Class (IATA)	:	4.2 - Substances Liable to Spontaneous Combustion

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1	5. Pogulator	y information
SECTION	5: Regulator	y information

15.1. US Federal regulations

Tributylphosphine (998-40-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Tributylphosphine (998-40-3)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

Tributylphosphine (998-40-3)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Pyr. Liq. 1	Pyrophoric liquids Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H250	Catches fire spontaneously if exposed to air
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
h	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 3 - Capable of detonation or explosive reaction, but requires a strong initiating source or must be heated under confinement before initiation, or reacts explosively with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 3 Serious Hazard - Materials that may form explosive mixtures with water and are capable of detonation or explosive reaction in the presence of a strong initiating source. Materials may polymerize, decompose, self-react, or undergo other chemical change at normal temperature and pressure with moderate risk of explosion

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.