

Safety Data Sheet M007251 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/01/2016 Version: 1.0

1.1. Identification					
Product form	: Substance				
Substance name	: Nitrosyl hexafluoroantimonate				
CAS No	: 16941-06-3				
Product code	: M007-2-51				
Formula	: F6NOSb				
Synonyms	: Nitrosonium hexafluoroantimonate				
Other means of identification	: MFCD00042550				
1.2. Relevant identified uses of the s	tance or mixture and uses advised against				
Use of the substance/mixture	Laboratory chemicals     Manufacture of substances     Scientific research and development				
1.3. Details of the supplier of the safe	ety data sheet				
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs					
1.4. Emergency telephone number					
Emergency number	: (844) 523-4086 (3E Company - Account 10069)				
SECTION 2: Hazard(s) identificati	ion				
2.1. Classification of the substance of Classification (GHS-US)					
Acute Tox. 4 (Dermal) H312 - Harmful Acute Tox. 4 (Inhalation) H332 - Harmful	if swallowed in contact with skin if inhaled severe skin burns and eye damage				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic to	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 16	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation aquatic life				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 162.2.Label elements	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation aquatic life				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 162.Label elementsGHS-US labeling	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation aquatic life aquatic life with long lasting effects				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation aquatic life aquatic life with long lasting effects :				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	in contact with skin if inhaled severe skin burns and eye damage serious eye damage use respiratory irritation aquatic life aquatic life with long lasting effects				
Acute Tox. 4 (Dermal)H312 - HarmfulAcute Tox. 4 (Inhalation)H332 - HarmfulSkin Corr. 1BH314 - CausesEye Dam. 1H318 - CausesSTOT SE 3H335 - May cauAquatic Acute 2H401 - Toxic toAquatic Chronic 2H411 - Toxic toFull text of H-phrases: see section 162.Label elementsGHS-US labeling	<ul> <li>in contact with skin if inhaled severe skin burns and eye damage serious eye damage serious eye damage serious eye damage aquatic life aquatic life with long lasting effects</li> <li>: if is a contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation</li></ul>				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove cor lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			several minutes. Remove contact cian ons on this label) ore reuse tightly closed	
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on in	gredients		
3.1. Substance				
Substance type	: Mond	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
Nitrosyl hexafluoroantimonate (Main constituent)		(CAS No) 16941-06-3	<= 100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Full text of H-phrases: see section 16			•	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
1.1. Description of first aid measures				
irst-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid measures after inhalation	respi	ove person to fresh air and keep comfor- ration. Get immediate medical advice/att	tention.	
irst-aid measures after skin contact	conta area	Wash with plenty of soap and water. Remove contaminated clothing and shoes. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into the affected area for 1.5 hours or until further medical care is available. Get immediate medical advice/attention.		
irst-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Ge		
	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
First-aid measures after ingestion	mout	in out with water. Oet infinediate medical		
First-aid measures after ingestion				
-	<mark>s, both</mark> : The r		fects are describ	ed in the labelling (see section

and organ damage (heart, liver, kidneys).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture				
Fire hazard	: Thermal decomposition generates: Antimony oxide. Hydrogen fluoride. Nitrogen oxides.			
5.3. Advice for firefighters				
Firefighting instructions	: In case of fire: Evacuate area.			
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment. Notify autho	rities if product enters sewers or public waters.			
6.3. Methods and material for containing	nent and cleaning up			
For containment	: Stop leak if safe to do so.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, include	ding any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Changes area	: Store in dry, cool, well-ventilated area.			
Storage area				

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Molecular mass	: 265.76 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			

No additional	information	available

#### 10.2. **Chemical stability**

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid** 

Keep away from heat, sparks and flame.

#### 10.5. **Incompatible materials**

Glass. Metals. Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

	Skin corrosion/irritation       : Causes severe skin burns and eye damage.         Serious eye damage/irritation       : Causes serious eye damage.				
Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled	Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
	Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information					
12.1. Toxicity					
No additional information available					
12.2. Persistence and degradability					
No additional information available					
12.3. Bioaccumulative potential					
No additional information available					
12.4. Mobility in soil					
No additional information available					
12.5. Other adverse effects					
No additional information available					

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment Marine pollutant

DOT Packaging Non Bulk (49 CFR 173.xxx)

EN (English US)

- : UN1759 Corrosive solids, n.o.s., 8, II
- : UN1759
- : Corrosive solids, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : II Medium Danger
- : Yes



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)		
DOT Symbols	entifies PSN requi	ring a technical name
DOT Special Provisions (49 CFR 172.102)	num remelting by- ng Group II and III The presence of Jiary hazards Authorized IBCs: I cs (11H1, 11H2, 2 2, 31HZ1 and 31H 13H3, 13H4, 13H When IBCs other proof and water-re- coff and water-re- conforming to the ng group III or T7 and group III or T7 per and special pecial provision T	provisions of §172.101(c)(12), aluminum smelting by-products and products described under this entry, meeting the definition of Class 8, may be classed as a Division 4.3 material and transported under this a Class 8 hazard must be communicated as required by this Part for Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid 1H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, Z2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 15, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). han metal or rigid plastics IBCs are used, they must be offered for d freight container or a closed transport vehicle. d or wooden IBCs must be sift-proof and water-resistant or be fitted with sistant liner. Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	·	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)		
DOT Vessel Stowage Location	e material may be nger vessel.	stowed "on deck" or "under deck" on a cargo vessel and on a
Other information	pplementary infor	nation available.
TDG No additional information available		
Transport by sea No additional information available		
Air transport No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Nitrosyl hexafluoroantimonate         CAS No 16941-06-3         100%	
--	--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

### National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**


Full text of	H-phrases:
--------------	------------

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard NFPA reactivity : 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.