

Safety Data Sheet M012200 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/31/2019 Version: 1.0

	cation	
1.1. Identification		
Product form		: Substance
Substance name		: Magnesium(II) tetrafluoroborate monohydrate
CAS No		· .
Product code		: M012-2-00
Formula		: B2F8H2MgO
Other means of identification	on	: MFCD28901362
1.2. Relevant identif Use of the substance/mixtu		ance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the su	upplier of the safety d	ata sheet
SynQuest Laboratories, Inc P.O. Box 309 Alachua, FL 32615 - Uniter T (386) 462-0788 - F (386) info@synquestlabs.com - v	d States of America 462-7097 www.synquestlabs.com	
1.4. Emergency tele	-	
Emergency number		: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard	s) identification	
	f the substance or mi	xture
Classification (GHS-US)		
Acute Tox. 4 (Inhalation) Skin Corr. 1B Eye Dam. 1 STOT SE 3	H318 - Causes seriou H335 - May cause res	e skin burns and eye damage us eye damage
Full text of H-phrases: see	section 16	
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-I	JS)	: GHS05 GHS07
Signal word (GHS-US)		: Danger
Hazard statements (GHS-I		 H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements	(GHS-US)	 P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant 		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/informatio	n on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Magnesium(II) tetrafluoroborate monohydrate (Main constituent)	(CAS No) -	<= 100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318
			STOT SE 3, H335
Full text of H-phrases: see section 16			STOT SE 3, H335
•			STOT SE 3, H335
3.2. Mixture			STOT SE 3, H335
Full text of H-phrases: see section 16 3.2. Mixture Not applicable SECTION 4: First aid measures			STOT SE 3, H335
3.2. Mixture Not applicable SECTION 4: First aid measures			STOT SE 3, H335
B.2. Mixture Not applicable SECTION 4: First aid measures 4.1. Description of first aid measures	: In case of accident or if you feel unwer where possible). Move the affected pe		e immediately (show the label
3.2. Mixture Not applicable SECTION 4: First aid measures		rsonnel away from the comfortable for breath	e immediately (show the label e contaminated area.
Mixture Not applicable SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general	where possible). Move the affected pe : Remove person to fresh air and keep	rsonnel away from the comfortable for breath lvice/attention. Remove contaminated 5% calcium gluconate	e immediately (show the label e contaminated area. hing. If not breathing, give artificial clothing and shoes. In case of skin gel continuously into the affected
B.2. Mixture Not applicable SECTION 4: First aid measures SECTION 4: First aid measures Secription of first aid measures First-aid measures general First-aid measures after inhalation	 where possible). Move the affected period of the second terms of term	rsonnel away from the comfortable for breath lvice/attention. Remove contaminated 5% calcium gluconate cal care is available. (h water for at least 15	e immediately (show the label e contaminated area. hing. If not breathing, give artificial clothing and shoes. In case of skin gel continuously into the affected Get immediate medical minutes. Remove contact lenses, if
B.2. Mixture Not applicable SECTION 4: First aid measures SECTION 4: First aid measures Section of first aid measures 4.1. Description of first aid measures First-aid measures general Section of first aid measures First-aid measures after inhalation Section of first aid measures	 where possible). Move the affected period of the second term of ter	Arsonnel away from the comfortable for breath lvice/attention. Remove contaminated 5% calcium gluconate cal care is available. (h water for at least 15 ing. Get immediate me anything by mouth to a	e immediately (show the label e contaminated area. ning. If not breathing, give artificial clothing and shoes. In case of skin gel continuously into the affected Get immediate medical minutes. Remove contact lenses, if edical advice/attention. an unconscious person. Rinse
Action 2015 Action 20	 where possible). Move the affected peerson to fresh air and keep respiration. Get immediate medical ad Wash with plenty of soap and water. Feedback of the second seco	Arsonnel away from the comfortable for breath lvice/attention. Remove contaminated 5% calcium gluconate cal care is available. (h water for at least 15 ing. Get immediate me anything by mouth to a	e immediately (show the label e contaminated area. ning. If not breathing, give artificial clothing and shoes. In case of skin gel continuously into the affected Get immediate medical minutes. Remove contact lenses, if edical advice/attention. an unconscious person. Rinse
B.2. Mixture Not applicable SECTION 4: First aid measures SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 where possible). Move the affected peerson to fresh air and keep respiration. Get immediate medical ad Wash with plenty of soap and water. Feedback of the second seco	Arsonnel away from the comfortable for breath lvice/attention. Remove contaminated 5% calcium gluconate cal care is available. (h water for at least 15 ing. Get immediate me anything by mouth to a medical advice/attentio	e immediately (show the label e contaminated area. hing. If not breathing, give artificial clothing and shoes. In case of skin gel continuously into the affected Get immediate medical minutes. Remove contact lenses, if edical advice/attention. an unconscious person. Rinse on.

and organ damage (heart, liver, kidneys).

SECT	ION 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable	e extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2.	Special hazards arising from the substance or mixture		
Fire ha	zard	: Borane/boron oxides. Hydrogen fluoride. Magnesium oxide.	
5.3.	Advice for firefighters		
Firefigh	ting instructions	: In case of fire: Evacuate area.	
Protect	on during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Mo	nday, March 26, 2012 / Rules and Regulations			
SECTION 6: Accidental release n	neasures			
6.1. Personal precautions, protectiv	/e equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information			
	refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment. Notify aut	thorities if product enters sewers or public waters.			
6.3. Methods and material for conta	inment and cleaning up			
For containment	: Stop leak if safe to do so.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storag	je			
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, inc	7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			
SECTION 8: Exposure controls/p	ersonal protection			
8.1. Control parameters				
No additional information available				
8.2. Exposure controls				
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.			
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.			
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.			
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.			
SECTION 9: Physical and chemic	cal properties			
9.1. Information on basic physical a	Ind chemical properties			
Physical state	: Solid			
Color	: No data available			
Odor	: No data available			
Odor threshold	: No data available			
pH Molting point	: No data available			
	: No data available			

Freezing point

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 215.93 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

Reactivity

No additional information available

SECTION 10: Stability and reactivity

No additional information available

10.2. Chemical stability

10.1.

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Bases. Mineral acids. Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity	: Oral: Harmful if swallowed. Dermal: I	Harmful in contact with skin. Inhalation: Harmful if inh	aled.
Skin corrosion/irritation	: Causes severe skin burns and eye d	amage.	
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
Potential Adverse human health effects and symptoms	: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).		
06/29/2020	EN (English US)	SDS ID: M012200	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3260 Corrosive solid, acidic, inorganic, n.o.s., 8, III
- : UN3260
- : Corrosive solid, acidic, inorganic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant iner.

T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, I	March 26, 2012 / Rule	es and Regulations	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg		
DOT Vessel Stowage Location	: A - The materia passenger vess	5	er deck" on a cargo vessel and on a
Other information	: No supplementa	ary information available.	
TDG			
No additional information available			
Transport by sea			
UN-No. (IMDG)	: 3260		
Proper Shipping Name (IMDG)	: CORROSIVE S	OLID, ACIDIC, INORGANIC, N.O.S	3.
Class (IMDG)	: 8 - Corrosive su	Ibstances	
Packing group (IMDG)	: III - substances	presenting low danger	
Air transport			
UN-No. (IATA)	: 3260		
Proper Shipping Name (IATA)	: Corrosive solid,	acidic, inorganic, n.o.s.	
Class (IATA)	: 8 - Corrosives		
Packing group (IATA)	: III - Minor Dang	er	
SECTION 15: Regulatory information			
15.1. US Federal regulations			
All components of this product are listed, or excl Substances Control Act (TSCA) inventory except		on the United States Environmental	Protection Agency Toxic
Magnesium(II) tetrafluoroborate monohydrate		CAS No -	100%
This product or mixture does not contain a toxic CFR §372.38(a) subject to the reporting required and 40 CFR Part 372.			
15.2. International regulations			
CANADA No additional information available			
EU-Regulations No additional information available			
National regulations No additional information available			
15.3. US State regulations			
15.3. US State regulations California Proposition 65 - This product does r and/or reproductive harm	not contain any sub	ostances known to the state of Calif	ornia to cause cancer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
NFPA health hazard	cause serious temporary or the prompt medical attention was

NFPA fire hazard : 0 - Materials that will not burn.
 NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
 HMIS III Rating
 Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
 Flammability : 0 Minimal Hazard - Materials that will not burn
 Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.