

Sulfur hexafluoride

Safety Data Sheet M016202 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/06/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Sulfur hexafluoride
CAS No	: 2551-62-4
Product code	: M016-2-02
Formula	: F6S
Other means of identification	: MFCD00011447
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
Classification (GHS-US)	
Simple Asphy Liquefied gasH380 - May displace oxyge H280 - Contains gas under H335 - May cause respiratoSTOT SE 3H335 - May cause respirato Full text of H-phrases: see section 16	pressure; may explode if heated
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS04 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated H335 - May cause respiratory irritation H380 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, gas, mist, spray, vapors P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P410+P403 - Protect from sunlight. Store in a well-ventilated place P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
Other hazards not contributing to the classification	: May cause frostbite.
2.4. Unknown acute toxicity (GHS US	
Not applicable	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ON 3: Composition/informatio				
	Substance	• •			
Substance	e type	: Mono	-constituent		
Name			Product identifier	%	Classification (GHS-US)
Sulfur he (Main cons	xafluoride tituent)		(CAS No) 2551-62-4	<= 100	Simple Asphy, H380 Liquefied gas, H280 STOT SE 3, H335
Full text o	of H-phrases: see section 16				
	Mixture				
Not applic					
SECTIC	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid n	neasures general		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid n	neasures after inhalation		ove person to fresh air and keep comforta ation. Get immediate medical advice/atte		ng. If not breathing, give artificial
First-aid n	neasures after skin contact		frosted parts with lukewarm water. Do n e/attention.	o rub affected a	area. Get immediate medical
First-aid n	neasures after eye contact		ove contact lenses, if present and easy to ughly with water for at least 15 minutes.		
First-aid n	neasures after ingestion	: Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.			
1.2.	Most important symptoms and effe	cts, both a	acute and delayed		
Symptom	ymptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.				
Symptom	s/injuries after inhalation	: May o	cause drowsiness or dizziness.		
Symptom	s/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.			
Symptoms/injuries after eye contact : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.					
1.3.	Indication of any immediate medica	al attentio	n and special treatment needed		
No additic	onal information available				
SECTIC	ON 5: Firefighting measures				
	Extinguishing media				
Suitable e	extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2.	Special hazards arising from the su	ibstance o	or mixture		
- ire hazaı			nal decomposition generates: Hydrogen	fluoride. Sulfur	oxides.
Explosion	hazard	: Conta	ains gas under pressure; may explode if lead containers.		
5.3.	Advice for firefighters				
-	refighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.				
Protection	n during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec		
	ON 6: Accidental release mea				
	Personal precautions, protective ed				
General m	neasures		uate unnecessary personnel. Ensure ade ing oxygen available for breathing. Do n		
6.1.1.	For non-emergency personnel				
Emergeno	cy procedures	: Only	qualified personnel equipped with suitabl	e protective eq	uipment may intervene.
5.1.2.	For emergency responders				
	e equipment		ot attempt to take action without suitable	protective equi	oment. For further information
101001170	oquipinon.		to section 8: "Exposure controls/persona		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emerge	ency procedures	-	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			

6.3.	.3. Methods and material for containment and cleaning up		
For containment		: Stop leak if safe to do so.	
Methods for cleaning up		: Ventilate area.	
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		

No additional information available	available
-------------------------------------	-----------

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Sulfur hexafluoride (2551-62-4)				
ACGIH	ACGIH TWA (ppm)	1000 ppm		
ACGIH	Remark (ACGIH)	Asphyxia		
OSHA	OSHA PEL (TWA) (mg/m ³)	6000 mg/m ³		
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		

8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Thermal hazard protection	: Cold insulating gloves.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemical r	nronerties

SECTION 9. Physical	and chemical properties	
9.1. Information on ba	1. Information on basic physical and chemical properties	
Physical state	: Gas	
Appearance	: Colorless gas.	
Color	: Colorless	
Odor	: odorless	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
	: No data available
pH	
Melting point	: -50.8 °C
Freezing point	: No data available
Boiling point	: -64
Critical temperature	: 45.5 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 334 psia (@ 21 °C)
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.88 g/ml (@ -50.8 °C)
Molecular mass	: 146.05 g/mol
Solubility	: Water: 51.1 mg/l (at 20 °C)
Log Pow	: 1.68
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity				
10.1. Reactivity				
No additional information available				
10.2. Chemical stability				
The product is stable at normal handling and storage conditions.				
10.3. Possibility of hazardous reactions				
No additional information available				
10.4. Conditions to avoid				
Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.				
10.5. Incompatible materials				
Alkali metals. Finely divided metals (Al, Mg, Zn). Strong acids. Strong bases. Strong oxidizing agents.				
10.6. Hazardous decomposition products				
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.				
SECTION 11: Toxicological information				

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure): May cause respiratory irritation.Specific target organ toxicity (repeated exposure): Not classifiedAspiration hazard: Not classifiedSymptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact: May cause drowsiness or dizziness.Symptoms/injuries after eye contact: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.		-
exposure)Not classifiedAspiration hazard: Not classifiedSymptoms/injuries after inhalation: May cause drowsiness or dizziness.Symptoms/injuries after skin contact: Contact with the liquid the may cause cold burns/frostbite.Symptoms/injuries after eye contact: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due	Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
' Symptoms/injuries after inhalation : May cause drowsiness or dizziness. Symptoms/injuries after skin contact : Contact with the liquid the may cause cold burns/frostbite. Symptoms/injuries after eye contact : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due		: Not classified
Symptoms/injuries after skin contact: Contact with the liquid the may cause cold burns/frostbite.Symptoms/injuries after eye contact: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due	Aspiration hazard	: Not classified
Symptoms/injuries after eye contact : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due	Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
	Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
	Symptoms/injuries after eye contact	

SECTION 12: Ecological information		
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential	2.3. Bioaccumulative potential	
Sulfur hexafluoride (2551-62-4)		
Sultur nexatiuoride (2551-62-4)		
Sulfur hexafluoride (2551-62-4) Log Pow	1.68	
	1.68	
Log Pow	1.68	
Log Pow 12.4. Mobility in soil	1.68	

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. 	
SECTION 14: Transport information		
Department of Transportation (DOT)		

12/08/2016	EN (English US)	SDS ID: M016202	5/7
Other information	: No supplementary information a	vailable.	
Emergency Response Guide (ERG) Number	: 126		
DOT Vessel Stowage Location	: A - The material may be stowed passenger vessel.	"on deck" or "under deck" on a cargo vessel and on a	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306		
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 304		
	2		
Hazard labels (DOT)	: 2.2 - Non-flammable gas		
Transport hazard class(es) (DOT)		compressed gas 49 CFR 173.115	
Proper Shipping Name (DOT)	: Sulfur hexafluoride		
UN-No.(DOT)	: UN1080		
Transport document description	: UN1080 Sulfur hexafluoride, 2.2		
In accordance with DOT			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea	
UN-No. (IMDG)	: 1080
Proper Shipping Name (IMDG)	: SULPHUR HEXAFLUORIDE
Class (IMDG)	: 2 - Gases
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	: 1080 : Sulphur hexafluoride : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Sulfur hexafluoride (2551-62-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Sulfur hexafluoride (2551-62-4)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas

EU-Regulations

No additional information available

National regulations

Sulfur hexafluoride (2551-62-4)	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
Listed on INSQ (Mexican national Inventory of Chemical Substances)	
Listed on Turkish inventory of chemical	

15.3. US State regulations

Sulfur hexafluoride (2551-62-4)	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	xt of H-phrases:	
	Liquefied gas	Gases under pressure Liquefied gas
	Simple Asphy	Simple Asphyxiant
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H280	Contains gas under pressure; may explode if heated
	H335	May cause respiratory irritation
	H380	May displace oxygen and cause rapid suffocation
NFPA	health hazard fire hazard reactivity	 : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 0 - Materials that will not burn. : 2 - Normally unstable and readily undergo violent decomposition but do not detonate. Also: may react violently with water or may form potentially explosive mixtures with water.
	III Rating	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flamm	nability	: 0 Minimal Hazard - Materials that will not burn
Physic	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.