

Safety Data Sheet M026201 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/26/2017 Version: 1.0

SECTION 1: Identification 1.1. Identification Product form	
Product form	
	: Substance
Substance name	: Ferrous fluoride, anhydrous
CAS No	: 7789-28-8
Product code	: M026-2-01
Formula	: F2Fe
Synonyms	: Iron(II) fluoride
Other means of identification	: MFCD00016093
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Corr. 1BH314 - Causes severe skin burnEye Dam. 1H318 - Causes serious eye damSTOT SE 3H335 - May cause respiratory irr	age
Full text of H-phrases: see section 16	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	
Full text of H-phrases: see section 16 2.2. Label elements	: GHS05 GHS07
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 GHS07

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to rederal Register / vol. 77, No. 387 Monday,	March 20			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	n on ir	ngredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
Ferrous fluoride, anhydrous (Main constituent)		(CAS No) 7789-28-8	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek re possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta iration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact	conta area	h with plenty of soap and water. Remove act, wearing rubber gloves rub 2.5% calcir for 1.5 hours or until further medical care ce/attention.	um gluconate ge	el continuously into the affected
First-aid measures after eye contact		ediately flush eyes thoroughly with water f ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		IOT induce vomiting. Never give anything th out with water. Get immediate medical		
4.2. Most important symptoms and effect	ts, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou tness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
		and an effective state of the sector sector sector and set		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2.	Special hazards arising from the su	bstance or mixture
Fire haz	zard	: Thermal decomposition generates: Hydrogen fluoride. Iron oxides.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: In case of fire: Evacuate area.
Protecti	on during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

SECTION	ON 6: Accidental release meas	ures		
6.1.	Personal precautions, protective equ	ipment and emergency procedures		
General r	measures	: Evacuate unnecessary personnel. Ensure ad	lequate air ventilation. Do not breathe dust.	
6.1.1.	For non-emergency personnel			
Emergen	cy procedures	: Only qualified personnel equipped with suitable	ble protective equipment may intervene.	
6.1.2.	For emergency responders			
Protective	e equipment	: Do not attempt to take action without suitable refer to section 8: "Exposure controls/personal	protective equipment. For further information al protection".	
07/26/201	7	EN (English US)	SDS ID: M026201	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment	nt and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includin	g any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/perso	onal protection		

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: > 1100 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C: No data availableSpecific gravity / density: 4.09 g/ml (@ 20 °C)Molecular mass: 93.84 g/molSolubility: No data availableLog Pow: No data availableLog Pow: No data availableAuto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data available9.2.Other information		
Molecular mass: 93.84 g/molSolubility: No data availableLog Pow: No data availableAuto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data available	Relative vapor density at 20 °C	: No data available
Solubility:No data availableLog Pow:No data availableAuto-ignition temperature:No data availableDecomposition temperature:No data availableViscosity:No data availableViscosity, kinematic:No data availableViscosity, dynamic:No data available	Specific gravity / density	: 4.09 g/ml (@ 20 °C)
Log Pow: No data availableAuto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data available	Molecular mass	: 93.84 g/mol
Auto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data available	Solubility	: No data available
Decomposition temperature:No data availableViscosity:No data availableViscosity, kinematic:No data availableViscosity, dynamic:No data available	Log Pow	: No data available
Viscosity: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data available	Auto-ignition temperature	: No data available
Viscosity, kinematic : No data available Viscosity, dynamic : No data available	Decomposition temperature	: No data available
Viscosity, dynamic : No data available	Viscosity	: No data available
	Viscosity, kinematic	: No data available
9.2. Other information	Viscosity, dynamic	: No data available
	9.2. Other information	

9.2. No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	litional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	litional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Acids. I	Bases. Oxidizing agents.
10.6.	Hazardous decomposition products
Under	normal conditions of storage and use bazardous decomposition products should not be produced. Hazardous decomposition products in case of

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information			
11.1. Information on toxicolog	cal effects		
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		

	. Cadece evere examplifie and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	DN 12: Ecological information
12.1.	Toxicity
No additio	onal information available
12.2.	Persistence and degradability
No additio	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential					
No additional information available						
12.4.	Mobility in soil					
No addi	itional information available					
12.5.	Other adverse effects					
No addi	itional information available					

13.1. Waste treatment methods

Waste treatment methods

Waste disposal recommendations

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Additional information
- : Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3260 Corrosive solid, acidic, inorganic, n.o.s., 8, II
- : UN3260
- : Corrosive solid, acidic, inorganic, n.o.s.
- 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)
- : II Medium Danger
 - : 212
 - : 240
 - : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of

packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		
Other information	: No supplementary information available.		
TDG			
No additional information available			
Transport by sea			
UN-No. (IMDG)	: 3260		
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		
Class (IMDG)	: 8 - Corrosive substances		
Packing group (IMDG)	: II - substances presenting medium danger		
Air transport			
UN-No. (IATA)	: 3260		
Proper Shipping Name (IATA)	ping Name (IATA) : Corrosive solid, acidic, inorganic, n.o.s.		
Class (IATA)	: 8 - Corrosives		
Packing group (IATA)	: II - Medium Danger		

15.1. US Federal regulations

Ferrous fluoride, anhydrous (7789-28-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA				
Ferrous fluoride, anhydrous (7789-28-8)				
Listed on the Canadian NDSL (Non-Domestic Substances List)				

EU-Regulations

No additional information available

National regulations

- Ferrous fluoride, anhydrous (7789-28-8)
- Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	kt of H-phrases:			
	Eye Dam. 1	Serious eye damage/eye irritation Category 1		
	Skin Corr. 1B	Skin corrosion/irritation Category 1B		
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
	H314	Causes severe skin burns and eye damage		
	H318	Causes serious eye damage		
	H335	May cause respiratory irritation		
NFPA health hazard NFPA fire hazard NFPA reactivity		 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 0 - Materials that will not burn. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 		
HMIS	III Rating			
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given		
		* - Chronic (long-term) health effects may result from repeated overexposure		
Flammability		: 0 Minimal Hazard - Materials that will not burn		
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.