

Safety Data Sheet M055201 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/24/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: Cesium fluoride		
CAS No	: 13400-13-0		
Product code	: M055-2-01		
Formula	: CsF		
Other means of identification	: MFCD00010960		
1.2. Relevant identified uses of the subs	tance or mixture and uses advised	against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developme	nt	
1.3. Details of the supplier of the safety	data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>n</u>		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Ac	count 10069)	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or n	ixture		
Classification (GHS-US)			
STOT SE 3 H335 - May cause i	ed irritation bus eye damage f damaging fertility or the unborn child		
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS05 GHS06	GHS07 GHS08	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H301+H311+H331 - Toxic if swall H315 - Causes skin irritation H318 - Causes serious eye damag H335 - May cause respiratory irrita H361 - Suspected of damaging fer	tion	
Precautionary statements (GHS-US)	: P201 - Obtain special instructions P202 - Do not handle until all safe P261 - Avoid breathing dust, mist, P264 - Wash skin thoroughly after P270 - Do not eat, drink or smoke P271 - Use only outdoors or in a w P280 - Wear protective gloves/pro P301+P310 - If swallowed: Immed P302+P352 - If on skin: Wash with P304+P340 - If inhaled: Remove p	before use y precautions have been read and understood spray handling when using this product rell-ventilated area tective clothing/eye protection/face protection iately call a poison center/doctor/	
12/08/2016	EN (English US)	SDS ID: M055201	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Monday,			
lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention P310 - Immediately call a POISON CENTER or doctor/ physician P311 - Call a POISON CENTER or doctor/physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P361 - Take off immediately all contaminated clothing P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards			
Other hazards not contributing to the classification	: Contact with acids liberates toxic gas	i.	
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/informatio	n on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Cesium fluoride (Main constituent)	(CAS No) 13400-13-0	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361 STOT SE 3, H335
Full text of H-phrases: see section 16	,	•	
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwe where possible). Move the affected p	ersonnel away from th	e contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep respiration. Get immediate medical a	dvice/attention.	
First-aid measures after skin contact	: Wash with plenty of soap and water. contact, wearing rubber gloves rub 2. area for 1.5 hours or until further med advice/attention.	5% calcium gluconate	gel continuously into the affected
First-aid measures after eye contact	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get immediate		
4.2. Most important symptoms and effect	cts, both acute and delayed		
Symptoms/injuries : The most important known symptoms and effects are 0 2.2) and/or in section 11.		s and effects are descr	ibed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of the shortness of breath, headache, naus		and upper respiratory tract. Cough,
.3. Indication of any immediate medica	l attention and special treatment neede	ed	
Freat symptomatically. Absorption of excessive F and organ damage (heart, liver, kidneys).	F- can result in acute systemic fluorosis w	rith hypocalcemia, inte	rference with various metabolic functio
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Dry powder. Use extinguishing media	a appropriate for surrou	unding fire.
5.2. Special hazards arising from the sul	bstance or mixture		

Fire hazard 12/08/2016

: Thermal decomposition generates: Cesium/cesium oxides. Hydrogen fluoride.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify autho	rities if product enters sewers or public waters.
6.3. Methods and material for containr	nent and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclue	ding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
	: Refer to Section 10 on Incompatible Materials.
Incompatible materials	
Incompatible materials Prohibitions on mixed storage	: Do not store with: Acids.
•	

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties				
9.1.	Information on basic physical and che	emical properties		
Physical s	state	: Solid		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6 6 ,	3 7
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 682 °C
Freezing point	: No data available
Boiling point	: 1251 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 151.90 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivit	v
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Glass. Strong acids. Strong oxidizing agents.	
10.6. Hazardous decomposition produc	ts
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological information	ation
11.1. Information on toxicological effec	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

: Suspected of damaging fertility or the unborn child.

Reproductive toxicity

12/08/2016

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIC	DN 12: Ecological information			
12.1.	Toxicity			
No additio	onal information available			
12.2.	Persistence and degradability			
No additio	onal information available			
12.3.	Bioaccumulative potential			
No additio	onal information available			
12.4.	Mobility in soil			
No additional information available				
12.5.	Other adverse effects			
N a a daliti a	and information evailable			

	No addit	ional infor	mation a	vailable
--	----------	-------------	----------	----------

13.1.	Waste treatment methods	
/aste t	eatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
/aste d	isposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
dditior	al information	: Recycle the material as far as possible.

Department of	Transportation	(DOT)
---------------	----------------	-------

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3288 Toxic solid, inorganic, n.o.s., 6.1, III
- : UN3288
- : Toxic solid, inorganic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group II or T7 for solid substances of packing provision shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. 				
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153				
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)					
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg				
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.				
Other information	: No supplementary information available.				
TDG					
No additional information available					
Transport by sea					
UN-No. (IMDG)					
Proper Shipping Name (IMDG)	: TOXIC SOLID, INORGANIC, N.O.S.				
Class (IMDG)	: 6.1 - Toxic substances				
Packing group (IMDG)	: III - substances presenting low danger				
Air transport					
UN-No. (IATA)	: 3288				
Proper Shipping Name (IATA)	: Toxic solid, inorganic, n.o.s.				
Class (IATA)	: 6.1 - Toxic Substances				
Packing group (IATA)	: III - Minor Danger				
SECTION 15: Regulatory information					
15.1. US Federal regulations					

Cesium fluoride (13400-13-0) Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations					
CANADA					
Cesium fluoride (13400-13-0)					
Listed on the Canadian NDSL (Non-Domestic Substances List)					
S Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects					

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations Cosium fluorido (13/00-13-0)

	Cesium fluoride (13400-13-0)		
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China			
	Listed on the Korean ECL (Existing Chemicals List)		
	Listed on NZIoC (New Zealand Inventory of Chemicals)		

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full tex	t of H-phrases:			
	Acute Tox. 3 (Dermal)		Acute toxicity (dermal) Category 3	
	Acute Tox. 3 (Inhalation)		Acute toxicity (inhalation) Category 3	
	Acute Tox. 3 (Oral) Eye Dam. 1 Repr. 2 Skin Irrit. 2 STOT SE 3		Acute toxicity (oral) Category 3	
			Serious eye damage/eye irritation Category 1	
			Reproductive toxicity Category 2 Skin corrosion/irritation Category 2 Specific target organ toxicity (single exposure) Category 3	
	H301		Toxic if swallowed	
	H311		Toxic in contact with skin	
	H315		Causes skin irritation	
	H318		Causes serious eye damage	
	H331		Toxic if inhaled	
	H335		May cause respiratory irritation	
	H361		Suspected of damaging fertility or the unborn child	
NFPA health hazard		: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA	ïre hazard	: 0 - Materials that will not burn.		
NFPA reactivity		 O - Normally stable, even under fire exposure conditions, and are not reactive with water. 		
HMIS I	II Rating			
given		given	- Major injury likely unless prompt action is taken and medical treatment is erm) health effects may result from repeated overexposure	
Flamm	ability	: 0 Minimal Hazard - Materials that will not burn		
			laterials that are normally stable, even under fire conditions, and will NOT merize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.