

1H-Indole-4-boronic acid

Safety Data Sheet P311A84 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/21/2017 Version: 1.0

1.1 Identification Product tom : Substance Substance name : 1H-Indole+boronic and CAS No : : Product code : P311-A34 Formula : CSH8BNO2 Synoryms : : Other means of identification : McCD02005175 1.2 Relevant identified uses of the substance or mkture and uses advised against Use of the substance/muture :: Laboratory chemicals Manufacture of substances SynOuset Laboratories, Inc. PCO Box 200 PC Box 200 PC Box 200 : Use of the substance or mkture 1.3 Details of the supplier of the safety data sheet SynOuset Laboratories, Inc. PC Box 200 : Intel States of America Manufacture of substance or mixture Classification of the substance or mixture : Classification of the substance or mixture Classification of the substance or mixture : : Classification of the substance or mixture : : Classification of the substance or mixture : : Classification of (CHS-US) :: :<	SECTION 1: Identification	
Product form I: Substance Substance mame I: H-Indole-Aboronic acid Substance mame I: H-Indole-Aboronic acid Yoduct code I: P311-A 94 Formula I: CHBRNO2 Synonyms I: A Parono-IH-Indole Other means of identification I: MFCD03095175 1.2. Relevant identified uses of the substance or mixture and uses advised against Jace of the substance/mixture I: Laboratory chemicals Munifacture of substances Scientific research and development J.3. Details of the supplier of the safety data sheet Synonyms I: (844) 523-4086 (3E Company - Account 10059) SECTION 2: Hazerd(s) identification I: (844) 523-4086 (3E Company - Account 10059) SECTION 2: Hazerd(s) identification I: (844) 523-4086 (3E Company - Account 10059) SECTION 2: Hazerd(s) identification I: (844) 523-4086 (3E Company - Account 10059) SECTION 2: Hazerd(s) identification I: (844) 523-4086 (3E Company - Account 10059) SECTION 2: Hazerd(s) identification I: (844) 523-4086 (3E Company - Account 10059) Section 1: 0: Classification of the substance or mixture I: (844) 523-4086 (3E Company - Account 10059) Signal word (GHS-US) I: (841) 52- Gauses skin inflation		
Substance name : 114-Induk-4-boronic acid CAS No : 220465-43-0 Product code : 1911-A-84 Formula : C49480K02 Synonyms : 24-boron-114-induke Content identification : MFCD03096175 1.2 Relevant identification : MFCD03096175 1.2 Relevant identification : MFCD03096175 1.2 Relevant identification : MFCD03096175 1.2 Calculation is the substance or miture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development 1.3 Details of the supplier of the safety data sheet SynOute: Laboratories. Inc. Pro. Bay 309 SynOute: Laboratories. Inc. Pro. Bay 309 Scientific research and development 1.4 Emergency telephone number 1.6 Calculations of new suppliers of the substance or miture 1.7 OBS 420-788 r- F(386) 462-7087 1.7 (386) 462-7087 r- (386) 462-7087 1.7 (386) 462-7087 r- (386) 462-7087 1.7 (385) 415 - Calculare skin initiation 1.7 (385) 418 - Calculare skin initiation 1.7 (387) 419 - Calculare skin initiation 1.7 (385) 419 - Calculare skin initiation 1.7 (387)		
DAS No : 220465-43-0 troduct code : P311-A-84 formula : C4H8BNO2 synonyms : 4 4-borono-1H-indole Dther means of identification : MECD03095175 12.2 Relevant identified uses of the substance or mixture and uses advised against Jack of the subplier of the safety data sheet Scientific research and development SynOuest Laboratories, Inc. : Scientific research and development SynOuest Laboratories, Inc. : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (844) 523-4086 (3E Company - Account 10069) Strengency number : (841) 52- Causes send in triation Strengency number : (841) 52- Causes send in triation Strengency number		
holuce code : P311-A-84 formula : C4H8BNO2 formula : C4H8BNO2 formula : C4H8BNO2 formula : C4H8BNO2 formula : C4H8BNO2 for the substance of mixture and uses advised against also of the substance of mixture of substances is caloratory chemicals Menufacture of substances is caloratory chemicals is caloratory chemicals is caloratory chemicals Menufacture of substances is caloratory chemicals is caloratory		
iomula : C8H8BNO2 iynonyms : 4-Borono-1H-indule iynonyms : 4-Borono-1H-indule iber means of identified uses of the substance or mixture and uses advised against .2. Relevant identified uses of the substance or mixture and uses advised against .3. Details of the supplier of the safety data sheet iynOuest Laboratories, Inc. YO. Dox 309 isage if 2.3515 - United States of America (38) 462-0785 - F (38b) 462-7078 isage if 2.3515 - United States of America (38b) 462-0785 - F (38b) 462-7078 isage if 2.3515 - United States of America (38b) 462-0785 - F (38b) 462-7078 isage if 2.3516 - United States of America (38b) 462-0785 - States of America (38b) 470-0785 - 31-335 - May cause respiratory inflation (415) 423-4086 (3E Company - Account 10069) 2: Laborator - Classtate statements (GHS-US)<		
ynonyms : 2 4-Borono-1H-indole thar means of identification : MFCD03095175 2. Retevant identifications of the substance or instarter and uses advised against se of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynongest Laboratory sheet. A. Benergency telephone number mergency telephone number (ad6) 462-0786 - F (ad6) 462-7097 (ad6) 462-7097 (ad7) 462-7097 (ad6) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad7) 462-7097 (ad8) 462-7097 (ad8) 462-7097 (ad8) 462-7097 (ad7) 462-7097 (ad8) 462-		
ther means of identification : MFCD03095175 2. Relevant identified uses of the substance or mixture and uses advised against se of the substance/mixture : Laboratory of hemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet yrQuest Laboratories, Inc. O. Box 309 lachua, FL 32815 - United States of America (369) 462-2785 - F (389) 482-7087 Manufacture of substances mergency number : (844) 523-4066 (3E Company - Account 10069) EECTION 21 Hazard(s) Identification 1. Classification of the substance or mixture tassification (GHS-US) kin Int 2. MF35 - Causes skin initiation ye Int 2A H319 - Causes skin initiation Yor St 3. H335 - May cause skin initiation 107 SE 3. H335 - May cause skin initiation H319 - Causes serious even initiation tor St 3. H335 - May cause skin initiation H319 - Causes serious even initiation recautionary statements (GHS-US) E Yeze 1 - Avoid breathing dust, mist, spray P271 - Use only outdoors or in a well-ventilated area P284 - Wash sin thorough ju alter handing P277 - Use only outdoors or in a well-ventilated area P284 - Wash sin thorough ju day ther handing P277 - Use only outdoors or in a well-ventilated area P304-P332 - If in skin throng in a well with plent yof soap and water P304-P332 - If in skin throng in a well-contained area P304-P332 - If in skin throng in a well-contained area P304-P332 - If in skin throng in a well-contained in a well-contained in a well-contained in a well-contained area P304-P333 - If in reserved and mixels performed area area per contorable for breathing P304-P334 - If a colision for the substance or in the sheet in a diverge contorable for breathing P304-P334 - If a colision for in a well-ventilated area P304-P334 - If a point sheet here exceed on this labely P334-P334 - If a here in mainted exceptoration in this labely P334-P334 - If a key initiation accurs: Get medical advice/attention P332+P333 - If in skin initiation accurs: Get medical advice/attention		
2. Relevant identified uses of the substance or mixture and uses advised against se of the substance/mixture Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplement of the safety data sheet WrQuest Laboratories, Inc. O, Box 309 Biachua, Fl. 32615 - United States of America (386) 462-0789 - F (386) 462-7097 for Bisryouestilabor, ong. *www.synuestilabo.com 4. Emergency telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) FCTION 2: Hazard(5) identification 4. Classification of the substance or mixture lassification (GHS-US) Kin Intl. 2. H315 - Causes skin initiation Volt 2: H319 - Causes scin initiation Volt 2: H315 - Causes scin initiation Volt 2: H315 - Causes scin initiation Volt 2: H315 - Causes scin initiation Volt 2: Varining Volt 2: Volt 2: Varining Volt 2: Volt 2: Varining Volt 2: Volt	, ,	
se of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynOuest Laboratories, Inc. 0. Box 309 Iachua, FL 32615 - United States of America (369) 462-0788 - F (368) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) Identification 1. Classification of the substance or mixture Inselfication (GHS-US) Win Imt. 2. H315 - Causes skin irritation ye Imt. 2A H319 - Causes serious eye irritation TO FS 3 H335 - May cause respiratory irritation It to the substane respiratory irritation It to the substane respiratory irritation ignal word (GHS-US) ignal word (GHS-US) is H315 - Causes skin irritation recautionary statements (GHS-US) : H315 - Causes skin irritation : P321 - Specific tratumet (respin and water P320 - Vaci or protective of protection of protechain and water P321 - Specific tratument (rese in retain and inst		
Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynCuest Laboratories, Inc. O. Box 309 Idasha, FL 32615 - United States of America (386) 462-0785 + (386) 462-7087 Idasha, E. 19 2615 - United States of America (386) 462-0785 + (786) 462-0786 Idasha, E. 2007 - Mounder States of America (386) 462-0785 + (786) 462-0786 Idasha, E. 2007 - Work synchronization of the substance or mixture Iteration (0HS-US) Init Int. 2 1435 - Causes skin irritation ye Irrit. 2A H316 - Causes serious eye irritation ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A H319 - Causes serious eye irritation utst of H-phrases: see section 16 E 2. Label elements HS-US labeling If Warning azard pictograms (GHS-US) If Warning zard statements (GHS-US) If Varing P264 - Wash Skin throroughly date handing P271 - Use only outdoors or in a well-wentiated area P280 - Wash Skin throroughly date handing P271 - Use only outdoors or in a well-wentiated area P280 - Wash Skin	2. Relevant identified uses of the s	-
ynQuest Laboratories, Inc. O. Box 309 Jachua, FL 32615 - United States of America (366) 462-7087 (366) 462-7087 F (368) 462-7087 (367) 462-0788 - F (368) 462-7087 (844) 523-4086 (3E Company - Account 10069) Sector 100 Secto	lse of the substance/mixture	Manufacture of substances
G. Box 309 Jachua, F. 32615 - United States of America (386) 462-0788 - F (386) 462-7097 Job 22-0788 - F (386) 462-7097 Job 22-0789 - F (386) 462-7097 Job 22-0780 - Telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification A. Emergency telephone number itassification of the substance or mixture itassification (GHS-US) Kin Int. 2. H315 - Causes skin irritation ye Int. 2A H315 - Causes section 16 2. Label elements H5-US tabeling azard pictograms (GHS-US) : Warning ignal word (GHS-US) : Warning recautionary statements (GHS-US) : Warning recautionary statements (GHS-US) : P261 - Wash skin throughly after handling P271 - Use only outdoors or in a well-ventilated area P264 - Wash skin throughly after handling P271 - Use only outdoors or in a well-ventilated area P264 - Wash skin throughly after handling P271 - Use only outdoors or in a well-ventilated area P2	.3. Details of the supplier of the safe	ety data sheet
imergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification M. Classification of the substance or mixture Classification (GHS-US) Skin Init 2: H315 - Causes skin irritation Stor IT 2: H316 - Causes service service irritation Stor IT 2: H316 - Causes service service irritation Stor IT 2: Label elements SHS-US labeling Hazard pictograms (GHS-US) signal word (GHS-US) Hazard statements (GHS-US) H315 - Causes skin irritation H319 - Causes service service service of the substance or mixture Cause service service service service of the servi	.O. Box 309 Machua, FL 32615 - United States of Americ (386) 462-0788 - F (386) 462-7097 <u>ofo@synquestlabs.com</u> - <u>www.synquestlabs</u>	
SECTION 2: Hazard(s) identification 1. Classification of the substance or mixture Stasification (GHS-US) kin Irit. 2 H315 - Causes skin irritation ye Irit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation uill text of H-phrases: see section 16		
1. Classification of the substance or mixture classification (GHS-US) kin Iriti 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation Total Second Sec	mergency number	: (844) 523-4086 (3E Company - Account 10069)
Hazard pictograms (GHS-US) : Signal word (GHS-US) : Warning : Hazard statements (GHS-US) : Warning : Hazard statements (GHS-US) : H319 - Causes serious eye irritation H335 - May cause respiratory irritation Precautionary statements (GHS-US) : P264 - Avash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If skin irritation parisets: Get medical advice/attention P337+P333 - Store in a well-ventilated place. Keep container tightly closed	Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye irSTOT SE 3H335 -May cause respiratory	rritation
bignal word (GHS-US) : Warning tazard statements (GHS-US) : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation brecautionary statements (GHS-US) : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P332 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove cont lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P332+P343 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16	rritation
Hazard statements (GHS-US) : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation Precautionary statements (GHS-US) : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove cont lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P332+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P233 - Store in a well-ventilated place. Keep container tightly closed	Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements	rritation
H319 - Causes serious eye irritationH335 - May cause respiratory irritationPrecautionary statements (GHS-US):P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove cont lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If skin irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed	Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	rritation y irritation
 Precautionary statements (GHS-US) P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contributed in the several minutes. Remove contributed is protective for the several minutes. Remove contributes is present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed 	Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation
P501 - Dispose of contents/container to an approved waste disposal plant	Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Other hazards				
lo addit	tional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not app	licable				
SECT	ION 3: Composition/information	on on in	gredients		
3.1.	Substance		<u> </u>		
Substan	ice type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
	ble-4-boronic acid		(CAS No) 220465-43-0	/0 <= 100	Skin Irrit. 2. H315
	instituent)				Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not app	licable				
SECT	ON 4: First aid measures				
4.1.	Description of first aid measures				
⁻irst-aid	l measures general		se of accident or if you feel unwell, seek		
			e possible). Move the affected personnel		
-ırst-aid	I measures after inhalation		ove person to fresh air and keep comforta ration. Get medical advice/attention.	able for breathin	g. It not breathing, give artificial
First-aid	measures after skin contact		with plenty of soap and water. Get medi	cal advice/atten	ition.
	l measures after eye contact		ediately flush eyes thoroughly with water f		
			ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.					
4.2.	Most important symptoms and effe	cts, both	acute and delayed		
Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.					
4.3.	Indication of any immediate medica	l attentio	n and special treatment needed		
-	Indication of any immediate medica mptomatically.	l attentio	n and special treatment needed		
Freat sy	mptomatically.	l attentio	n and special treatment needed		
Treat sy SECTI	mptomatically.	l attentio	n and special treatment needed		
Treat sy SECTI 5.1.	mptomatically. ION 5: Firefighting measures Extinguishing media		n and special treatment needed	owder. Water sp	oray. Use extinguishing media
Treat sy SECTI 5.1.	mptomatically.	: Alcoł		owder. Water sp	oray. Use extinguishing media
Treat sy SECTI 5.1. Suitable	mptomatically. ION 5: Firefighting measures Extinguishing media	: Alcoh appro	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
Treat sy SECTI 5.1. Suitable 5.2.	mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the su	: Alcoh appro	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.		
Treat sy SECTI 5.1. Suitable 5.2. Fire haz	Properties and a second	: Alcoh appro	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture		
Treat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3.	Imptomatically.	: Alcoh appro bstance : Therr	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo		
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight	Interpretation of the second s	: Alcoh appro bstance : Therr : In cas	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area.	ron oxides. Carl	bon oxides. Nitrogen oxides.
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight	Imptomatically.	: Alcoh appro bstance : Therr : In ca : Wear	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo	ron oxides. Carl	bon oxides. Nitrogen oxides.
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection	Imptomatically. Important Actions Important Actions Implementation Actions	: Alcoh appro bstance : Therr : In ca : Wear appa	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area.	ron oxides. Carl	bon oxides. Nitrogen oxides.
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection SECTI	Imptomatically. Important Action Important Action <	: Alcoh appro bstance : Therr : In ca : Wear appa sures	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. gas tight chemically protective clothing i ratus. For further information refer to sect	ron oxides. Carl	bon oxides. Nitrogen oxides.
Fire that sy 5.1. 5.1. 5.2. Fire that 5.3. Firefight Protection SECTI	Imptomatically. Important Advice for firefighters Important Advice for firefighting	: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures	ron oxides. Carl n combination w ion 8: "Exposur	oon oxides. Nitrogen oxides. vith self contained breathing e controls/personal protection".
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection SECTI 6.1.	Imptomatically. Important Action Important Action <	: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. gas tight chemically protective clothing i ratus. For further information refer to sect	ron oxides. Carl n combination w ion 8: "Exposur	oon oxides. Nitrogen oxides. vith self contained breathing e controls/personal protection".
Freat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection SECTI 5.1. General	Imptomatically. Important Advice for firefighters Important Advice for firefighting	: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures	ron oxides. Carl n combination w ion 8: "Exposur	oon oxides. Nitrogen oxides. vith self contained breathing e controls/personal protection".
Treat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection SECTI 6.1. General 6.1.1.	 Interpretation of the second structure structure structure of the second structure structure	: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment : Evac	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures	ron oxides. Carl n combination w ion 8: "Exposur	bon oxides. Nitrogen oxides. with self contained breathing e controls/personal protection".
SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protectio SECTI 6.1. General 6.1.1. Emergel	Imptomatically. Important String media Special hazards arising from the substrate Important String instructions Important String instructions <t< td=""><td>: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment : Evac</td><td>nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade</td><td>ron oxides. Carl n combination w ion 8: "Exposur</td><td>bon oxides. Nitrogen oxides. with self contained breathing e controls/personal protection".</td></t<>	: Alcoh appro bstance : Therr : In ca : Wear appa sures uipment : Evac	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade	ron oxides. Carl n combination w ion 8: "Exposur	bon oxides. Nitrogen oxides. with self contained breathing e controls/personal protection".
Treat sy SECTI 5.1. Suitable 5.2. Fire haz 5.3. Firefight Protection SECTI 6.1. General 6.1.1. Emerger 6.1.2.	Interpretation of the second s	: Alcoh appro bstance : Therr : In ca: : Wear appa sures uipment : Evac : Only : Do no	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture mal decomposition generates: Borane/bo se of fire: Evacuate area. ¹ gas tight chemically protective clothing i ratus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade	ron oxides. Carl n combination w ion 8: "Exposur equate air ventila e protective equip	bon oxides. Nitrogen oxides. with self contained breathing e controls/personal protection". ation. Do not breathe dust.

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up				
For containment	: Stop leak if safe to do so.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, inclu	uding any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 91

9.1. Information on basic physical and	I chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 184 - 188 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 160.97 g/mol
03/21/2017	EN (English US)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity	
10.1.	Reactivity	
No add	litional information available	
10.2.	Chemical stability	
The pro	oduct is stable at normal handling and stora	ge conditions.
10.3.	Possibility of hazardous reactions	
No add	litional information available	
10.4.	Conditions to avoid	
Keep a	way from heat, sparks and flame.	
10.5.	Incompatible materials	
Strong	oxidizing agents.	
10.6.	Hazardous decomposition products	
	normal conditions of storage and use, hazar e Section 5.	rdous decomposition products should not be produced. Hazardous decomposition products in case of
SECT	FION 11: Toxicological informatio	on la constant de la c
11.1.	Information on toxicological effects	
Acute to	oxicity	Not classified
Skin co	prosion/irritation	Causes skin irritation

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Aspiration hazard

: Not classified

SECT	ION 12: Ecological information	on		
12.1.	Toxicity			
No add	tional information available			
12.2.	Persistence and degradability			
No add	tional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	tional information available			
12.5.	Other adverse effects			
No add	tional information available			
03/21/20	17	EN (English US)	SDS ID: P311A84	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	S	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:		

I-Indole-4-boronic acid C	CAS No 220465-43-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.