

**3-Fluorobenzoyl chloride** Safety Data Sheet 2616703 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/28/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 3-Fluorobenzoyl chloride		
CAS No	: 1711-07-5		
Product code	: 2616-7-03		
Formula	: C7H4CIFO		
Other means of identification	: MFCD00000670		
1.2. Relevant identified uses of the subs	stance or mixture and uses advised	against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developm	ent	
1.3. Details of the supplier of the safety	data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.co	<u>n</u>		
1.4. Emergency telephone number	(2.1.1) 500 1000 (05.0	( (0000)	
Emergency number	: (844) 523-4086 (3E Company - A	ccount 10069)	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or n	nixture		
Classification (GHS-US)			
Skin Corr. 1AH314 - Causes severe skin buEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	mage		
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin burns H335 - May cause respiratory irrit		
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat/span P260 - Do not breathe fumes, mis P264 - Wash skin thoroughly afte P271 - Use only outdoors or in a P280 - Wear protective gloves/pro P301+P330+P331 - If swallowed: P303+P361+P353 - If on skin (or skin with water/shower P304+P340 - If inhaled: Remove P305+P351+P338 - If in eyes: Rii lenses, if present and easy to do. P310 - Immediately call a POISO P321 - Specific treatment (see su P363 - Wash contaminated clothi P370+P378 - In case of fire: Use</li> </ul>	ks/open flames/hot surfaces. No smoking t, spray, vapors r handling well-ventilated area otective clothing/eye protection/face protecti rinse mouth. Do NOT induce vomiting hair): Take off immediately all contaminated person to fresh air and keep comfortable for use cautiously with water for several minutes Continue rinsing N CENTER or doctor/ physician pplemental first aid instructions on this labe	d clothing. Rinse r breathing s. Remove contact I)
12/06/2016	EN (English US)	SDS ID: 2616703	Page 1

# **3-Fluorobenzoyl chloride** Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P403+P235 - Store in a well-ventil P405 - Store locked up P501 - Dispose of contents/contai		e disposal plant
2.3. Other hazards			
Other hazards not contributing to the classification	: Lachrymator.		
2.4. Unknown acute toxicity (GHS US	5)		
Not applicable			
<b>SECTION 3: Composition/informa</b>	tion on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
3-Fluorobenzoyl chloride (Main constituent)	(CAS No) 1711-07-5	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures		an an the state of the state of the	- Serve d'atales (also es tha label
First-aid measures general	: In case of accident or if you feel un where possible). Move the affecte	d personnel away from th	ne contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and ke respiration. Get immediate medica	al advice/attention.	
First-aid measures after skin contact	: Wash with plenty of soap and wate medical advice/attention.	er. Remove contaminated	d clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thoroughly present and easy to do. Continue		5 minutes. Remove contact lenses, if edical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never g mouth out with water. Get immedia		
4.2. Most important symptoms and e	ffects, both acute and delayed		
Symptoms/injuries	: The most important known sympto 2.2) and/or in section 11.	oms and effects are desc	ribed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of shortness of breath, headache, na		s and upper respiratory tract. Cough,
4.3. Indication of any immediate med	lical attention and special treatment ne	eded	
Treat symptomatically.			
<b>SECTION 5: Firefighting measures</b>	S		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon did appropriate for surrounding fire.	oxide. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Thermal decomposition generates	: Carbon oxides. Hydrog	en chloride.
Explosion hazard	: Risk of explosion if heated under or containers. May form flammable/e		
Reactivity	: Reacts with water, generates gase release highly explosive/flammabl		oosure to water with some metals to
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fig	ht fire remotely due to the	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protecti apparatus. For further information		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measure	ures
6.1. Personal precautions, protective equi	
	<ul> <li>Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.</li> </ul>
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 189 °C
Flash point	: 82 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.32 g/ml (@ 20 °C)
Nolecular mass	: 158.56 g/mol
Solubility	: No data available
_og Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.5285 (@ 20 °C)

Reactivity 10.1.

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2.	Chemical stability				
The produ	product is stable at normal handling and storage conditions.				
10.3.	Possibility of hazardous reactions				
No additio	onal information available				
10.4.	Conditions to avoid				
Keep awa	y from heat, sparks and flame. Moisture				
10.5.	Incompatible materials				
Alcohols.	cohols. Oxidizing agents. Strong bases. Water.				
10.6.	Hazardous decomposition products				
Under no fire, see S	0	ardous decomposition products should not be produced. Hazardous decomposition products in case of			
SECTIO	<b>N 11: Toxicological informati</b>	on			
11.1.	Information on toxicological effects				
Acute tox	city	: Not classified			
Skin corro	kin corrosion/irritation : Causes severe skin burns and eye damage.				
Serious e	rious eye damage/irritation : Causes serious eye damage.				

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	ON 12: Ecological information
12.1.	Toxicity
No additio	onal information available
12.2.	Persistence and degradability
No additio	onal information available
12.3.	Bioaccumulative potential
No additio	onal information available
12.4.	Mobility in soil
No additio	onal information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport information			

## Department of Transportation (DOT)

In accordance with DOT	
Transport document description	

#### UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	:	IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	60 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	40 - Stow "clear of living quarters"
Other information	:	No supplementary information available.
<b>TDG</b> No additional information available		
Transport by sea		
UN-No. (IMDG)	:	3265
Proper Shipping Name (IMDG)	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	:	8 - Corrosive substances
Packing group (IMDG)	:	III - substances presenting low danger
<mark>Air transport</mark> UN-No. (IATA)		3265
Proper Shipping Name (IATA)		Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)		8 - Corrosives
Packing group (IATA)		III - Minor Danger
SECTION 15: Regulatory information		

#### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

#### 3-Fluorobenzoyl chloride (1711-07-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

3-Fluorobenzoyl chloride (1711-07-5)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

3-Fluorobenzoyl chloride (1711-07-5) Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Full text of H-phrases:

Fuiltex	a or n-prirases.	
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Flam. Liq. 4	Flammable liquids Category 4
	Skin Corr. 1A	Skin corrosion/irritation Category 1A
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H227	Combustible liquid
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H335	May cause respiratory irritation
NFPA	health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA	fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA	reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS I	II Rating	
Health	-	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flamm	ability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physica	al	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.