

SynQuest Laboratories, Inc.

PO Box 309, Alachua, FL 32616-0309 Tel. 386/462-0788; FAX 386/462-7097

# Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: June 26, 2012 Date printed: June 28, 2012

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 6662-7-11 NAME: 5-FLUORO-2-METHOXYBENZENESULFONYL CHLORIDE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS NUMBER: 67475-56-3 MOLECULAR FORMULA: C7H6CIFO3S MOLECULAR WEIGHT: 224.64

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS HARMFUL. HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN, OR INHALED. CORROSIVE. CAUSES BURNS.

SECTION 4. ----- FIRST-AID MEASURES------

ORAL EXPOSURE IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN. DO NOT INDUCE VOMITING. INHALATION EXPOSURE IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. DERMAL EXPOSURE IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN. EYE EXPOSURE IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY

SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

## SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT NOT ESTABLISHED EXTINGUISHING MEDIA SUITABLE: CARBON DIOXIDE, DRY CHEMICAL POWDER, OR APPROPRIATE FOAM. FIREFIGHTING PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

### SECTION 6. ----- ACCIDENTAL RELEASE MEASURES------

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL EVACUATE AREA. PROCEDURE(S) OF PERSONAL PRECAUTION(S) WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

COVER WITH DRY LIME OR SODA ASH, PICK UP, KEEP IN A CLOSED CONTAINER, AND HOLD FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

## SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: DO NOT BREATHE DUST. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE. STORAGE SUITABLE: KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE. STORE UNDER NITROGEN. SPECIAL REOUIREMENTS

MOISTURE SENSITIVE.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

#### ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. USE ONLY IN A CHEMICAL FUME HOOD. PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY: USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. HAND: COMPATIBLE CHEMICAL-RESISTANT GLOVES. EYE: CHEMICAL SAFETY GOGGLES. OTHER: FACESHIELD (8-INCH MINIMUM).

GENERAL HYGIENE MEASURES

WASH CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES. WASH THOROUGHLY AFTER HANDLING.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES ------

APPEARANCE AND ODOR SOLID PHYSICAL PROPERTIES NONE ESTABLISHED

## SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY STABLE: STABLE. MATERIALS TO AVOID: WATER, STRONG OXIDIZING AGENTS. HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, SULFUR OXIDES, HYDROGEN FLUORIDE, HYDROGEN CHLORIDE GAS. HAZARDOUS POLYMERIZATION HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 11. ----- TOXICOLOGICAL INFORMATION ------

ROUTE OF EXPOSURE SKIN CONTACT: CAUSES BURNS. SKIN ABSORPTION: HARMFUL IF ABSORBED THROUGH THE SKIN. EYE CONTACT: CAUSES BURNS. INHALATION: HARMFUL IF INHALED. MATERIAL IS EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. INGESTION: HARMFUL IF SWALLOWED. SIGNS AND SYMPTOMS OF EXPOSURE

INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS, AND PULMONARY EDEMA. MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS ------

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

## SECTION 14. ----- TRANSPORT INFORMATION -----

DOT PROPER SHIPPING NAME: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. UN#: 3261 CLASS: 8 PACKING GROUP: PACKING GROUP III HAZARD LABEL: CORROSIVE SOLID

# SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION SYMBOL OF DANGER: Xn, C INDICATION OF DANGER: CORROSIVE. RISK STATEMENTS: 20/21/22-34-36/37/38 SAFETY STATEMENTS: 3/7-6-22-24/25-26-36/37/39-45 UNITED STATES REGULATORY INFORMATION TSCA: NOT LISTED ON TSCA INVENTORY; FOR R&D USE ONLY

## SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.